

Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 193.

List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus crinitus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus esculentus* (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus manihot* (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus moschatus* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abies densa* W. Griff. ex. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abies pindrow* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abies spectabilis* (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abies webbiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abrus fruticulosus* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abrus pulchellus* WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon asiaticum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon avicennae* GAETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon glaucum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon graveolens* (ROXB. EX HORNE.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon hirtum* (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon indicum* (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon indicum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon persicum* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon theophrasti* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia arabica* SENSU BAKER vadiana COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia arabica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia caesia* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia catechu* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia chundra* (ROXB. EX ROTTLER) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia concinna* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia dealbata* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia decurrens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia eburnea* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia farnesiana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia indica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia intsia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia jacquemontii* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia leucophloea* (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia melonoxylon* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia modesta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia nilotica* (L.) WILLD. EX DEL. indica (BENTH.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia pennata* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia planifrons* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia polyacantha* WILLD. polycantha BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia polyantha* SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia pseudo-eburnea* DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia pycnantha* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia rugata* (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia senegal* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia sinuata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia speciosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia suma* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia torta* (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha alnifolia* KLEIN EX WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha betulina* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha ciliata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha fruticosa* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha hispida* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha paniculata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha racemosa* WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acampe carinata* (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acampe papillosa* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acampe wightiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acanthopanax trifoliatum* (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer caesium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer cappadocicum* GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer laevigatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer mono* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer oblongum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer pentapomicum* STEWART. EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer pictum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achillea millefolium* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achillea santolina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achras zapota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achyranthes aquatica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achyranthes aspera* L. *rubrofusca* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achyranthes bidentata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achyranthes lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achyranthes porphyristachya* WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum atrox* (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum balfourii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum bisma* (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum chasmanthum* STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum deinorrhizum* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum elwesii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum falconeri* STAPF and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum ferox* WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum heterophyllum* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum kashmiricum* STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum laciniatum* (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum laeve* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum lethale* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum luridum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum moschatum* (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum napellus* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum palmatum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum rotundifolium* KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum soonoricum* STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum spicatum* (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconitum violaceum* JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aconogonum tortuosum* (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acorus calamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acorus gramineus* AIT. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acronychia laurifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acronychia pedunculata* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acroptilon repens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrostichum aureum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrotrema arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actaea racemosa* and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actaea spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinopteris australis* (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinopteris dichotoma* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinopteris radiata* (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne angustifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne dichotoma* FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne hookeri* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne obovata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenanthera pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenema hyssopifolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenia heterophylla* (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenia hondala* (GAERTN.) W.J.DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenia nicobarica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenia palmata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenia penangiana* (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenosma capitatum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenosma indianum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenosma indicum* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenostemma lavenia* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adhatoda beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adhatoda vasica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adhatoda zeylanica* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum aethiopicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum capillus-veneris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum caudatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum flabellulatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum incisum* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum lunulatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum melanacaulon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum pedatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum peruvianum* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum philippense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum tinetum* MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum trapiziforme* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adiantum venustum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adina cordifolia* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adinobotrys atropurpureus* DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adonis aestivalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adonis majus* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adonis scrobiculata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adonis vernalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aegiceras corniculatum* (L.) BLANCO and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerides crispum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerides fieldingii* WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerides multiflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerides odorata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerides rosea* LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerides williamsii* WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva lanata* (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva monsonia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva pseudotomentosa* BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva sanguinolenta* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva tomentosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva wightii* HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeschynanthus hookerii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeschynanthus maculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeschynomene indica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aesculus assamica* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aesculus hippocastamum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aesculus indica* COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aganosma calycina* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aganosma caryophyllata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aganosma cymosa* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aganosma dichotoma* (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aganosma marginata* G. DON. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aganosma wallichii* G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agapanthus africanus* (L.)HOFFMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agathis robusta* F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agati grandiflora* (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave angustifolia* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave cantala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave sisalana* PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave vera-cruz* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave vivipara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ageratina adenophora* (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ageratum houstonianum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia diepenhorstii* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia elaeagoidea* (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia lawii* (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia minutiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia odorata* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia odoratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia roxburghiana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agni-jwalamonia eupatoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agni-jwalamonia pilosa* LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agropyron repens* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostemma githago* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostis linearis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostistachys meeboldii* PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ailanthus altissima* SWINGLE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ailanthus excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ailanthus glandulosa* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ailanthus malabarica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ailanthus triphysa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ainsliaea aptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ainsliaea pteropoda* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aisandra butyracea* (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ajuga bracteosa* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ajuga macrocarpa* WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ajuga macrosperma* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ajuga parviflora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alangium begonifolium* MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alangium decapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alangium hexapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alangium kurzii* CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alangium lamarckii* THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alangium salvifolium* (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia amara* (ROXB.) BOIVIN and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia chinensis* (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia julibrissin* DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia lebbeck* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia lucida* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia lucidior* (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia marginata* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia myriophylla* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia odoratissima* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia procera* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia stipulata* BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alcornoja javensis* MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alcornoja rugosa* (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alchornea tiliacifolia* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alectra parasitica* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aleurites moluccana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alhagi camelorum* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alhagi maurorum* DESV. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alhagi pseudalhagi* (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alisma plantago* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alisma plantagoauatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alkanna tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *AllamKalam cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alliaria officinalis* ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium ampeloprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium ascalonicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium carolinianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium chinense* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium consanguineum* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium hookeri* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium humile* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium leptophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium macleani* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium porrum* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium rubellum* M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium schoenoprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium stracheyi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium tuberosum* ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium victorialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium wallichii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allmania nodiflora* (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allophylus cobbe* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allophylus rheedii* (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allophylus serratus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alloteropsis cimicina* (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alnus nepalensis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alnus nitida* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alocasia cucullata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alocasia denudata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alocasia fornicata* (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alocasia indica* (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alocasia macrorrhiza* (L.) G.DON and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alocasia montana* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alocasia odora* (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe abyssinica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe barbadensis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe ferox* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe indica* (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe littoralis* KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe perryi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe spicata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe succotrina* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe vera* L. *chinensis* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe vera* L. *littoralis* KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe vera*(*typica*) (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloysia triphylla* (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia allhugas* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia calcarata* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia chinensis* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia conchigera* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia galanga* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia khulanjan* M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia malaccensis* (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia nigra* (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia nutans* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia officinarum* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia speciosa* K.SCHWM. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia zerumbet* BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alseodaphne semicarpifolia* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alstonia constricta* F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alstonia kurzii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alstonia macrophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alstonia scholaris* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alstonia spectabilis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alstonia venenata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera ficoidea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera philoxeroides* (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera pungens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera sessilis* (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera triandra* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Althaea ludwigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Althaea officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Althaea rosea* (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Altingia excelsa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus bupleurifolius* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus longifolius* WIGHT. & ARN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus monilifer* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus vaginalis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alyxia reinwartii* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alyxia stellata* ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus atropurpureus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus blitum* L. oleracea DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus campestris* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus dubius* E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus fasciatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus gangeticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus gangeticus* LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus gracilis* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus graecizans* AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus hybridus* L. hybridus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus hybridus* L. paniculatus THELL. cruentus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus hypochondriacus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus lividus* L. *polygonoides* (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus lividus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus mangostanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus polygamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus tenuifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus tristis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaryllis belladonna* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amberboa divaricata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amberboa hookeri* (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amberboa ramosa* (ROXB.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amblyanthus glandulosus* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ambroma augusta* (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amentotaxus assamica* D.K.Ferguson and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amischophacelus axillaris* ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amischotolype hookeri* (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ammannia auriculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ammannia baccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ammannia senegalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ammannia vesicatoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ammi majus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum aromaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum costatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum dealbatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum fenzlii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum granum-paradisi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum kepulaga* SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum melegueta* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum racemosum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum subulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum xanthioides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum zingiber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amoora cucullata* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amoora rohituka* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorpha fruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus bulbifer* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus campanulatus* BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus commutatus* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus dubius* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON *campanulatus* (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus prainii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus sylvaticus* (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus arnottiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus barbata* (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus indica* (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus latifolia* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus tomentosa* (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amphicome emodi* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amphilophis odorata* CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amphineuron extensus* (BL.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amyris gileadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anacolsa densiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anacyclus pyrethrum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anamirta cocculus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ananas comosus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ananas sativus* SCHULT.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis adnata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis brevifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis cinnamomea* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis contorta* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis cuneifolia* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis neelgerriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis nubigena* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis sarmentosa* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis semepervivoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis triplinervis* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anastatica hierochuntica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anchusa strigosa* LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ancistrocladus heyneanus* WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ancistrocladus tectorius* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andira araroba* AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrachne cadishaw* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrachne cordifolia* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis echioides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis lineata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis macrobotrys* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis serpyllifolia* (ROTTL. EX VAHL) WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon citratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon contortus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon halepensis* BROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon jwarancusa* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon laniger* DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon martini* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon muricatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon nardus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon odoratus* DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum phlomidis* L.f. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum serratum* (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum thomsonae* Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum waiichii* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Duranta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gmelina arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gmelina philippensis* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holmskioldia sanguinea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lantana camara* L. var. *aculeata* (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lantana camara* L.var. *splendens* (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lantana indica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lantana trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lantana veronicifolia* Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lippia citriodora* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lippia javanica* (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Petrea volubilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyla nodiflora* (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna balakrishnanii* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna coriacea* Clarke var. *coriacea* and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna glaberrima* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna latifolia* Rozb. var. *latifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna latifolia* Roxb. var. *henryi* D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna latifolia* Roxb. var. *viburnoides* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna mundanthuraiensis* Rajendran & P.Daniel and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna paucinervis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna wightiana* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Priva cordifolia* (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachytarpheta jamaicensis* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachytarpheta mutabilis* (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachytarpheta urticaefolia* (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tectona grandis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbena bipinnatifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbena bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbena x hybrida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbena rigida* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex altissima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex leucoxydon* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex negundo* L. var. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex peduncularis* Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Congea tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphenodesme paniculata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symphorema involucratum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avicennia alba* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avicennia marina* (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrocephalus palniensis* Mukerjee and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus argenteus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus eriocephalus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus henryi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus paniculatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus robustus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus scaber* Benth. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus sericeus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus suffruticosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisomeles heyneana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisomeles indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisomeles malabarica* (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Basilicum polystachyon* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Becium filamentosum* (Forssk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clinopodium umbrosum* (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colebrookea oppositifolia* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elsholtzia ciliata* (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Endostemon viscosus* (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eusteralis cruciata* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eusteralis deccanensis* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eusteralis quadrifolia* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geniosporum elongatum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geniosporum menthoides* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphostemma eriocarpon* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphostemma strobilinum* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyptis suaveolens* (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isodon coetsa* (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isodon nigrescens* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isodon nilgherriensis* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isodon walkeri* (Arn.) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isodon wightii* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lavendula angustifolia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lavandula lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonotis leonurus* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonotis nepetiifolia* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonurus sibiricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas anKalamraoana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas angularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas aspera* (Willd.) Link and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas biflora* (Vahl) R.Br. var. *biflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas cephalotes* (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas chinensis* (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas ciliata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas diffusa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas eriostoma* Hook.f. var. *eriostoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas helianthemifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas hirta* (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas indica* (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas lamifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas lanata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas lanceaefolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas marrubioides* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas martinicensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas montana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas nutans* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas prostrata* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas rosmarinifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas stelligera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas stricta* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas suffruticosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas ternifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas urticaefolia* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas vestita* Benth. var. *vestita* and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas zeylanica* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha x piperita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meriandra bengalensis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micromeria capitellata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta hindostana* (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum basilicum* L. var. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum basilicum* L. var. *pilosum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum basilicum* L. var. *purpurascens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum basilicum* L. var. *thyrsiflorum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Origanum hortensis* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon aristatus* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon comosus* Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon pallidus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon thymiflorus* (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus amboinicus* (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus barbatus* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus bishopianus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus caninus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus coleoides* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus deccanicus* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus malabaricus* (Benth.) Willems and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus mollis* (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus rivularis* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus rotundifolius* (Poir.) Spreng. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus scutellarioides* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus stocksii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus subincisus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus urticifolius* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon atropurpureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon auricularius* (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon benghalensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon cablin* (Blanco) Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon gardneri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon hedgei* V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon heyneanus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon nilagiricus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon paludosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon paniculatus* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon pubescens* Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon purpurascens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon rotundatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon speciosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunella vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia coccinea* Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia farinacea* Benth. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia grahamii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia involucrata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia leucantha* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia patens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia rutilans* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia splendens* Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia uliginosa* Benth. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia verbenacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Satureja umbrosa* (Bieb.) Scheele and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria colebrookiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria rivularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria violacea* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetradenia riparia* (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teucrium fruticans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teucrium plectranthoides* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teucrium tomentosum* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teucrium wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago afra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago erosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago exigua* Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago ovata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commicarpus chinensis* (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boerhavia crispa* Heyne ex Hook.f. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wild Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boerhavia helenae* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bougainvillea glabra* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bougainvillea spectabilis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mirabilis longiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisonia grandis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achyranthes aspera* L. var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achyranthes bidentata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva lanata* (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva persica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva sanguinolenta* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerva wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allmania nodiflora* (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera paronychioides* A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera philoxeroides* (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera pungens* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera sessilis* (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera tenella* Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celosia polygonoides* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celosia pulchella* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathula prostrata* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digera muricata* (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphrena serrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indobanalia thyrsoflora* (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iresine herbstii* Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothosaerva brachiata* (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psilotrichum elliotii* Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pupalia lappacea* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichuriella monsoniae* (L.f.) Bennet and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthrocnemum indicum* (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atriplex repens* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atriplex stockesii* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium ambrosioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium carinatum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium giganteum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium pumilo* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haloxylon recurvum* (Moq.) Bunge and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kochia indica* Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salicornia brachiata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Suaeda maritima* (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Suaeda monoica* Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Basella rubra* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ercilla spicata* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Petiveria alliacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phytolacca dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phytolacca octandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rivina humilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antigonon leptopus* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coccoloba uvifera* (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emex spinosus* (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagopyrum esculentum* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Muehlenbeckia gracillima* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria attenuata* (R.Br.) Sojak subsp. *pulchra* (Blume) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria barbata* (L.) Hara var. *gracilis* (Danser) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria barbata* (L.) Hara var. *stagnina* (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria capitata* (Buch.-Ham. ex D.Don) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria chinensis* (L.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria dichotoma* (Blume) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria hydropiper* (L.) Spach var. *hydropiper* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria hydropiper* (L.) Spach subsp. *flaccida* (Meisn.) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria lapathifolia* (L.) Gray var. *lanigera* (R.Br.) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria nepalensis* (Meisn.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persicaria peduncularis* (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum glabrum* Willd. var. *glabrum* and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum minus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum molle* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum plebeium* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum sphaerocephalum* Wall.ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex crispus* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex nepalensis* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalzellia zeylanica* (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Farmeria indica* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indotristicha ramosissima* (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Podostemon barberi* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Podostemon subulatus* Gard. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polypleurum dichotomum* (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polypleurum stylosum* (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Willisia selaginoides* (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zeylanidium lichenoides* (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zeylanidium olivaceum* (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia bracteolata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia cymbifera* Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia ringens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia tagala* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thottea barberi* (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thottea siliquosa* (Lam.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepianthes umbellata* (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq.) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia heyneana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia pellucida* (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia candolleana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia pseudo - rhombi* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia wightiana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper argyrophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper galeatum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper glaberrhache* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper hapnium* Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper hymenophyllum* Miq. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper mullesua* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper obtusistigium* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper ootacamunbense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper opacilimum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper ovatostemon* C.DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper pykarahense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper schmidtii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper trichostachyon* (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper trioicum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper wightii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcandra chloranthoides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica dactyloides* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica fragrans* Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne campanulata* Hook.f. var. *campanulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne campanulata* Hook.f. var. *obtusa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne lanata* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne malabarica* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne salicina* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actinodaphne tadulingamii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alseodaphne semecarpifolia* Nees var. *angustifolia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apollonias arnottii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Beilschmiedia bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Beilschmiedia gammieana* King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Beilschmiedia wightii* (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassytha capillaris* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum camphora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum filipedicellatum* Kosterm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum keralaense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum macrocarpum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum malabattrum* (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum multiflorum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum nitidum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum perrottetii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum riparium* Gamble and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum sulphuratum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum verum* Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum walaiwarensense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocarya anamalayana* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocarya beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocarya bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocarya lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocarya neilgherrensis* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocarya stocksii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laurus nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea deccanensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea floribunda* (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea glabrata* (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea glutinosa* (Lour.) C. Robinson and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea hookeriana* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea laevigata* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea monopetala* (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea oleoides* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea quinqueflora* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea venulosa* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolitsea cassia* (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolitsea fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolitsea scrobiculata* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persea americana* Mill. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persea macrantha* (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoebe lanceolata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoebe paniculata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoebe wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gyrocarpus asiaticus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Banksia marginata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grevillea banksii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grevillea bipinnatifida* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grevillea hilliana* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grevillea punicea* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grevillea robusta* A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hakea laurina* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hakea salicifolia* (Vent.) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hakea sericea* Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicia nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicia robusta* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucadendron argenteum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macadamia ternifolia* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Petrophile pulchella* R. Br. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenocarpus salignus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gyrinops walla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ovidia humboldtia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wikstroemia indica* (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus conferta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus indica* Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus kologa* Schlecht. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicanthus elastica* (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helixanthera hookeriana* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helixanthera intermedia* (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helixanthera lepidophylla* (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helixanthera obtusata* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helixanthera wallichiana* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrosolen capitellatus* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrosolen parasiticus* (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scurrula cordifolia* (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxillus courtallensis* (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxillus cuneatus* (Heyne ex Roth) Danser and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxillus heyneanus* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxillus recurvus* (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxillus sclerophyllus* (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Korthalsella japonica* (Thunb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum angulatum* Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum articulatum* Burm.f. var. *articulatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum capitellatum* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum heyneanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum monoicum* Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum orientale* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum ramosissimum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum trilobatum* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleropyrum pentandrum* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thesium wightianum* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *agastyamalayana* Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *tirunelveli* Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha alnifolia* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha brachystachya* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha ciliata* Forssk. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha fruticosa* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha hispida* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha lanceolata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha malabarica* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha racemosa* Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Actephila excelsa* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostistachys borneensis* Becc. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostistachys indica* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aleurites moluccana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma acidum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma alexiteria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma bunius* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma ghaesembilla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma walkeri* (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aporosa acuminata* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aporosa fusiformis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aporosa lindleyana* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Baccaurea courtallensis* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Baliospermum montanum* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bischofia javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blachia calycina* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blachia reflexa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blachia umbellata* (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Breynia retusa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Breynia vitis-idaea* (Burm.f.) Fischer and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia cinerascens* Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia crenulata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia retusa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia scandens* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrozophora prostrata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrozophora rottleri* (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Claoxylon anomalum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleidion spiciflorum* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleistanthus travancorensis* Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Codiaeum variegatum* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelodepas calycinum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton bonplandianum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton caudatus* Geiseler var. *caudatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton hirtus* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton klotzchianus* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton laccifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton malabaricus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton oblongifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton zeylanicus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalechampia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimorphocalyx glabellus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes elata* (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes longifolia* (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes porteri* (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes roxburghii* (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes venusta* (Wight) Pax & Hoffm. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia agowensis* Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia balakrishnanii* Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia barnhartii* Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia corrigioloides* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia cristata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia cyathophora* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia dracunculoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia heterophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia heyneana* Spreng. subsp. *heyneana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia indica* Lam. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia laciniata* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia longistyla* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia milii* Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia nivulia* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia pulcherrima* Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia pycnostegia* Boiss. var. *zornoides* (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia rosea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia rothiana* Spreng. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia santapau* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia serpens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia trigona* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia tortilis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia vajravelui* Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Excoecaria cochinchinensis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Excoecaria crenulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Excoecaria robusta* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flueggea leucopyrus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flueggea virosa* (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Givotia rottleriformis* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion arboreum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion ellipticum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion fagifolium* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion malabaricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion pauciflorum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion tomentosum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion velutinum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion zeylanicum* (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Homonoia riparia* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha glandulifera* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha heynei* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha integerrima* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha maheshwarii* Subram. & Nayar and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha tanjorensis* Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha villosa* Wight var. *villosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga flexuosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga peltata* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus atrovirens* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus distans* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *tomentosus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus repandus* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus resinous* (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus rhamnifolius* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus stenanthus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus subramanyamii* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus tetracoccus* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manihot esculenta* Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manihot glaziovii* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Margaritaria indica* (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meineckia longipes* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meineckia parvifolia* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micrococca beddomei* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micrococca mercurialis* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micrococca wightii* (Hook.f.) prain var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mischodon zeylanicus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedilanthus tithymaloides* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus acidus* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus amarus* Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus baillonianus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus beddomei* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus chandrasei* Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus debilis* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus gageana* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus gardnerianus* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus indofischeri* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus kozhikodianus* Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus lawii* Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus leschenaultii* Muell. Arg.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus longiflorus* Heyne ex Hook.f. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus macrocalyx* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus myrtifolius* Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus pinnatus* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus polyphyllus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus reticulatus* Poir. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus rotundifolius* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus speciosus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus virgatus* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudoglochidion anamlayanum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapium insigne* (Royle) Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapium sebiferum* (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sauropus androgynus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sauropus bacciformis* (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sebastiania chamaelea* (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Suregada lanceolata* (Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Synadenium grantii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia bicolor* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia involucrata* L. var. *involucrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia involucrata* L. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia muelleriana* Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia plukenetii* R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trewia polycarpa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonostemon nemoralis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernicia montana* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcococca saligna* (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boehmeria glomerulifera* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boehmeria macrophylla* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boehmeria nivea* (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamabaina cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Debregeasia ceylanica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Debregeasia longifolia* (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Debregeasia wallichiana* (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrocnide sinuata* (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema acuminatum* (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema cuneatum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema lineolatum* Wight var. *lineolatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema lineolatum* Wight var. *falcigera* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema lineolatum* Wight var. *linearis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema lineolatum* Wight var. *setosum* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema sessile* Forst. var. *sessile* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema surculosum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Girardinia diversifolia* (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laportea interrupta* (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oreocnide frutescens* (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parietaria micrantha* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pellionia heyneana* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pilea angulata* (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pilea kingii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pilea melastomoides* (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pilea microphylla* (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pilea wightii* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia bennettiana* Wight var. *bennettiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia cymosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia hirta* (Blume) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia pentandra* (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia wightii* Benn. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia zeylanica* (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Procris crenata* Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urtica hyperborea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urtica parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aphananthe cuspidata* (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis tetrandra* Roxb. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis timorensis* Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holoptelea integrifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trema orientalis* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antiaris toxicaria* (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus incisus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus gomezianus* Wall. ex Trec. subsp. *zeylanicus* Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus heterophyllus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus hirsutus* Lam. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Broussonetia papyrifera* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dorstenia indica* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus albipila* (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus amplissima* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus amplocarpa* Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus arnottiana* (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus auriculata* Lour. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus beddomei* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus benghalensis* L. var. *benghalensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus benghalensis* L. var. *krishnae* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus callosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus dalhousiae* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus elastica* Roxb. ex Hornem. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus exasperata* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus glaberrima* Blume var. *bracteata* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus guttata* (Wight) Kurz ex King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus heterophylla* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus hispida* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus hookeriana* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus microcarpa* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus mollis* Vahl and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus nervosa* Heyne ex Roth var. *nervosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus nervosa* Roth var. *minor* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus palmata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus pumila* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus talbotii* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus tinctoria* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus tsjahela* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus virens* Ait. var. *virens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morus australis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plecosperrum spinosum* Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Streblus asper* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Streblus taxoides* (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Platanus orientalis* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casuarina glauca* Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casuarina equisetifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casuarina junghuhniana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casuarina stricta* Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casuarina suberosa* Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casuarina torulosa* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alnus nepalensis* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Betula alnoides* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Castanea crenata* Sieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Castanea sativa* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Castanopsis indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Castanopsis roxburghiana* S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagus sylvatica* L. var. *sylvatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagus sylvatica* L. var. *cuprea* Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus baloot* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus coccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus leucotrichophora* A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus robur* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus serrata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix tetrasperma* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blyxa octandra* (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enhalus acoroides* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halophila beccarii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halophila decipiens* Ostenf. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halophila ovata* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halophila stipulacea* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrilla verticillata* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nechamandra alternifolia* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ottelia alismoides* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalassia hemprichii* (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vallisneria natans* (Lour.) Hara and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Burmattia candelabrum* Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Burmattia coelestis* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Burmattia wallichii* (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acampe praemorsa* (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acanthephippium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerides crispa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerides maculosum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aerides ringens* (Lindl.) Fischer and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anoectochilus elatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anoectochilus rotundifolius* (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aphyllorchis montana* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundina graminifolia* (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachycorythis iantha* (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachycorythis splendida* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum acutiflorum* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum albidum* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum fischeri* Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum fuscopurpureum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum kaitiense* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum sterile* (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum tremulum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum xylophyllum* Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calanthe sylvatica* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calanthe triplicata* (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calanthe vestita* Lindl. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cheirostylis flabellata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cheirostylis parvifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chiloschista fasciata* (F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysoglossum hallbergii* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysoglossum maculatum* (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne breviscapa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne mossiae* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne nervosa* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne odoratissima* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne ovalis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne prolifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne uniflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corymborkis veratrifolia* (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cottonia peduncularis* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crepidium purpureum*(Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbidium aloifolium* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbidium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium aqueum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium barbatulum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium diodon* Reichb.f. subsp. *kodayarensis* Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium haemoglossum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium herbaceum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium heterocarpum* Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium heyneanum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium macrostachyum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium microbulbon* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium nanum* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium nutantiflorum* Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium wightii* A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymoplexis pallens* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplocentrum congestum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplocentrum recurvum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Disperis neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epidendrum radicans* Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epipactis veratrifolia* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epipogium roseum* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria albiflora* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria dalzellii* (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria microchilos* (Dalz.) Lindl. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria mysorensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria nana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria polystachya* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria pseudoclavicaulis* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia cullenii* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia epidendraea* (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia graminea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia pulchra* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia pratensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia spectabilis* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flickingeria nodosa* (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gastrochilus acaulis* (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geodorum densiflorum* (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goodyera fumata* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goodyera procera* (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria acuminata* (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria barnesii* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria cephalotes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria crassifolia* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria crinifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria decipens* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria denticulata* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria digitata* Lindl. var. *digitata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria elwesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria furcifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria grandifloriformis* Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria heyneana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria hollandiana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria longicorniculata* Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria longicornu* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria macrostachya* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria marginata* Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria multicaudata* Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria pallideviridis* Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria perrottetiana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria plantaginea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria polyodon* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria rariflora* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria richardiana* Wight and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria roxburghii* Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria virens* (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria viridiflora* (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hetaeria ovalifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kingidium deliciosum* (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis atropurpurea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis beddomei* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis biloba* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis caespitosa* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis duthiei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis nervosa* (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis platyphylla* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis prazeri* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis resupinata* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis viridiflora* (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis walkeriae* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis wightiana* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luisia birchea* Blume and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luisia zeylanica* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malleola gracilis* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nervilia aragoana* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nervilia carinata* (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nervilia plicata* (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia anamalayana* Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia balakrishnanii* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia brunoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia ensiformis* (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia iridifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia platycaulon* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia proudlockii* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia santapau* Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia sebastiana* Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia seidenfadeniana* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia tenuis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia wightiana* Lindl. var. *wightiana* and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia wightiana* Lindl. var. *nilgiriensis* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oberonia zeylanica* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pachystoma senile* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paphiopedilum druryi* (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papilionanthe cylindrica* (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pecteilis gigantea* (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus aristatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus brachyphyllus* A. Rich and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus densus* (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus goodyerioides* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus plantagineus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pholidota protracta* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus secundus* (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus spiralis* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus stocksii* (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pholidota pallida* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Podochilus falcatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polystachya concreta* (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Porpax jerdoniana* (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Porpax reticulata* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Proteroceras leopardianum* (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchostylis retusa* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhytionanthos nodosus* (Rolfe) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Robiquetia josephiana* Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Satyrium nepalense* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schoenorchis jerdoniana* (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Seidenfia densiflora* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Seidenfia intermedia* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Seidenfia rheedii* (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sirhookera lanceolata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sirhookera latifolia* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithsonia maculata* (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spathoglottis plicata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taeniophyllum alwisii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tainia bicornis* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thelasis pygmaea* (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trias stocksii* Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichoglottis tenera* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tropidia angulosa* (Lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tropidia curculigoides* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam spathulata* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam tessellata* (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam testaceae* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam wightii* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vanilla planifolia* Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vanilla walkeriae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vanilla wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zeuxine gracilis* (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zeuxine longilabris* (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia abundiflora* Burtt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia calcarata* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia galanga* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia malaccensis* (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia nigra* (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alpinia zerumbet* (Pers.) B. L. Burtt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum cannicarpum* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum hypoleucum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum masticatorium* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum muricatum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amomum pterocarpum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma amada* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma aromatica* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma pseudomontana* Graham and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma zedoaria* (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Globba ophioglossa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium coronarium* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium flavescens* Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium venustum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber nimmonii* (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber officinale* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber roseum* (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber wightianum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber zerumbet* (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Costus pictus* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Costus speciosus* (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phrynium pubinerve* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schumannianthus virgatus* (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ensete superbum* (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ensete ventricosum* (Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliconia psittacorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa acuminata* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa balbisiana* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa parasidiaca* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ravenala madagascarensis* Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strelitzia reginae* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ananas comosus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anigozanthos flavidus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Disporum leschenaultianum* D. Don var. *leschenaultianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lilium trigrinum* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense*

(Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiopogon intermedius* D. Don var. *intermedius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peliosanthes teta* Andr. subsp. *humilis* (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristea ecklonii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Babiana stricta* (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Babiana villosa* Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crocasmia pottsii* (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dierama pulcherrima* (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleutherine palmifolia* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Freesia refracta* Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gladiolus primulinus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris unguicularis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moraea iridioides* L. Mant. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Watsonia rosea* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amaryllis belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum moorei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucharis x grandiflora* Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eurycles sylvestris* Salisb. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haemanthus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haemanthus matalensis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hippeastrum x johnsonii* (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hippeastrum reginae* Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hippeastrum vittatum* (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenocallis littoralis* (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucojum aestivum* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucojum pulchellum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nerine flexuosa* (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nerine undulata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pancratium triflorum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaedranassa dubia* (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sprekelia formosissima* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenomesson coccineum* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zephyranthes carinata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zephyranthes grandiflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zephyranthes tubispatha* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave angustifolia* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave sisalana* Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agave vera-cruz* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordyline australis* (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Furcraea foetida* (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dianella ensifolia* (L.) DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phormium tenax* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracaena fruticosa* (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracaena terniflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria roxburghiana* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria trifasciata* Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria thyridiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria varians* N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria zeylanica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alstroemeria aurea* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bomarea caldasiana* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bomarea oligantha* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curculigo orchioidea* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypoxis aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Molineria trichocarpa* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tacca leontopetaloides* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea belophylla* Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea esculenta* (Lour.) Burkill and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea hamiltonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea hispida* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea kalkapershadii* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea oppositifolia* L. var. *oppositifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea spicata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea tomentosa* Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea wallichii* Hook and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea wightii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichopus zeylanicus* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stemona tuberosa* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucomis autumnalis* (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucomis punctata* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ornithogalum arabicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ornithogalum conicum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scilla hyacinthina* (Roth) Mecbr. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urginea congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urginea indica* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urginea polyantha* Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asphodelus tenuifolius* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloe vera* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kniphofia uvaria* (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus asiaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus fyonii* Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus gonoclados* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus laevis* Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus setaceus* (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus racemosus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum acaule* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum arundinaceum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum attenuatum* (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum heynei* Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum laxum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum malabaricum* Baker and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum nimmonii* (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum tuberosum* (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gloriosa rothschildiana* O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iphigenia indica* (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iphigenia magnifica* Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemerocallis aurantiaca* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agapanthus praecox* Willd. var. *albus* Hort. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax perfoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax wightii* A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eichhornia crassipes* (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Monochoria hastata* (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Monochoria vaginalis* (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xyris pauciflora* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aclisia secundiflora* (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aneilema montana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aneilema ovalifolia* (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Belosynapsis kewensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Belosynapsis vivipara* (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina attenuata* Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina clavata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina diffusa* Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina ensifolia* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina erecta* L. var. *erecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina forskalaei* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina hirsuta* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina imberbis* Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina indehiscens* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina longifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina paleata* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina paludosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina subulata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina tricolor* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina wightii* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis adscendens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis arcotensis* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis axillaris* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis burmanniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis concanensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis cristata* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis cucullata* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis obtusa* Trimen and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis papilionacea* (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis pilosa* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis villosa* (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Floscopa scandens* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia dimorpha* (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia edulis* (Stokes) Faden and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mudannia gigantea* (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia glauca* (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia japonica* (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia juncoides* (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia lanceolata* (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia lanuginosa* (Wall ex Clarke) Beueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia nudiflora* (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia pauciflora* Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia semiteres* (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia simplex* (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia spirata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia vaginata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhoeo discolor* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setcreasea purpurea* Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zebrina pendula* Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juncus bufonius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juncus effusus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juncus inflexus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juncus leschenaultii* J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luzula indica* Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arenga wightii* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bentinckia condapanna* Berry ex Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus brandisii* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus huegelianus* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus rheedii* Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus travancoricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corypha macropoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Livistona chinensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Livistona rotundifolia* (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix canariensis* Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix loureirii* Kunth var. *loureirii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix pusilla* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix rupicola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix sylvestris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinanga dicksonii* (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Roystonea regia* (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sabal mauritiformis* (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachycarpus fortunei* (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Washingtonia robusta* Wendl. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus amaryllifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus canaranus* Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus odoratissimus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus tectorius* Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus thwaitesii* Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acorus calamus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alocasia indica* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amorphophallus sylvaticus* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphyllum beddomei* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphyllum wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthurium spathiphyllum* N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema auriculatum* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema leschenaultii* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema murrayi* (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema tortuosum* (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema translucens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema tuberculatum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema tylophorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caladium bicolor* (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colocasia esculenta* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocoryne ciliata* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocoryne consobrina* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocoryne spiralis* (Retz.) Fischer and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epipremnum pinnatum* cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagenandra meeboldii* (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Monstera deliciosa* Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plesmonium margaritiferum* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pothos armatus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pothos thomsonianus* Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Remusatia vivipara* (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhaphidophora pertusa* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Theriophonum fischeri* Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Theriophonum minutum* (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xanthosoma sagittifolium* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zantedeschia aethiopica* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lemna gibba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lemna perpusilla* Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spirodela polyrrhiza* (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyalisma janthina* Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caldesia parnassiiifolia* (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophyton obtusifolium* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sagittaria sagittifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Najas graminea* Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Najas indica* (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Najas malesiana* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Najas marina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Najas minor* All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruppia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aponogeton appendiculatus* Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aponogeton echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aponogeton natans* (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aponogeton undulatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halodule pinifolia* (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halodule uninervis* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halodule wrightii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potamogeton crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potamogeton nodosus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potamogeton pectinatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potamogeton perfoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syringodium isoetifolium* (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon brownianum* Martius ex Wall. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon cinereum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon conica* (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon elenoriae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon ensiforme* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon leucomelas* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon longicuspis* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon nairii* Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon nepalense* Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon odoratum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon panagudianum* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon pectinatum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon quinquangulare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon ramnadense* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon ritchieanum* Ruchl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon robusto-brownianum* Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon robustum* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon talbotii* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon thwaitesii* Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon xeranthemum* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ascopholis gamblei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbostylis barbata* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbostylis densa* (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex baccans* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex breviculmis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex brunnea* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex christii* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex eluta* Nelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex foliosa* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex filicina* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex glauca* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex hebecarpa* C. Meyer var. *ligulata* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex lateralis* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex lenta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex leucantha* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex lindleyana* Nees var. *lindleyana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex longicurvis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex longipes* D. Don var. *longipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex longipes* D. Don var. *dissitiflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex maculata* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex myosurus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex nubigena* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex phacota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex pseudoaperta* Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex raphidocarpa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex rara* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex speciosa* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex vicinalis* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex walkeri* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex wallichiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex wightiana* Nees and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus alopecuroides* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus arenarius* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus bulbosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus castaneus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus cephalotes* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus compressus* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus corymbosus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus curvibracteatus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus cuspidatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus difformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus diffusus* Vahl. var. *diffusus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus digitatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus distans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus distans* L. var. *pseudonutans* Kuek. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus elatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus exaltatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus halpan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus imbricatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus latovaginatus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus lurida* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus nutans* Vahl var. *nutans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus pangorei* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus pilosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus platyphyllus* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus platystylis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus plumbeonucea* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus polyanthelus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus procerus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus pygmaeus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus rotundus* L. subsp. *rotundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus rubicundus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus rubriglomosus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus sphacelatus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus stoloniferous* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus stricticulmis* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus sulcinus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus tenuiculmis* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus tenuispica* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleocharis acutangula* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleocharis atropurpurea* (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleocharis congesta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleocharis dulcis* (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleocharis geniculata* (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. &

Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleocharis tetraquetra* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis aestivalis* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis aggregata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis amplocarpa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis aphylla* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis argentea* (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis bisumbellata* (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis cinnamometorum* (Vahl) Kunth and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis complanata* (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis consanguinea* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis contorta* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis crystallina* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis dichotoma* (L.) Vahl subsp. *glaucula* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis dipsacea* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis falcata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis ferruginea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis kingii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis latiglumifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis latinucifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis longistigmata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis miliacea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis monospicula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis monticola* Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis naranii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis nutans* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis ovata* (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis paupercula* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis pentaptera* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis pierotii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis polytrichoides* (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis pustulosa* Govindarajalu and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis rectifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis rigidiuscula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis rugosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis salbundia* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis scabrisquama* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis schoenoides* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis semidisticha* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis sieberiana* Kunth and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis strigosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis tenera* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis tetragona* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis tortifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis triflora* (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis tristachya* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis uliginosa* Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis woodrowii* Clarke and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fuirena ciliaris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fuirena pubescens* (Lam.) Kunth var. *pergametacea* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fuirena trilobites* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fuirena umbellata* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fuirena uncinata* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fuirena wallichiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypolytrum nemorum* (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kylinga brevifolius* Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kylinga bulbosa* P. Beav. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kylinga hyalina* (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kyllingia nemoralis* (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kyllingia malanosperma* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lipocarpha chinensis* (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lipocarpha raynaleana* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lipocarpha sphacelata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mariscus clarkei* (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mariscus compactus* (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mariscus cyperinus* (Retz.) Vahl and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mariscus paniceus* (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mariscus squarrosus* (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mariscus sumaterensis* (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnus flavescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnus flavidus* (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnus polystachyos* (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnus pumilus* (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnus puncticulatus* (Vahl) Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin.
Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnus sanguinolentus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin.
Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnus stramineus* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin.
Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnus unioides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchospora corymbosa* (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin.
Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchospora gracillima* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin.
Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchospora rubra* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin.
Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchospora rugosa* (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin.
Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Riklilla squarrosa* (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin.
Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schoenoplectus articulatus* (L.) Palla and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schoenoplectus grossus* (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schoenoplectus juncoideus* (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schoenoplectus littoralis* (Schrad.) Palla subsp. *subulatus* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schoenoplectus mucronatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus fluitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus subcapitatus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria caricnia* (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria corymbosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria levis* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria mikawana* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria parvula* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria terrestris* (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrachne henrardiana* (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrachne racemosa* (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrachne sundararajii* Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeluropus lagopoides* (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostis micrantha* Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostis peninsularis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostis pilosula* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostis schmidii* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostis stolonifera* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostis zenkeri* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alloteroopsis cimicina* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon hallii* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon lividus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon longipes* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon polyptychus* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon pumilus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthoxanthum borii* Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apocopsis courtallumensis* (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apocopsis vaginata* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristida adscensionis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristida funiculata* Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristida hystrix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristida mutabilis* Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristida setacea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthraxon depressus* Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthraxon lanceolatus* (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthraxon micans* (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthraxon prionodes* (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthraxon quartinianus* (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinaria walkeriana* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinaria wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella ciliata* (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella hookeri* Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella leptochloa* (Nees ex Steud.) Hook and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella mesophylla* Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella nepalensis* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella purpurea* Hochst. ex Steud var. *purpurea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella setosa* Trin. var. *setosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella vaginata* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundo conspicua* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avena byzantina* K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Axonopus compressus* (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bambusa bambos* Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bothriochloa bladhii* (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bothriochloa foulkesii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bothriochloa kuntzeana* (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bothriochloa pertusa* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria distachya* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria eruciformis* (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria kurzii* (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria miliiformis* (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria muna* Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria mutica* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria nilagirica* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria ramosa* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria remota* (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria reptans* (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria Semiverticillata* (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria setigera* (Retz.) Hubbard and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachypodium distachyon* (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachypodium sylvaticum* (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Briza maxima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Briza media* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Briza minor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bromus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bromus catharticus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bromus diandrus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bromus ramosus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capillipedium filiculme* (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capillipedium huegelii* (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capillipedium parviflorum* (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cenchrus biflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cenchrus glaucus* Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cenchrus setigerus* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centotheca lappacea* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionachne koenigii* (Spreng.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionachne semiteres* (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris barbata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris bournei* Rang. & Tard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris dolichostachya* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris gayana* Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris pycnothrix* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris roxburghiana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris virgata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris wightiana* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysopogon aciculatus* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysopogon copei* Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysopogon fulvus* (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysopogon hackelii* (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysopogon orientalis* (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelachne simpliciuscula* (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelachyopsis lagopoides* (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coix aquatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coix gigantea* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cortaderia selloana* (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon citratus* (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon coloratus* (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon flexuosus* (Nees ex Steud) Wats var. *coimbatorensis* Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon martinii* (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon nardus* (L.) Rendle var. *nardus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon polyneuros* (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon travancorensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynodon arcuatus* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynodon barberi* Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynodon dactylon* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynodon plectostachyus* (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtococcum deccanense* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtococcum muricatum* (Retz.) Bor and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtococcum patens* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtococcum sparsicomum* (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtococcum trigonum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dactyloctenium aegyptium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrocalamus strictus* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmostachya bipinnata* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichanthium annulatum* (Forssk.) Stapf and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichanthium aristatum* (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichanthium caricosum* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichanthium foveolatum* (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichaetaria wightii* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria abludens* (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria ciliaris* (Retz.) Koeler and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria duthieana* Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria griffithii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria longiflora* (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria microbachne* (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria radicata* (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria setigera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria stricta* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria ternata* (A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria tomentosa* (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria violascens* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimeria acutipes* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimeria avenacea* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimeria fuscescens* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimeria kollimalayana* Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimeria lehmanii* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimeria orissae* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimeria ornithopoda* Trin. var. *ornithopoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimeria ornithopoda* Trin. var. *khasiana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dinebra retroflexa* (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplachne malabarica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa colona* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa crus - galli* (L.) P. Beauv var. *brevisetata* (Doll) Neill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa frumentacea* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa oryzoides* (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa picta* (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa stagnina* (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehrharta abyssinica* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleusine coracana* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleusine indica* (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elytrophorus spicatus* (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enteropogon monostachyos* (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostiella bifaria* (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostiella brachyphylla* (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis aspera* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis cilianensis* (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis ciliaris* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis ciliata* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis coarctata* Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis curvula* (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis dayan* Kalamnii P. Ravichandran S. Krishnan N.P.

Samson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis gangetica* (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis japonica* (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis kiwuensis* Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis macilenta* (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis maderaspatana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis minor* Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis nigra* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis nutans* (Retz.) Nees ex Steud. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis pilosa* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis riparia* (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis rottleri* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis schweinfurthii* Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis superba* Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis tef* (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis tenella* (L.) P. Beauv ex Roem. & Schultes var. *tenella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis tenuifolia* (A. Rich) Hochst. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis tremula* (Lam.) Hochst ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis unioides* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis viscosa* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eremochloa muricata* (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eremopogon foveolatus* (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriochloa procera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriochrysis rangacharii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euchlaena mexicana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulalia phaeothrix* (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulalia trispicata* (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulalia wightii* (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulaliopsis binata* (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Festuca ovina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Festuca undata* Stapf var. *aristata* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garnotia arundinacea* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garnotia courtallensis* (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garnotia elata* (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garnotia exaristata* Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garnotia fergusonii* Trimen and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garnotia schmidii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garnotia tenella* (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glyceria spicata* Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halopyrum mucronatum* (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helictotrichon polyneurum* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helictotrichon schmidii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helictotrichon virescens* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemarthria compressa* (L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heteropogon contortus* (L.) P Beauv and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heteropogon fischerianus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heteropogon polystachyos* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygroryza aristata* (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenachne acutigluma* (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ichnanthus vicinus* (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Imperata cylindrica* (L.)Raeusch. var. *major* (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne angladei* Fischer and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne bourneorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne dispar* Trin. var. *dispar* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne elegans* Dalz. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne globosa* (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne miliacea* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne oreades* (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne pulchella* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum commutatum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum fluminense* Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum indicum* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum nilagiricum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum pilosum* (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum rangacharianum* Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum rugosum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum tadulingamii* Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum timorense* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum zeylanicum* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iseilema antheophoroides* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iseilema jainiana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iseilema laxum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iseilema prostratum* (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jansenella griffithiana* (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leersia hexandra* Sw. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptochloa chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptochloa neesii* (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptochloa obtusiflora* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptochloa panicea* (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptochloa uniflora* Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lolium perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lolium temulentum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lophatherum gracile* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lopholepis ornithocephala* (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lophopogon tridentatus* (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manisuris myuros* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melanocenchris jacquemontii* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melanocenchris monoica* (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melica scaberrima* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microchloa indica* (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microstegium ciliatum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microstegium nudum* (Trin.) A. Camus and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miscanthus nepalensis* (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mnesithea granularis* (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mnesithea laevis* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myriostachya wightiana* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oclandra beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochlandra setigera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochlandra travancorica* Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiuros bombaiensis* Bor and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiuros exaltatus* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oplismenus burmannii* (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oplismenus compositus* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oropetium thomaeum* (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza barthii* A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza minuta* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza officinalis* Wall ex Watt subsp. *malampuzhaensis*

(Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza rufipogon* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ottochloa nodosa* (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxytenanthera monadelphica* (Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxytenanthera ritcheyi* (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum antidotale* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum brevifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum fischeri* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum maximum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum notatum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum paludosum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum psilopodium* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum sparsicomum* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum sumatrense* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum trypheron* Schultes and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalidium flavidum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalidium geminatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalidium punctatum* (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum canarae* (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum conjugatum* Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum dilatatum* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum longifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum vaginatum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum americanum* (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum clandestinum* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum hohenackeri* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum pedicellatum* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum polystachyon* (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum purpureum* Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum villosum* R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Perotis indica* (L.) Kuntze var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P.

Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phalaris aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phalaris arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phalaris minor* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phragmites karka* (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poa annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poa gamblei* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poa trivialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogonatherum crinitum* (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogonatherum paniceum* (Lam.) Hack. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polypogon fugax* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pommereulla cornucopiae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudanthistiria heteroclita* (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudanthistiria umbellata* (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudechinolaena polystachya* (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudobrachiaria deflexa* (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudoraphis spinescens* (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudosorghum fasciculare* (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchelytrum repens* (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rottboellia cochinchinensis* (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum arundinaceum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum narenga* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sacciolepis curvata* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sacciolepis indica* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sacciolepis interrupta* (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sacciolepis myosuroides* (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sehima nervosum* (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sehima sulcatum* (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria homonyma* (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria intermedia* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria italica* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria palmifolia* (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria plicata* (Lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria poiretiana* (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria pumila* (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria sphacelata* (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria verticillata* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum arundinaceum* (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum bicolor* (L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum cernuum* Host var. *orbiculatum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum cernuum* Host var. *truchmenorum* (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum conspicuum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum coriaceum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum dimidiatum* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum durra* (Forssk.) Stapf var. *coimboricum* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum guineense* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum halepense* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum laxiflorum* F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum nitidum* (Vahl.) Pers. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum roxburghii* Stapf var. *hians* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum versicolor* Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spinifex littoreus* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spodiopogon rhizophorus* (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus capillaris* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus coromandelianus* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus hajrae* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus maderaspatanus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus piliferus* (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus spicatus* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus tenuissimus* (Schrank) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus tremulus* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus virginicus* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sporobolus wallichii* Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenotaphrum dimidiatum* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teinostachyum wightii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Themeda cymbaria* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Themeda quadrivalvis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Themeda tremula* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Themeda triandra* Forssk. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thysanolaena maxima* (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachys muricata* (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragus roxburghii* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tripogon bromoides* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tripogon jacquemontii* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tripogon lisboae* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tripogon pungens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tripogon wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tripsacum laxum* Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triticum dicoccum* Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urochloa panicoides* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vetiveria zizanioides* (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vulpia bromoides* (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vulpia megalura* (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vulpia myuros* (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zenkeria elegans* Trin. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zenkeria sebastinei* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zenkeria stapfii* Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zoysia matrella* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zoysia pungens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon schoenanthus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon sorghum* BROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andropogon squarrosus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Androsace rotundifolia* HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aneilema conspicuum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aneilema lineolatum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aneilema nudiflorum* BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aneilema scapiflorum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aneilema tuberosum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemarrhena asphodeloides* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemone falconeri* THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemone narcissiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemone obtusiloba* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemone rivularis* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemone rupicola* CAMB. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemone tetrasepala* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemone vitifolia* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anethum foeniculum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anethum sowa* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angelica archangelica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angelica archangelica* L. himalayana (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angelica glauca* EDGEW. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angelica polymorpha* MAXIM. SINENSIS OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angelonia salicariaefolia* HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angiopteris evecta* (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aniseia martinicensis* (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisochilus eriocephalus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisomeles indica* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisomeles malabarica* R.BR. EX SIMS and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisomeles ovata* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anisonema multiflorum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Annona cherimola* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anoectochilus regalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anoectochilus roxburghii* BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anoectochilus setaceus* (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anogeissus acuminata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anogeissus pendula* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anotis foetida* (DALZ.) BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anplectrum assamicum* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthemis cotula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthemis gayana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthemis nobilis* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthemis odontostephana* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthemis pyrethrum* GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthocephalus cadamba* MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthocephalus indicus* A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthriscus cerefolium* (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthriscus sylvestris* HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anthyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antiaris innoxia* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antiaris saccidora* DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antiaris toxicaria* (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anticharis glandulosa* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma acidum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma buniis* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma diandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma menasu* (TULASNE) MULL.-ARG. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antidesma zeylanicum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antirrhinum orantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apama siliquosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apama tomentosa* (BL.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aphanamixis polystachya* (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aphananthe cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apium graveolens* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apium leptophyllum* F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aplotaxis auriculata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apluda varia* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apocynum foetidum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apollonias arnottii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aponogeton monostachyon* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aponogeton natans* (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aporosa dioica* (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aporusa lindleyana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aporusa octandra* (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aquilaria agallocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aquilaria malaccensis* LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aquilaria ovata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aquilegia fragrans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arabidopsis thaliana* (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arabis chinensis* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arabis recta* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arabis tribetica* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arachne cordifolia* (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aralia armata* SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aralia cachemirica* DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aralia pseudo-ginseng* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aralia quinquefolia* DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aralia racemosa* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arbutus unedo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arceuthobium minutissimum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Archangelica himalaica* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Archangelica officinalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Archidendron clypearia* (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Archidendron monadelphum* (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arctium lappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arctostaphylos uva ursi* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia colorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia odontophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia oxyphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia solanacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Areca concinna* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Areca nagensis* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Areca triandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arenaria serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arenga obtusifolia* MART. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arenga pinnata* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arenga saccharifera* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arenga wightii* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argemone alba* LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia aggregata* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia argentea* ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia cuneata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia daltonii* CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia fulgens* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia imbricata* (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia involucrata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia malabarica* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia nervosa* (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia pomacea* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia sericea* Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyrea setosa* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyrea speciosa* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aricennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arikuryroba schizophylla* BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema alba* N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema curvatum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema decipiens* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema flavum* (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema jacquemontii* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema leschenaultii* BLUME and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema murrayi* (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema speciosum* (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema tortuosum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema triphyllum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arisaema wallichianum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristida adscensionis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristida depressa* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristida humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristida setacea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia bracteata* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia bracteolata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia labiosa* KER.-GAWL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia reticulata* NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia rotunda* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia roxburghiana* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia saccata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia serpentaria* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aristolochia tagala* CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arnebia euchroma* (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arnebia guttata* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arnica montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artabotrys odoratissimus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artabotrys suaveolens* BL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artanema longifolia* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artanema longifolium* (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artanema sesamoides* (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia abrotanum* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia absinthium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia austriaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia biennis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia brevifolia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia capillaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia cina* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia dracunculus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia gmelinii* WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia indica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia japonica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia macrocephala* JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia maderaspatana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia moorcroftiana* WALL. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia nilagirica* (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia pallens* WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia persica* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia roxburghiana* BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia sacrorum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia scoparia* WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia sieversiana* EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia vestita* WALL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia vulgaris* AUCTION. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthraxon nudus* (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthrocnemum indicum* MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arthrophyllum blumeianum* ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus chaplasha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus communis* J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus gomezianus* WALL. EX TREC. zeylanicus JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus heterophyllus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus hirsutus* LAM. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus integra* (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus integrifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artocarpus lakoocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arum campanulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arum colocasia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arum macrorhizon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arum numphaeifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aruncus dioicus* (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundina graminifolia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundinella nepalensis* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arundo karka* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asagraea officinalis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asarum europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asclepias asthmatica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asclepias gigantea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asclepias lactifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asclepias proliferata* ROTTLER EX W. AINSLIE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asclepias volubilis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asclepias vomitoria* KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asechynanthus gracilis* PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aspalathus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus adscendens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus curillus* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus filicinus* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus gonoclados* BAK. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus laevis* STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus punjabensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus racemosus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus rottleri* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asparagus sarmentosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asperugo procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asphodelus fistulosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asphodelus tenuifolius* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aspidium polymorphum* (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium adiantoides* (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium adiantum-nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium alternans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium ceterach* L. *ceterach* Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium dalhousiae* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium falcatum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium furcatum* THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium laciniatum* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium nidus* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium parasiticum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium polyodon* G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium ruta-muraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium septentrionale* HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium trichomanes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asplenium viride* HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster amellus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster asteroides* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster falconeri* HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster indamellus* GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster tibeticus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster trinervius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asteracantha longifolia* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asteriastigma macrocarpa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astilbe rivularis* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astraeus hygrometricus* (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus aegacanthoides* PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus candolleanus* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus ciliolatus* BENTH. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus graveolens* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus hamosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus heratensis* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus himalayanus* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus jacquemontii* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus multiceps* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus munori* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus nivalis* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus psilocentrus* FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus rhizanthus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus sarcocola* DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus strobiliferus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus tribuloides* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Astragalus verus* OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asystasia coromandeliana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asystasia dalzelliana* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asystasia gangetica* (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asystasia violacea* DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atalantia monophylla* CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atalantia racemosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Athyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Athyrium hohenackerianum* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Athyrium puncticaule* (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Athyrium schimperi* (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atriplex hortensis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atropa acuminata* ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atropa belladonna* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atylosia barbata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atylosia candollei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atylosia goensis* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atylosia lineata* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atylosia mollis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atylosia platycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atylosia scarabeoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atylosia volubilis* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Auricularia sambucina* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Averrhoa acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avicennia alba* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avicennia marina* (FORSK.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Avicennia tomentosa* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Azanza lampas* (CAV.) ALEF. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Azima tetracantha* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Baccaurea ramiflora* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanites aegyptiaca* (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanites roxburghii* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanocarpus utilis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanophora dioica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanophora involucrata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanophora polyandra* GRIFF. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Baliospermum axillare* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Baliospermum calycinum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Baliospermum montanum* (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Baliospermum sinuatum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Baliospermum solanifolium* (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balsamodendron agallocha* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balsamodendron kataf* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balsamodendron mukul* HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balsamodendron myrrha* N.& E. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balsamodendron stocksiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bambusa arundinacea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bambusa balcooa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bambusa bambos* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bambusa nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bambusa nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bambusa oSkiniana* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bambusa tulda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bambusa vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barbarea vulgaris* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria acanthoides* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria acuminata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria courtallica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria cuspidata* HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria involucrata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria longiflora* L.F. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria longifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria lupulina* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria montana* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria mysorensis* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria noctiflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria prattensis* SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria strigosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barringtonia acutangula* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barringtonia asiatica* (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barringtonia racemosa* (L.) K.SPENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barringtonia speciosa* FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Basella alba* L. rubra (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Basella alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Basella cordifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Basilicum polystachyon* (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bassia butyracea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bassia latifolia* ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bassia longifolia* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bassia malabarica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia candida* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia diphylla* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia macrostachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia malabarica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia phenicea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia phenicea* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia racemosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia retusa* HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia roxburghiana* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia rufescens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia tenuiflora* WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia vahlii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia wallichii* MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia cathcartii* J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia hatacoa* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia inflata* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia josephii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia laciniata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia luxurians* SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia palmata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia picta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia rex* PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia rubro-venia* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia thomsonii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *NripatimcKalam chinensis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Benincasa cerifera* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Benincasa hispida* (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Benkara malabarica* (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bentinckia condapanna* BERRY EX ROXB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis asiatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis chitria* EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis insignis* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis jaeschkeana* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis kashmiriana* AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis kumaoensis* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis lamberti* PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis lycium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis nepalensis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis pachyacantha* JAFRI *zabeliana* JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis petiolaris* WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis pseudumbellata* PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis tinctoria* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis ulicina* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis umbellata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis wallichiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berchemia lineata* DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergenia ciliata* (HOW.) STERN. *fa ligulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergenia ciliata* (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergenia ligulata* SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergenia purpurascens* (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergenia stracheyi* (HOOK.F.& THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergera koenigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergia odorata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergia suffruticosa* (DEL.) FENZL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Beta benghalensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Beta maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Betula alnoides* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Betula bhojpattra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Betula utilis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bidens biternata* (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bidens cernua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bidens pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bidens tripartita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biebersteinia odora* STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bignonia chelonoides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bignonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bignonia longifolia* (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum apodisciac* TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum candolleianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum nervifolium* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum petersianum* KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum sensitivum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bischofia javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bistorta amplexicaulis* GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blastania garcini* COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blechnum orientale* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blechnum spicant* (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharis boerhaviifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharis edulis* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharis linariaefolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharis persica* (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharistemma serratum* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blighia sapida* KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea aurita* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea balsamifera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea densiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea erientha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea fistulosa* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea hieracifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea lacera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea laciniata* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea lanceolaria* (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea membranacea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea mollis* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea myriocephala* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea obliqua* DRUCE and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea pubigeru* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea riparia* (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea sessiliflora* DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea wightiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumeopsis falcata* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumeopsis flava* (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bocagea dalzellii* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boehmeria macrophylla* HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boehmeria nivea* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boehmeria repens* NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boerhavia repKalam* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boerhavia repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boerhavia verticillata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boesenbergia rotunda* (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boletus crocatus* BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bombax cibaricum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bombax insigne* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bombax malabaricum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bombax pentandrum* JACQ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bongardia chrysogonum* (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bongardia rauwolfii* C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bonnaya oppositifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bonnaya reptans* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Borago officinalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Borassus flabelliformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Borreria articularis* (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Borreria hispida* (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Borreria pusilla* (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bosea amherstiana* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boswellia carteri* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boswellia frereana* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boswellia glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boswellia ovalifoliolata* BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boswellia serrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boswellia thurifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Botrychium lunaria* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Botrychium ternatum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Botrychium virginianum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boucerosia aucheriana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bougainvillea spectabilis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria ramosa* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachyactis roylei* WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bragantia tomentosa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bragantia wallichii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brasenia sachreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassaiopsis glomerulata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica alba* (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica campestris* L. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica campestris* L. rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica campestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica integrifolia* (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica juncea* (L.) CZERN. SSP. *JUNCEA* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica napus* L. *dichotoma* (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica napus* L. *glauca* (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica nigra* (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica nigra* (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica oleracea* L. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica oleracea* L. gongylodes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica rapa* L. campestris (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica tournefortii* GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Breynia arvensis* (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Breynia patens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Breynia retusa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Breynia rhamnoides* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Breynia vitis-idaea* (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia retusa* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia scandens* (ROXB.) WILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia squamosa* (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia stipularis* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bridelia tomentosa* BL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bromelia ananas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bromus unioloides* H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Broussonetia papyrifera* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brucea javanica* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brucea mollis* WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bruguiera cylindrica* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bruguiera gymnorrhiza* (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brunfelsia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brunfelsia calycina* BENTH. MACRANTHA RAFFILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bruxanellia indica* DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryonia epigoea* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryonia grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryonia laciniata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryonia rostrata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryonia scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryonia umbellata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryonopsis laciniata* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryophyllum calycinum* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryophyllum pinnatum* (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryum bicolor* DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buchanania axillaris* (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buchanania latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buddleja asiatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buddleja davidii* FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buddleja macrostachys* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buddleja neemda* HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buettneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum congestum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum neilgherrense* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbophyllum sterile* (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bulbostylis barbata* (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bunium persicum* (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum falcatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum jucundum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum lanceolatum* WALL. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum longicaule* WALL. EX DC. *himalayense* (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum setaceum* FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum thompsoni* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bursera serrata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butea buteiformis* (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butea frondosa* ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butea monosperma* (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butea parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butea superba* ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butia yatay* (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buxus wallichiana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bytneria Kalammanensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bytneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bytneria pilosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cacalia pentaloba* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cacalia sonchifolia* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caccinia crassifolia* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cachrys pabularia* (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cactus ficus-indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cadaba farinosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cadaba fruticosa* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cadaba indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cadaba trifoliata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia bonduc* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia bonducella* (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia coriaria* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia crista* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia cuculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia decapetala* (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia digyna* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia jayabo* NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia mimosoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia nuga* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia paniculata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia pulcherrima* (L.) SW. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesulia axillaris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus bicolor* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus cajan* (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus indicus* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calacanthus grandiflorus* (DALZ.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caladium bicolor* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caladium sagittaeifolium* SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamintha clinopodium* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamintha umbrosa* FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus draco* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus erectus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus extensus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus huegelianus* MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus latifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus rheedei* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus rotang* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus tenuis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus thwaitesii* BECC. *canaranus* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus travancoricus* BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calamus viminalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calanthe masuca* (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calanthe sylvatica* (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calanthe triplicata* (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calendula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa cana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa longifolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa macrophylla* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa psilocalyx* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa rubella* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa tomentosa* (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calligonum polygonoides* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callistemon lanceolatus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callitris inophyllum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calonyction bona-nox* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calonyction muricatum* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calophyllum apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calophyllum calaba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calophyllum elatum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calosanthus indica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calotropis gigantea* (L.) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calotropis gigantea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calotropis procera* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caltha alba* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caltha palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calycopteris floribunda* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calyptanthus caryophyllifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calyptanthus jambolana* MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Camellia kissi* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Camellia sinensis* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Camellia thea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campanula colorata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Camphora officinarum* NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campsis grandiflora* (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campsis radicans* (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cananga odorata* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canarium odoratum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canarium bengalense* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canarium commune* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canarium euphyllum* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canarium resiniferum* BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canarium strictum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canarium vulgare* LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia ensiformis* SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia gladiata* (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia rosea* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia virosa* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canella alba* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canella winterana* (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canna coccinea* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canna orientalis* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cannabis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora decussata* SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora diffusa* (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora perfoliata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cansjera rheedi* J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium angustifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium coromandelicum* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. *dicoccum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium parviflorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium umbellatum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caoxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis aphylla* ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis assamica* HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis bisperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis corundas* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis decidua* (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis diffusa* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis divaricata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis grandis* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis horrida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis micrantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis moonii* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis olacifolia* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis pedunculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsella bursa-pastoris* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsella thomsoni* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsicum annum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsicum festigiatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsicum grossum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsicum minimum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caragana crassicaulis* BENTH. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caragana cuneata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caragana pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carallia brachiata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carallia integerrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma adscendens* (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma attenuata* WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma edulis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma tuberculata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma umbellata* HAW. SYN. PL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carapa granatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carapa gromatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carapa moluccensis* LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carapa obovata* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardamine impatiens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardamine loxostemonoides* O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardamine pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardamine scutata* THUNB. flexuosa (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardanthera uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardaria draba* (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardiocrinum giganteum* (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardiospermum canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carduus edelbergii* RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carduus gigas* UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carduus nutans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex atrata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex cernua* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex nivalis* BOOTT NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex notha* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carex nubigena* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Careya arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Careya herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carica cKalammarcensis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa carKalams* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa congesta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa opaca* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa spinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carmona microphylla* (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carmona retusa* (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carpesium abrotanoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carpesium cernuum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carpopogon pruriens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carthamus lanatus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carthamus oxyacantha* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carum bulbocastanum* Auct. Non Koch: C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carum carvi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carum copticum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carum roxburghianum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carum strictocarpum* C.B. CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caryophyllus aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caryopteris odorata* ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caryota mitis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caryota urens* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *CascaNripati thevetia* (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia elliptica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia graveolens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia ovata* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia vareca* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia zeylanica* (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia absus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia acutifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia angustifolia* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia arborea* MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia auriculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia didymobotrya* FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia elongata* LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia glauca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia italica* (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia javanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia laevigata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia lanceolata* COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia marginata* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia mimosoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia montana* HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia obovata* COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia obtusifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia pumila* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia senna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia siamea* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia sophera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia surattensis* BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia tora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia uniflora* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassine glauca* (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassiope fastigiata* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Castanea sativa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Castanopsis indica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Castanopsis tribuloides* A. DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Castanospermum australe* A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casuarina equisetifolia* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catha edulis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catharanthus pusillus* (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catharanthus roseus* (L.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catimbum malaccense* (BURM.F.) HOLTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catimbum speciosum* (WENDL.) HOLTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catunaregam rugulosa* (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catunaregum spinosa* (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caulophyllum thalictroides* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia auriculata* (ROXB.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia carnosa* (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia mollissima* (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia pedata* JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia trifolia* (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cedrela serrata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cedrela toona* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cedrus deodara* (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cedrus libani* BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cedrus libani* BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceiba pentandra* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celastrus paniculatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celosia argentea* L. cristata (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celosia cristata* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celsia coromandeliana* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis cinnamomea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis philippensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis tetrandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis timorensis* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celtis wightii* PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cenchrus barbatus* SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cenchrus biflorus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centaurea behen* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centaurea calcitrapa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centaurea iberica* TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centaurea picris* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centaurea solstitialis* ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centaureum centaurioides* (ROXB.) ROLLA RAO and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centaurium roxburghii* (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centella asiatica* (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centipeda minima* (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centipeda orbicularis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centranthera grandiflora* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centranthera indica* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centratherum anthelminticum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centrosema pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centrostachys aquatica* (R.BR.) WALL.EX MIQ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cepa alba* RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cepa flava* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cephaelis ipecacuanha* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cephalandra indica* NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cephalanthera ensifolia* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cephalanthera longifolia* (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cephalostachyum capitatum* MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cephalostachyum pergracile* MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cephalotaxus griffithi* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerastium cerastoides* (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerastium fontanum* BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerastium glomeratum* THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerastium indicum* THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerastium thomsoni* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerastium vulgatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerasus hexagonus* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceratocephalus falcatus* (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceratophyllum demersum* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceratopteris siliquosa* COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceratopteris thalictroides* (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerbera manghas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerbera odollam* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cereus grandiflorus* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerriops candolleana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerriops roxburghiana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerriops tagal* C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceriscoides turgida* (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia bulbosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia candelabrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia juncea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum diurnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum nocturnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum parqui* L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceterach officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chaerophyllum acuminatum* LINDL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chaerophyllum villosum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamaemelum nobile* (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamaerops ritchieana* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Champereia griffithii* PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Champereia manillana* (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chasallia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxylodes* (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chassalia ophioxyloides* (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chavica betle* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chavica roxburghii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cheilanthes albomarginata* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cheilanthes farinosa* (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cheilanthes fragrans* (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cheilanthes rufa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cheilanthes tenuifolia* (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium ambrosioides* BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium blitum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium botrys* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chesneya nubigena* (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthemum segetum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conyza aegyptiaca* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conyza bonariensis* (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conyza japonica* (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conyza leucantha* (D.Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conyza stricta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coreopsis grandiflora* Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coreopsis tinctoria* Nutt var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cosmos caudatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cosmos sulphureus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crassocephalum crepidioides* (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dahlia coccinea* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dahlia imperialis* Roedel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendranthema x grandiflorum* (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichrocephala chrysanthemifolia* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichrocephala integrifolia* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicoma tomentosa* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinops echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emilia coccinea* (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emilia javanica* (Burm.f.) C. Robinson and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emilia ramulosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emilia scabra* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emilia zeylanica* Clarke var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emilia zeylanica* Clarke var. *paludosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epilates divaricata* (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epilates pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron karvinskianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron multiradiatus* (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium ianthinum* Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium repandum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flaveria contrayerba* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flaveria trinervia* (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gaillardia pulchella* Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galinsoga parviflora* Cav. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galinsoga quadriradiata* Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gamochaeta coarctata* (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gamochaeta pensylvanica* (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gamochaeta purpurea* (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gazania linearis* (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gerbera jamesonii* Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glossocardia bosvallea* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glossogyne bidens* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnaphalium hypoleucum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnaphalium luteo-album* L. subsp. *luteo-album* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnaphalium polycaulon* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniocaulon indicum* (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grangea maderaspatana* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guizotia abyssinica* (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura aurantiaca* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura bicolor* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura lycopersicifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura nitida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura pseudo-china* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura travancorica* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helianthus debilis* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helichrysum buddleoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helichrysum perlanigerum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helichrysum wightii* Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helipterum citrinum* Harv. & Sond. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helipterum roseum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypochoeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypochoeris radicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kleinia grandiflora* (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca hastata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagascea mollis* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laggera crispata* (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea acaulis* (Roxb.) Bab. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea intybacea* (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Montanoa bipinnatifida* C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moonia heterophylla* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myriactis wightii* DC. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Notonia shevaroyensis* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Notonia walkeri* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olearia cassiniae* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oligochaeta ramosa* (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osteospermum ecklonis* (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osteospermum moniliferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentanema cernuum* (Dalzell) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentanema indicum* (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllocephalum courtallense* (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllocephalum indicum* (Less.) Kirkman and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllocephalum phyllolaenum* (DC.) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllocephalum rangacharii* (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllocephalum scabridum* (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllocephalum sengaltherianum* (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pluchea tomentosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Proustia pyrifolia* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pulicaria angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pulicaria wightiana* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rudbeckia maxima* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Santolina chamaecyparissus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sclerocarpus africanus* Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio ansteadii* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio articulatus* (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio calcadensis* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio candicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio cineraria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio confusus* Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio edgeworthii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio intermedius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio kundaicus* Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio lavandulaefolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio lessingianus* (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio ludens* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio neelgherryanus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio polycephalus* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio tenuifolius* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio wightii* (DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio zeylanicus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sigesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silybum marianum* (L.) Gaertn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solidago canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solidago gigantea* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solidago microglossa* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solidago nemoralis* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solidago virga-aurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus asper* (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus wightianus* DC and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaeranthus amaranthoides* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spilanthes calva* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spilanthes radicans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spilanthes uliginosa* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stokesia laevis* (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Struchium sparganophorum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Synedrella nodiflora* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tagetes lucida* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tagetes minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum parthenium* (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taraxacum javanicum* Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taraxacum officinale* Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum cinerariaefolium* Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tithonia diversifolia* (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tricholepis radicans* (Roxb.) DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia albicans* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia anamallica* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia anthelmintica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia arborea* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia bourneana* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia cinerascens* Sch.-Bip. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia cinerea* (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia comorinensis* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia conyzoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia dalzelliana* Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia divergens* (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia elaeagnifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia fysonii* Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia gossypina* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia heynei* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia indica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia malabarica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia membranacea* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia monosis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia pectiniformis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia pothigaiana* Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia ramaswamii* Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia recurva* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia salvifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia setigera* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia travancorica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vittadinia australis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wedelia chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wedelia trilobata* (L.) A. Hitchc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wedelia urticaefolia* (Blume) DC. var. *wightii* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xanthium indicum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Youngia fuscipappa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Youngia nilgiriensis* Babc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zinnia elegans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scaevola plumieri* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scaevola sericea* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asyneuma fulgens* (Wall.) Briq. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campanula alphonsii* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campanula benthamii* Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campanula drabifolia* Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campanula latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campanula medium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campanula ramulosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campanula rapunculoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campanula wightii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laurentia longiflora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wahlenbergia marginata* (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia alsinoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia angulata* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia chinensis* Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia courtallensis* K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia heyneana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia leschenaultiana* (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphenoclea zeylanica* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vaccinium leschenaultii* Wight var. *leschenaultii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vaccinium neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arbutus unedo* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calluna vulgaris* (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erica arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erica vagans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gaultheria fragrantissima* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron indicum* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron mucronatum* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron simsii* Planch. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clethra arborea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limonium sinuatum* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumbago auriculata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anagallis pumila* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lysimachia leschenaultii* Duby and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lysimachia procumbens* Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aegiceras corniculatus* (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antistrophe serratifolia* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia amplexicaulis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia blatteri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia littoralis* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia missionis* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia pauciflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia rhomboidea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia solanacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ardisia sonchifolia* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia adnata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia basaal* (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia ribes* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maesa indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrsine wightiana* Wall. ex. A. DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rapanea daphnoides* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rapanea thwaitesii* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jacquinia barbasco* (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jacquinia aculeata* Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysophyllum roxburghii* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isonandra lanceolata* Wight forma *lanceolata* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isonandra montana* (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isonandra perrottetiana* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isonandra stocksii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca indica* J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca longifolia* (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca neriifolia* (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manilkara hexandra* (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manilkara roxburghiana* (Wight) Dubard and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manilkara zapota* (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Palaquium bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Palaquium ellipticum* (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros affinis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros assimilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros barberi* Ramaswami and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros buxifolia* (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros candolleana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros chloroxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros ebenum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros foliolosa* Wall. ex A.DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros humilis* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros insignis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros malabarica* (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros melanoxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros nigresens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros nilgirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros oocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros paniculata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros pruriens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros sylvatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros walkeri* (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos authilingomii* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos foliosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos monantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos nairii* Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos obtusa* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos oligandra* Bedd. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos pendula* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos pulchra* Wight subsp. *pulchra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos wynadense* (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionanthus linocieroides* (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionanthus macrophylla* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionanthus mala-elengi* (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionanthus ramiflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionanthus zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum arborescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum auriculatum* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum azoricum* L. var. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum bignoniaceum* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum brevilobum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum calophyllum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum cordifolium* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum cuspidatum* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum malabaricum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum mesnyi* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum multiflorum* (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum officinale* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum polyanthum* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum ritchiei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum rottlerianum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum sambac* (L.) Ait. var. *sambac* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum scandens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum trichotomum* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum decaisnei* Clarke var. *decaisnei* and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum gamblei* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum lucidum* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum perrottetii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum robustum* (Roxb.) Blume subsp. *walkerii* (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myxopyrum serratum* A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olea dioica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olea paniculata* R. Br. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olea polygama* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schrebera swietenoides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Azima tetracantha* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenium obesum* Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aganosma cymosa* (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aganosma dichotoma* (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *AllamKalam cathartica* L. var. *nobilis* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *AllamKalam violacea* Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alstonia scholaris* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alstonia venenata* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Beaumontia grandiflora* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Beaumontia jerdoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa carKalam*s L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa grandiflora* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa hirsuta* Roth and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa inermis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa salicina* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carissa spinarum* L. var. *spinarum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catharanthus pusillus* (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catharanthus roseus* (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerbera odollam* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chonemorpha fragrans* (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ellertonia rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Funtumia africana* (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ichnocarpus frutescens* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mandevilla laxa* (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parsonsia alboflavescens* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumeria obtusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia hookeri* Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia micrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia serpentina* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia verticillata* (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strophanthus wightianus* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana divaricata* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana gamblei* Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana heyneana* Wall. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thevetia peruviana* K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vallisneria spiralis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vinca major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Voacanga grandiflora* (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia arborea* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia indica* Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asclepias curassavica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachystelma bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachystelma brevityubulatum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachystelma maculatum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brachystelma rangacharii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calotropis gigantea* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calotropis procera* (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma bhupinderana* Sarkaria and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma diffusa* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma indica* (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma nilagiriana* Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma pauciflora* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma procumbens* Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma stalagmifera* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caralluma umbellata* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia barnesii* Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia bulbosa* Roxb. var. *bulbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia candelabrum* L. var. *candelabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia ciliata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia decaisneana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia elegans* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia ensifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia fimbriifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia intermedia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia juncea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia maculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia mannarana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia metziana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia oculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia omissa* Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia pusilla* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia spiralis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceropegia thwaitesii* Hook. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cosmostigma racemosum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynanchum alatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynanchum tunicatum* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphocarpus fruticosus* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphocarpus physocarpus* E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema alterniflorum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema elegans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema hirsutum* Wight & Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema tingens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heterostemma tanjorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holastemma ada-kodien* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya alexicaca* (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya kanyakumariana* Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya ovalifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya wightii* Hook.f.subsp. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptadenia reticulata* (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia brunoniana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia tenacissima* (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentatropis capensis* (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pergularia daemia* (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Raphionacme purpurea* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma acidum* (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma brunonianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma intermedium* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma secamone* (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Secamone emetica* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stapelia gigantea* N.E. Br. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stapelia grandiflora* Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Telosma minor* (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Telosma pallida* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toxocarpus beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toxocarpus kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toxocarpus palghatensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora capparidifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora indica* (Burm.f.) Merr. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora macrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora mollissima* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora multiflora* (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora pauciflora* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora rotundifolia* Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora tertrapetala* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora zeylanica* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wattakaka volubilis* (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptolepis buchananii* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptolepis grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptostegia grandiflora* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Decalepis hamiltonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Decalepis arayalpathra* Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utlaria salicifolia* Bedd. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagraea ceilanica* Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardneria ovata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mitrasacme indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spigelia anthelmia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos lenticellata* Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos minor* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos vanprukii* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos wallichiana* Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buddleja asiatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buddleja davidii* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buddleja madagascariensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buddleja volubilis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora decurrens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora decussata* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora heteroclita* (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora perfoliata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canscora roxburghii* Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enicostema axillare* (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum anamallayanam* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum atropurpureum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum grande* Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum lawii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum petiolare* Griseb. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum pumilum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum sessile* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum tetragonum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum wightianum* Arn. var. *wightianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halenia perrottetii* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoppea dichotoma* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoppea fastigiata* (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham. ex D. Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia densifolia* (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia minor* (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphoides aurantiacum* (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphoides hydrophylla* (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphoides indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrolea zeylanica* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wigandia canacasana* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlox drummondii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carmona retusa* (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia alba* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia diffusa* Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia domestica* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia evolutor* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia monoica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia obliqua* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia wallichii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia sebestena* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia subcordata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia aspera* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia canarensis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia laevis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia wightiana* Wall. ex G. Don and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium bracteatum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium curassavicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium marifolium* Retz. subsp. *marifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium ovalifolium* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium peruvianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium rottleri* Lehm. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium supinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium zeylanicum* (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotula aquatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tournefortia argentea* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tournefortia heyneana* Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tournefortia reticosa* Wight and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tournefortia wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichodesma indicum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichodesma inaequale* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichodesma zeylanicum* (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyrea argentea* Choisy var. *venusta* (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyrea coonoorensis* W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyrea cuneata* (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia cymosa* (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia daltonii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia elliptica* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia fulgens* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia imbricata* (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia involucrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia kleiniana* (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia nellygherya* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia nervosa* (Burm.f.) Boj. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia osyrensis* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia pilosa* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia pomacea* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia populifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia sericea* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyreia setosa* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bonamia evolvuloides* (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bonamia Semidigyna* (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus flavus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus rottlerianus* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuscuta campestris* Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuscuta chinensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuscuta hyalina* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuscuta reflexa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erycibe paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evolvulus alsinoides* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evolvulus nummularius* (L.) L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hewittia sublobata* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea aquatica* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea barlerioides* (Choisy) Benth.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea batatas* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea cairica* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea carnea* Jacq. subsp. *carnea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea deccana* Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea dichroa* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea diversifolia* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea eriocarpa* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea involucrata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea marginata* (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea mauritiana* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea nil* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea obscura* (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea pileata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea purpurea* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea rumicifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea sepiaria* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea sinensis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea staphylina* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea tuberculata* Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea turbinata* Lag. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea wightii* (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jacquemontia caerulea* Choisy and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jacquemontia paniculata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jacquemontia pentantha* (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepistemon leiocalyx* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia aegyptia* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia dissecta* (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia emarginata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia hederacea* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia quinata* (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia quinquefolia* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia tridentata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia umbellata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia vitifolia* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Operculina turpethum* (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Porana paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Porana racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rivea hypocrateriformis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rivea ornata* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stictocardia tiliifolia* (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Browallia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Browallia speciosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Browallia viscosa* Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brugmansia arborea* (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brugmansia versicolor* Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brunfelsia undulata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum aurantiacum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum corymbosum* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum diurnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum elegens* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum fasciculatum* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum nocturnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cestrum parqui* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyphomandra betacea* (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura cornigera* Hook. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura innoxia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura metal* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura sanguinea* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iochroma coccinea* Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycium barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycopersicon esculentum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicandra physalodes* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana alata* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana glauca* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana glutinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana plumbaginifolia* Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana repKalam* Willd. ex Lehm. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nierembergia gracilis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Petunia axillaris* (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Petunia x hybrida* Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis ixocarpa* Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis lagascae* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis pruinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schizanthus pinnatus* Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schizanthus wisetonensis* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solandra grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum americanum* Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum anguivi* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum ariculari* G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum barbisetum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum capsicastrum* Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum capsicoides* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum clavatum* Rusby and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum convolvulus* Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum elaeagnifolium* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum erianthum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum giganteum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum grandiflorum* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum hispidum* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum jasminoides* Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum kurzii* Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum macrocarpon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum macrophyllum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum marginatum* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum mauritianum* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum melongena* L. var. *melongena* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum insanum* J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum lasiocarpum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum robustum* H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum seaforthianum* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum sisymbriifolium* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum stramoniiifolium* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum torvum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum vagum* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum viarum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum violaceum* Ortega Subsp. *violaceum* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum wendlandii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum wrightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Streptosolon jamesonii* (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Withania somnifera* (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenosma indianum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angelonia biflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antirrhinum orontium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Antirrhinum purpureum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artanema longifolia* (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bacopa floribunda* (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bacopa hamiltoniana* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bacopa monnieri* (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buchnera hispida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calceolaria gracilis* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celsia arcturus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centranthera indica* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centranthera tranquebarica* (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbalaria muralis* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dopatrium lobelioides* (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dopatrium nudicaule* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glossostigma diandrum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hebe speciosa* (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hebe andersonii* Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kickxia ramosissima* (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila aromatica* (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila heterophylla* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila polystachya* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila repens* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila rugosa* (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindenbergia indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia anagallis* (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia antipoda* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia caespitosa* (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia ciliata* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia crustacea* (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia hyssopioides* (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia minima* (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia nummulariifolia* (D.Don) Wettst. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia oppositifolia* (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia parviflora* (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia procumbens* (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia rotundifolia* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia ruellioides* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia srilankana* Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia sessiliflora* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia tenuifolia* (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia viscosa* (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maurandya barclaiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maurandya erubescens* (D.Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maurandya lophospermum* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maurandya semperflorens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mazus pumilus* (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mecardonia procumbens* (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micrargeria wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microcarpaea minima* (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paulownia tomentosa* (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis perrottetti* Benth. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis zeylanica* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Penstemon azureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Penstemon campanulatus* (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peplidium maritimum* (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Russelia equisetiformis* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sopubia stricta* G.Don and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sopubia trifida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stemodia viscosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Striga angustifolia* (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Striga asiatica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Striga densiflora* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Striga gesnerioides* (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Striga masuria* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sutera dissecta* (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia bicolor* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia courtallensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia fournieri* Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia hirsuta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia vagans* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbascum chinense* (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbascum thapsus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbascum virgatum* Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica arvensis* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica polita* Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica speciosa* R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica persica* Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeginetia pedunculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christisonia bicolor* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christisonia neilgherrica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christisonia saulierei* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christisonia subacaulis* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orobanche cernua* Loefl. var. *nepalensis* Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia australis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia bifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia exoleta* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia graminifolia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia hirta* Klein ex Link and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia minutissima* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia nayarii* Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia polygaloides* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia reticulata* J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia roseo-purpurea* Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia scandens* Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia smithiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia stellaris* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia striatula* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia uliginosa* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia wightiana* Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeschynanthus ceylanica* Gard. var. *pinguis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeschynanthus perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus gambleanus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus humboldtianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus innominatus* Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus lyrata* Wight var. *lyrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus missionis* Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus repens* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus tomentosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus wightii* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epithema carnosum* (G.Don) Benth. var. *hispida* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gesneria cardinalis* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jerdonia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchoglossum notonianum* (Wall) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchotechum permolle* (Nees) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arrabidaea magnifica* Sprague ex Steenis Bull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bignonia megapotamica* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Campsis radicans* (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catalpa bignonioides* Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clytostoma callistegioides* (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parmentiera alata* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crescentia cujeta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichandrone arcuata* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichandrone falcata* (Wall. ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haplophragma adenophyllum* (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jacar Kalam mimosifolia* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kigelia africana* (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macfadynea unguis-cati* (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Markhamia stipulata* Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millingtonia hortensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nyctocalos cuspidata* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oroxylum indicum* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pandorea jasminoides* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaedranthus buccinatorius* (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllarthron bojerianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleonotoma jasminifolia* (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Podranea ricasoliana* (Tranf.) Sprague and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrostegia venusta* (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Radermachera xylocarpa* (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spathodea campanulata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *colais* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *angustifolium* (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabebuia rosea* (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabebuia arjentea* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabebuia pallida* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabebuia palmeri* Miers and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tecoma stans* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tecomaria capensis* (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cobaea scandens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesamum alatum* Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesamum laciniatum* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesamum prostratum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesamum radiatum* Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acanthus mollis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis affinis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis alata* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis atropurpurea* (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis ceylanica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis echinoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis elongata* (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis explicata* (Clarke) Gamble and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis lineata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis lobelioides* Wight var. *lobelioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis lobelioides* Wight var. *composita* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis macrobotrys* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis neesiana* Wight var. *neesiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis neesiana* Wight var. *producta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis rothii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis stellulata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis stenophylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Andrographis viscosula* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aphelandra deppeana* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asystasia chelonoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asystasia crispata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asystasia dalzelliana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asystasia gangetica* (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Asystasia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria acuminata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria courtallica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria cuspidata* Heyne ex Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria gibsonii* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria involucrata* Nees var. *elata* (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria longiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria mysorensis* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria nitida* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria noctiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria paniculata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria pilosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria prattensis* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria strigosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria tomentosa* Roth var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria tomentosa* Roth var. *glandulosa* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barleria vestita* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharis maderaspatensis* (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharis repens* (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clinacanthus nutans* (Burm.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crossandra infundibuliformis* (L.) Nees and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicliptera cuneata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicliptera foetida* (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicliptera verticillata* (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diotacanthus albiflorus* (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipteracanthus patulus* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipteracanthus prostratus* (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dyschoriste madurensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dyschoriste nagchana* (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dyschoriste vagans* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ecbolium ligustrinum* (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ecbolium viride* (Forssk.) Alston var. *viride* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ecbolium viride* (Forssk.) Alston var. *dentata* (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elytraria acaulis* (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eranthemum capense* L. var. *capense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eranthemum purpurascens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eranthemum roseum* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Graptophyllum hortense* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnostachyum canescens* (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnostachyum ceylanicum* Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnostachyum latifolium* (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haplanthodes neilgherryensis* (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haplanthodes verticillatus* (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila balsamica* (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila heinei* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila salicifolia* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jacobinia carnea* (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia beddomei* (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia diffusa* Willd. var. *diffusa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia gendarussa* Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia glabra* Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia glauca* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia latispica* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia neesii* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia prostrata* (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia salsoloides* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia santapau* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia simplex* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia tranquebariensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia trinervia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia vahlii* Roth and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia wynaadensis* (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis cristata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis cuspidata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis diffusa* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis fasciculata* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis incurva* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis mitis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis pungens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis scariosa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis spinosa* Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis subarmata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptostachya wallichii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meyenia hawtayneana* (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Monothecium aristatum* (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neuracanthus neesianus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristrophe montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristrophe paniculata* (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Petalidium barlerioides* (Roth) Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaulopsis imbricata* (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseuderanthemum malabaricum* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruellia colorata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia apiculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia crenata* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia laeta* Clarke and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia latior* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia parviflora* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia pectinata* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia repens* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia sisparensis* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sanchezia nobilis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sanchezia parvibracteata* Sprague & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Santapaua madurensis* Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Staurogyne glauca* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Staurogyne zeylanica* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenosiphonium confertum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenosiphonium cordifolium* (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenosiphonium parviflorum* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenosiphonium russellianum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenosiphonium wightii* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes asperimus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes amabilis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes anamallaica* J. R. I. Wood and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes andersonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes barbatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes bolampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes ciliatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes consanguineus* (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes cuspidatus* (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes decurrens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes foliosus* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes heyneanus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes heteromallus* T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes homotropus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes humilis* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes isophylla* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes ixiocephala* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes kunthianum* (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes lanatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes lupulinus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes luridus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes matthewiana* R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes micranthes* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes microstachya* Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes neoasper* Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes neilgherrensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes papillosus* T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes perrottetianus* Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes pulneyensis* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes rubicundus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes sessilis* Nees var. *sessilis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes sexennis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes tristis* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes urceolaris* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes violaceus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes zenkerianus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia alata* Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia bicolor* (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia erecta* (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia fragrans* Roxb. var. *fragrans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia fragrans* Roxb. var. *vestita* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia mysorensis* (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia tomentosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aloysia triphylla* (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bouchea hyderabadense* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callicarpa tomentosa* (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citharexylum fruticosum* L. forma *subserratum* (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum aculeatum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum cordatum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum inerme* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum neriifolium* Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum philippinum* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionachne koenigii* (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionanthus macrophylla* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chionanthus mala-elengi* (DENNST.) GREEN and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlondrus crispus* LYNGBYE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloranthus elatior* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloranthus glaber* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloranthus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloranthus officinalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris barbata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloris virgata* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum arundinaceum* BAKER and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum attenuatum* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum laxum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chlorophytum tuberosum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloroxylon dupada* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chondrus crispus* STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chonemorpha fragrans* (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chonemorpha macrophylla* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chorchorus trilocularis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christella arida* (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christella contiguum* (ROSENT) HOLTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christella crinipes* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christella parasitica* (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christella subpubescens* (BL.) HOLTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrozophora plicata* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrozophora prostrata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrozophora tinctoria* A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthellum americanum* (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthellum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthemum coccineum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthemum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthemum roxburghii* DESF. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysobalanus icaco* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysophyllum roxburghii* DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysopogon aciculatus* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chukrasia tabularis* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cibotium barometz* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cicca acida* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cicca disticha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cicer microphyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cichorium noeanum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cicuta virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cimicifuga foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cimicifuga racemosa* NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona calisaya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona ledgeriana* MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona robusta* HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona succirubra* PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum aromaticum* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum camphora* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum cassia* BLUME and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum cecidodaphne* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum glanduliferum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum glaucescens* (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum impressinervium* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum iners* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum macrocarpum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum malabathrum* BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum obtusifolium* NEES and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum parthenoxylon* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum pauciflorum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum sulphuratum* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum tamala* NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum travancoricum* GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum verum* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum wightii* C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinnamomum zeylanicum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cipadessa baccifera* (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Circaea alpina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Circaea cordata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cirsium argyracanthum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cirsium arvense* (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cirsium sinense* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cirsium verutum* (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cirsium wallichii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissampelos pareira* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus acida* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus adnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus discolor* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus javanica* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus lanceolata* MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus latifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus pallida* (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus pedata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus repKalam* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus repens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus trilobata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cistanche tubulosa* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cistus creticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citharexylum suberratum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrullus colocynthis* (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrullus lanatus* (THUNB.) MATSUMARA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI *fistulosus* (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrullus vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrullus vulgaris* SCHRAD. *fistulosus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus acida* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus aurantifolia* (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus aurantium* L. *bergamia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus bergamia* RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus bigaradia* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus decumana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus grandis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus hystrix* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus jambhiri* LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus karna* RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus latipes* (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus limetta* RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus limon* (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus limonum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus macroptera* Montr. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus madurensis* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus maxima* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus medica* L. *medica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus medica* L. *limetta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus medica* L. *limonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus paradisi* MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus pyxidata* (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus reticulata* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus sinensis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cladonia alpestris* (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Claoxylon indicum* HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Claoxylon polot* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena dentata* (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena excavata* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena heptaphylla* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena lansium* (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena pentaphylla* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena wampi* BLANCO and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena willdenowii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Claviceps purpurea* (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Claxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleidion nitidum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleisostoma tenuifolium* (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleisostoma williamsonii* (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis barbellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis buchananiana* DC. *vitifolia* WALL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis connata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis gouriana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis grata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis hedysarifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis montana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis smilacifolia* WALL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis triloba* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis wightiana* WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome brachycarpa* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome burmanni* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome chelidonii* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome felina* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome gynandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome heptaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome icosandra* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome vahliana* FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum colebrookianum* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum indicum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum inerme* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum multiflorum* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum philippinum* SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum phlomides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum serratum* (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum siphonanthus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum splendens* G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum viscosum* H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clerodendrum wallichii* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clinogyne dichotoma* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clinogyne grandis* BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clinopodium umbrosum* (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clinopodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clitoria mariana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coccinia cordifolia* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coccinia glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coccinia grandis* (L.) VOIGT and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coccinia indica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coccoloba uvifera* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus cordifolius* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus hirsutus* (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus leaeba* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus macrocarpus* W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus pendulus* (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus suberosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus villosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cochlearia armoracia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cochlearia cochlearioides* (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cochlospermum gossypium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cochlospermum religiosum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocos schizophylla* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Codiaeum variegatum* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Codonacanthus pauciflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Codonopsis clematidea* (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Codonopsis ovata* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelodepas calycinum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne cristata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne ovalis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne punctulata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coelogyne stricta* (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coffea travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coix gigantea* KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coix lachryma* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cola nitida* (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colchicum autumnale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colchicum luteum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colchicum variegatum* BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coldenia procumbens* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colebrookea oppositifolia* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coleus ambonicus* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coleus aromaticus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coleus barbatus* (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coleus forskohlii* (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coleus osmirrhizon* W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coleus scutellarioides* (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coleus vettiveroides* K.C. JACOB and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coleus zeylanicus* (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colocasia antiquorum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colocasia esculenta* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colocasia macrorrhiza* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colocasia virosa* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colophospermum mopane* KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colubrina asiatica* (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colutea arborescens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colutea nepalensis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum acuminatum* (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum decandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum extensum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum latifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum nanum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum pilosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum roxburghii* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina communis* EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina diffusa* BURM.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina longifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina obliqua* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina paludosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina salcifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commelina suffruticosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commicarpus chinensis* (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commicarpus verticillatus* STANDLEY and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora abyssinica* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora agallocha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora berryi* (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora molmol* ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora myrrha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora opobalsamum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora playfairii* HOOK. F. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora roxburghii* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora schimperi* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora stocksiana* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora wightii* (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conium maculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conocarpus latifolia* ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conocephalus suaveolens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Consolida ajacis* (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Consolida regalis* S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convallaria majalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus gemellus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus grandiflorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus malabaricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus microphyllus* SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus pluricaulis* CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus prostratus* FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus scammonia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus speciosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus spinosus* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Convolvulus turpethum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conyza bonariensis* (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conyza cinerea* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conyza japonica* (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Conyza stricta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Copernicia cerifera* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coptis teeta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corallocarpus epigaea* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corallocarpus epigaeus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corbichonia decumbens* EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus acutangulus* AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus antichorus* ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus depressus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus urticifolius* WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia dichotoma* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia gharaf* (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia grandis* ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia macleodii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia monoica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia myxa* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia obliqua* WILLD. wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia obliqua* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia rothii* ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia vestita* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia wallichii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordyceps sinensis* (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordyline fruticosa* GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordyline terminalis* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coriaria nepalensis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coronilla picta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coronopus didymus* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cordia depressa* (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corydalis adiantifolia* HK.F. & T. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corydalis flabellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corydalis govaniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corydalis meifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corydalis ramosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corydalis rutifolia* (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corydalis vaginans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corylus avellana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corylus colurna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corylus jacquemonti* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corymbis veratrifolia* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corymborkis veratrifolia* (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cosciniun fenestratum* (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cosmostigma racemosa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Costus arabicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Costus speciosus* (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotinus coggygria* SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotinus racemiflora* (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotoneaster bacillaris* WALL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotoneaster buxifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotoneaster microphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotoneaster microphyllus* WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotoneaster nummularia* FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotula anthemoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotula aurea* Loeffl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cousinia thomsonii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crambe cordifolia* STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crassocephalum crepidioides* (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crataegus laevigata* (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crataegus oxyacantha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crataegus songarica* KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crataeva adansonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crataeva magna* (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crataeva marmelos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crataeva nurvala* SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crataeva religiosa* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crataeva tapia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cratoxylum cochinchinense* (LOUR.) BLUME NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cratoxylum neriifolium* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cremanthodium arnicoides* DC. GOOD *trigida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cremanthodium decaisnei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cremanthodium plantagineum* MAX. *maximowiczii* GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cremastra appendiculata* (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cremastra wallichiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crepidium acuminatum* (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crepis flexuosa* (DC) BETH. & HK.F. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crepis japonica* BENTH. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crescentia cujete* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum amoenum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum defixum* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum powellii* HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum pratense* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum revolutum* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crinum viviparum* (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crocus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crossandra infundobuliformis* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crossandra undulaefolia* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria albida* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria anagyroides* H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria angulosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria benghalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria bialata* SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria biflora* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria burhia* BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria calycina* SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria linifolia* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria medicaginea* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria mucronata* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria mysorensis* ROTH. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria pallida* DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria paniculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria prostrata* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria pulchra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria ramosissima* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria saltiana* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria sericea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria spectabilis* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria striata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria trifoliatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton argyratus* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton aromaticus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton bonplandianum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton caudatus* GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton joufra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton malabaricus* BEDD. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton oblongifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton plicatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton polyandrum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton reticulatus* HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton roxburghii* BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton sebiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton sparsiflorus* MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Croton zeylanicus* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocarya wightiana* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptocoryne spiralis* FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptolepis buchananii* ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptolepis elegans* WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptolepis grandiflora* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cryptostegia grandiflora* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ctenolepis cerasiformis* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ctenolepis garcinii* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cubeba officinalis* RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucubalus baccifer* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis acutangulus* DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis agrestis* NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis anguinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis callosus* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis colocynthis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis hardwickii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis lagenarius* DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis madraspatanus* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis melo* L. *momordica* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis melo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis momordica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis myriocarpus* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis pseudo-colocynthis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis pubescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis sativus* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis trigonus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis utilisissimus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucurbita citrullus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucurbita lagenaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucurbita maxima* DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cudrania javanensis* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cullenia exarillata* ROBYNS and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cupressus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curanga amara* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curanga fel-terrae* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curculigo capitulata* (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curculigo crassifolia* GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curculigo orchioides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curculigo recurvata* DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma amada* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma aromatica* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma caesia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma domestica* (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma inodora* BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma leucorrhiza* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma pseudomontana* GRAHAM NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma rubescens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma zedoaria* (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Curcuma zerumbet* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuscuta capitata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuscuta chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuscuta europaea* BOVE & ENGELM. *indica* ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuscuta hyalina* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuscuta reflexa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyamopsis psoralioides* (LAM). DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis axillaris* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis concanensis* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis cristata* (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathea albo-setacea* (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathea gigantea* (WALL. EX HOOK.) HOLTT. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathea spinulosa* WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathocline purpurea* (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathostemma micranthum* J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathula prostrata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathula tomentosa* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathus limbatus* TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathus stercoreus* (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cycas beddomei* DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cycas circinalis* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cycas revoluta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cycas rumphii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclamen europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclamen persicum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclea arnotii* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclea bicristata* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclea burmanni* (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclea fissicalyx* DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclosorus dentatus* (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclosorus gongylodes* (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclosorus parasiticus* (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cydonia oblonga* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cydonia vulgaris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cylista scariosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbalaria muralis* G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbidium grandiflorum* RCHB.F. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbidium hookerianum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbidium pendulum* (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon caesius* STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon citratus* (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon coloratus* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon flexuosus* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon jwarancusa* (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon jwarancusa* (JONES) SCHULT. *olivieri* (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon martini* (ROXB.) WATS and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon nardus* (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cymbopogon schoenanthus* (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynanchum arnottianum* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynanchum extensum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynanchum heydei* HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynanchum vincetoxicum* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynanthus lobatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynara scolymus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynodon dactylon* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynodon linearis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynoglossum glochidiatum* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynoglossum lanceolatum* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynoglossum micranthum* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynoglossum wallichii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynoglossum zeylanicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynometra iripa* KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynometra mimosoides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynometra ramiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynosurus coracanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus alopecuroides* ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus amabilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus bulbosus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus compactus* RETZ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus compressus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus corymbosus* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus cyperoides* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus denticulatus* SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus diffusus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus distans* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus exaltatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus haspan* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus inundatus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus jemicus* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus juncifolius* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus kyllingia* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus longus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus malaccensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus michelianus* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus pangorei* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus pedunculatus* (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus pertenus* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus pilosus* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus platystylis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus rohita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus rotundus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus scariosus* R.BR. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus stoloniferus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus triceps* (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus tuberosus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyperus undulatus* KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyphostemma setosum* (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtomium caryotideum* (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtomium falcatum* (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyrtophyllum peregrinum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cythocline purpurea* (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cytisus scoparius* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dactyloctenium aegyptium* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dactyloctenium indicum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dactylorhiza hatagirea* (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daedalacanthus roseus* T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daemia cordata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daemia extensa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daemonorops draco* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dahlia rosea* CAV. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia arborea* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia candenatensis* (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia emarginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia horrida* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia lanceolaria* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia oogeinensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia pinnata* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia sissoo* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia stipulacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia sympathetica* NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia tamarindifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia volubilis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalechampia indica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalhousiea bracteata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daphne cannabina* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daphne oleo* SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daphne oleoides* SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daphne papyracea* WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daphniphyllum himalayense* MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daphniphyllum neilgherrense* ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datisca cannabina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura alba* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura fastuosa* L. alba (NEES) C.B. CLARKE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura fastuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura innoxia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura metel* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura metel* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura nilhummatu* DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Datura tatula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daucus carota* L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Davallia tenuifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Davallia trichomanoides* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Decalepis hamiltonii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Decaspermum fruticosum* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Deeringia amaranthoides* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delima scandens* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delonix elata* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delonix regia* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphaenium denudatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphaenium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium altissimum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium bruonianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium caeruleum* JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium cashmirianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium glaciale* HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium kashmirianum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium kohatense* (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium paciflorum* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium roylei* MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium saniculifolium* AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium speciosum* JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium vestitum* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium viscosum* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium zalil* AITCH & HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium aduncum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium aggregatum* - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium amoenum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium chrysanthum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium coerulescens* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium crumenatum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium crumentum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium densiflorum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium jenkinsii* LINDL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium macraei* AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium moschatum* (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium nobile* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium ovatum* (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrobium paxtonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrocalamus hamiltonii* NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrocalamus strictus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrocnide sinuata* (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrophthoe elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrophthoe falcata* (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dendrophthoe pentandra* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dentella repens* (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris elliptica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris ferruginea* (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris indica* (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris malaccensis* PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris robusta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris scandens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris trifoliata* LOUR. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Descurainia sophia* (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmanthus cinereus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmanthus virgatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmochaeta atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium biarticulatum* (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium dichotomum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium gyrans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium gyroides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium heterocarpon - strigosum* VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium heterocarpon* (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium heterophyllum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium lasiocarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium latifolium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium microphyllum* (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium motorium* (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium oojainense* (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium polycarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium pseudotriquetrum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium pulchellum* BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium retroflexum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium styracifolium* (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium tiliaefolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium triangulare* (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium triflorum* DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium umbellatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium velutinum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmos chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmos cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmos dumosa* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmos longiflorus* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmostachya bipinnata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmotrichum fimbriatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Deutzia scabra* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dianthus anatolicus* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dianthus caryophyllus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dianthus chinensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicaelospermum ritchiei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicentra chrysantha* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicentra thalict trifolia* HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichanthium caricosum* (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichanthium pertusum* CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichopsis ellipticum* BENTH & HOOK.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichroa febrifuga* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichrocephala integrifolia* (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichrocephala latifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichrostachys cinerea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicliptera bupleuroides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicliptera cuneata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicliptera micranthus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicliptera roxburghiana* NEES and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicoma tomentosa* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicranopteris linearis* (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dictamnus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus aromaticus* WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Didymocarpus pedicellata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dieffenbachia seguine* (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dienia muscifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digera arvensis* FORSK. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digera muricata* (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitalis lanata* EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dillenia aurea* SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dillenia bracteata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dillenia pentagyna* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimocarpus longan* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimorphocalyx glabellus* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dinebra arabica* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dinebra retroflexa* (VAHL) PANZER retroflexa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dinocloa Kalammanica* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dionysia diapiensiaefolia* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea belophylla* VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea composita* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea crispata* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea daemona* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea deltoidea* WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea esculanta* (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea glabra* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea globosa* ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea hamiltonii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea hirsuta* DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea hispida* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea prazeri* PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea puber* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea purpurea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea rubella* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea sativa* AUCTION. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea tomentosa* KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea triphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dioscorea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros bourdillonii* BRANDIS and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros buxifolia* (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros candolleana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros chloroxylon* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros cordifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros ebenum* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros embryopteris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros exsculpta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros ferrea* (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros glutinosa* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros insignis* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros kaki* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros lancaefolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros lotus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros malabarica* (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros melanoxylon* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros oocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros paniculata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros peregrina* (GAERTN.) GURKE. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros quaesita* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros sylvatica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diospyros toposia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipcadi erythraeum* WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplazium esculentum* (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplazium stoliczkae* BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplocisia glaucescens* (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplocyclos palmatus* (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diploknema butyraceae* (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplospora singularis* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplospora sphaerocarpa* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipsacus fullonum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipsacus inermis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipsacus mitis* D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipteracanthus patulus* (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipteracanthus prostratus* (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipterocarpus alatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipterocarpus bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipterocarpus gracilis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipterocarpus indicus* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipterocarpus laevis* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipterocarpus pilosus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipterocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipterocarpus turbinatus* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dischidia rafflesiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Disporum cantoniense* (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Distemon indicum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dittelasma raraka* (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dodonaea angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dodonaea burmanniana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dodonaea viscosa* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichandrone arcuata* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichandrone falcata* SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichandrone spathacea* (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichandrone stipulata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos biflorus* SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos bulbosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos catieng* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos catjang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos cylindricus* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos falcatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos gladiatus* JACQ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos lablab* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos lablab* L. *typicus* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos pruriens* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos trilobus* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos uniflorus* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolomaea macrocephala* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dombeya cayeuxii* HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Donax connaeformis* (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dopatrium junceum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dopatrium lobelioides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dopatrium nudicaule* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dorema ammoniacum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dorema aureum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Doronicum falconeri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Doronicum hookeri* C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Doronicum pardalianches* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Doronicum roylei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dorstenia indica* WALL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Douepia tortuosa* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Draba muralis* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Draba setosa* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracaena angustifolia* (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracaena cinnabari* BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracaena petiolata* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracaena terminalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracaena terniflora* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracocephalum heterophyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracocephalum moldavica* LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracocephalum royleanum* ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracocephalum stamineum* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dracontium polyphyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drimia indica* (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drimys winteri* FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drosera burmannii* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drosera indica* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drosera lunata* HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drosera peltata* SM. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drymaria cordata* (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drymaria cordata* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drymaria diandra* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drymoglossum carnosum* (WALL.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drynaria quercifolia* (L.) J. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dryobalanops aromatica* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dryopteris barbigera* (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dryopteris cochleata* (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dryopteris filix-mas* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dryopteris marginata* (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dryopteris sparsa* (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes macrophylla* (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes roxburghii* (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Duboisia myoporoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Duchesnea indica* (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Duranta repens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Durio zibethinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dyschoriste madurensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysophylla auricularia* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysophylla rugosa* HOOK.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysophylla stelata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysophylla stellata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysoxylum binectariferum* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysoxylum hamiltonii* HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysoxylum malabaricum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysoxylum procerum* HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ebermaiera glutinosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ecbolium linneanum* KURZ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ecbolium viride* (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ecbolium virids* (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echeveria glauca* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinacea angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa colona* LINK. *frumentacea* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa crusgalli* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa frumentacea* LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinops cornigerous* DC. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echinops echinatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Echites dichotoma* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eclipta alba* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eclipta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eclipta parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Edgeworthia tomentosa* NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Edwardsia griffithii* (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia acuminata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia canarensis* MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia laevis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia laevis* ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia microphylla* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ehretia obtusifolia* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eichhornia crassipes* SOLMS and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Codariocalyx motorius* (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria acicularis* Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria agatiflora* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria alata* Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria albida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria anagyroides* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria angulata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria barbata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria berteriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria bidiei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria bifaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria bourneae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria calycina* Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria candicans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria clarkei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria clavata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria conferta* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria digitata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria dubia* Graham ex Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria epunctata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria formosa* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria fysonii* Dunn var. *fysonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria fysonii* Dunn var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria globosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria hebecarpa* (DC.) Rudd and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria heyneana* Grahma ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria hirta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria humifusa* Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria laevigata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria beddomeana* Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria spectabilis* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria linifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria longipes* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria lunulata* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria madurensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria medicaginea* Lam. var. *medicaginea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria multiflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria mysorensis* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria nana* Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria notonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria obtecta* Graham ex Wight & Arn. var. *obtecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria orixensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria ovalifolia* Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria pallida* Dryand. var. *pallida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria paniculata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria peduncularis* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria priestleyoides* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria prostrata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria pulchra* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria pusilla* Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria ramosissima* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria rigida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria salicifolia* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria scabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria scabrella* Wight & Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria semperflorens* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria speciosa* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria subperfoliata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria tecta* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria trifoliatum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria triquetra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria umbellata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria wightiana* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyamopsis tetragonoloba* (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cytisus canariensis* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cytisus hirsutus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cytisus monspessulanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cytisus multiflorus* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cytisus proliferus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cytisus scoparius* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cytisus supinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia congesta* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia coromandeliana* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia gardneriana* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia horrida* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia lanceolaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia latifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia malabarica* Prain and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia melanoxylon* Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia pseudo-siso* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia rubiginosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia sissoides* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia sissoo* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia spinosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia tinneveli* Thoth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dalbergia volubilis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris benthamii* (Thw.) Thw. var. *benthamii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris brevipes* (Benth) Baker var. *brevipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris canarensis* (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris scandens* (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris thothathrii* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Derris trifoliata* Lour. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium alysicarpoides* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium barbatum* (L.) Benth. subsp. *sauliereri* (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium dichotomum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium dolabriforme* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium heterophyllum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium laxum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium microphyllum* (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium oojeinense* (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium pryonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium pulchellum* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium repandum* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium styracifolium* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium tortuosum* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium triangulare* (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium triflorum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium velutinum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmodium zonatum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicerma biarticulatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dolichos trilobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dumasia villosa* DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dunbaria ferruginea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dunbaria heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleiotis monophylla* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina crista-galli* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina suberosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina subumbrans* (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia lineata* (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia macrophylla* (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia nilgherensis* (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia Semialata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia strobilifera* (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia tuberosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia wallichii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia wightiana* Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galactia longifolia* Benth and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geissaspis cristata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycine max* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hardenbergia comptoniana* (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera aspalathoides* Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera caerulea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera cassioides* Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera colutea* (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera constricta* (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera cordifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera glandulosa* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera hochstetteri* Baker and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera karnatakana* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera karuppiana* Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera linifolia* (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera linnaei* Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera longiracemosa* Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera mysorensis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera nummularifolia* (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera oblongifolia* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera parviflora* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera pedicellata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera prostrata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera spicata* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera stachyodes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera tirunelvelica* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera trita* L.f. var. *trita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera trita* L. f. var. *maffei* (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera uniflora* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera vicioides* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera wightii* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera zollingeriana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lablab purpureus* (L.) Sweet var. *purpureus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laburnum anagyroides* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus latifolius* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus odoratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lens culinaris* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptodesmia congesta* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lespedeza cuneata* (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonchocarpus violaceus* Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lupinus angustifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lupinus luteus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lupinus pilosus* Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macroptilium atropurpureum* (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macroptilium lathyroides* (L) Urban var. *semierectum* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrotyloma ciliatum* (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrotyloma uniflorum* (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melilotus alba* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millettia racemosa* (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millettia rubiginosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millettia splendens* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna gigantea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna monosperma* DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna pruriens* (L.) DC. var. *pruriens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mundulea sericea* (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ormocarpum cochinchinense* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ormosia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ougeinia oojeinensis* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paracalyx scariosa* (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parochetus communis* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllodium pulchellum* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pongamia pinnata* (L.) Pierre and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudarthria viscida* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psophocarpus tetragonolobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psoralea pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterocarpus marsupium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterocarpus santalinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pueraria triloba* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pueraria tuberosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnospora lutescens* (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia albiflora* (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia aurea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia cana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia capitata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia densiflora* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia filipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia jacobii* Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia nummularia* DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia rothii* Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia rufescens* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia suaveolens* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia velutina* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia viscosa* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Robinia pseudo-acacia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rothia indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania bispinosa* (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania grandiflora* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania procumbens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania sesban* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania speciosa* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Shutteria involucrata* (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia bigemina* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia capitata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia conferta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia gracilis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia hirsuta* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia sensitiva* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia setulosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sophora glauca* Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sophora interrupta* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sophora wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spartium junceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stylosanthes fruticosa* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stylosanthes sunaica* Taub. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia calophylla* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia canarensis* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia fusca* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia hookeriana* Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia maxima* Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia pumila* (Lam.) Pers. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia purpurea* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia spinosa* (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia tinctoria* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia vegellii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia villosa* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teramnus labialis* (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teramnus mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium alexandrinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium cernuum* Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium dubium* Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium incarnatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium subterraneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ulex europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uria alopecuroides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uria lagopodioides* (L.) Desv. ex DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uraria rufescens* (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicia faba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicia hirsuta* (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicia sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicia villosa* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna aconitifolia* (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna adenantha* (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna bourneae* Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna dalzelliana* (Kuntze) Verdc. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna grahamiana* (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna hosei* (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna khKalamlensis* (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna mungo* (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna radiata* (L.) Wilczek var. *radiata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna subramaniana* (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna trilobata* (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna unguiculata* (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna vexillata* (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna wightii* Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Virgilia oroboides* (Berg.) Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wisteria sinensis* (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zornia diphylla* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zornia gibbosa* Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrocarpus fraxinifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amherstia nobilis* Wall. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia malabarica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia phenicea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia racemosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia vahlii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brownea grandiceps* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brownea macrophylla* Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia bonduc* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia coriaria* (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia cucullata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia decapetala* (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia mimosoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia pulcherrima* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia grandis* L. f. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia javanica* L. var. *javanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia montana* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia siamea* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassia spectabilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamaecrista absus* (L.) H. Irwin & Barneby and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamaecrista auricoma* (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamaecrista lechenaultiana* (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamaecrista mimosoides* (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamaecrista nigricans* (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chamaecrista pumilla* (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cynometra travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delonix elata* (L.) Gamble and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delonix regia* (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hardwickia binata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Humboldtia bourdillonii* Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Humboldtia brunonis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Humboldtia decurrense* Bedd. ex Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Humboldtia unijuga* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Humboldtia vahliana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parkinsonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peltophorum africanum* Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peltophorum pterocarpum* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saraca asoca* (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saraca thaipingensis* Cantley ex. Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schizolobium parahybum* (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna alata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna alexandrina* Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna auriculata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna didymobotrya* (Fresn.) Irwin & Barneby and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna hirsuta* (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna intermedia* (Sharma et al.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna italica* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna occidentalis* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna pallida* (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna septumtrionalis* (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna sophora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna surattensis* (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna timoriensis* (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna tora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia armata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia auriculiformis* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia baileyana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia caesia* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia catechu* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia chundra* (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia confusa* Merr. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia cultriformis* A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia concurrens* Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia dealbata* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia decora* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia decurrens* (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia eburnea* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia elata* Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia farnesiana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia grahamii* Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia hohenackeri* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia homalophylla* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia holosericea* A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia horrida* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia leucophloea* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia longifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia maidenii* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia mearnsii* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia melanoxylon* R. Br. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia myrtifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia neriifolia* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia pennata* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia planifrons* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia podalyriifolia* A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia polyacantha* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia pruinescens* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia pruinosa* A. Cunn ex Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia pycnantha* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia retinodes* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia saligna* (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia sinuata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia torta* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia verticillata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acacia wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenanthera pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia amara* (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia chinensis* (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia lathamii* Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia lebbeck* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia procera* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia Kalamn* (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Albizia thompsonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Archidendron clypearia* (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Archidendron monadelphum* (Roxb.)Nielson var. *gracile* (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calliandra brevipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calliandra calothyrsus* Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calliandra haematocephala* Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calliandra inmeris* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cathormion umbellatum* (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmanthus virgatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichrostachys cinerea* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichrostachys muelleri* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichrostachys santapaui* Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Entada pursaetha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enterolobium cyclocarpum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haematoxylum campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucaena leucocephala* (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa intsia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa hamata* Willd. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neptunia prostrata* (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neptunia plena* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neptunia triquetra* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paraserianthes falcata* (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parkia biglandulosa* Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecellobium dulce* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prosopis cineraria* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prosopis juliflora* (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alchemilla indica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chaenomeles speciosa* (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotoneaster bacillaris* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotoneaster buxifolia* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotoneaster microphyllus* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cotoneaster transiens* G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriobotrya japonica* (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fragaria chiloensis* (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fragaria nilgerrensis* Schlecht. ex Gay and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fragaria vesca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kerria japonica* (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malus baccata* (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malus sylvestris* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla indica* (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla leschenaultiana* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla sundaica* (blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prinsepia utilis* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus cerasoides* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus ceylanica* (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus laurocerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus persica* (L.) Batsch and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus salicina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus serrulata* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quillaja saponaria* Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa banksiae* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa brunonii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa x centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa x damascena* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa gigantea* Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa laevigata* Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa multiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus ellipticus* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus fairholmianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus glomeratus* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus indicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus micropetalus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus niveus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus racemosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus rugosus* Smith var. *rugosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus rugosus* Smith var. *thwaitesii* Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiraea canescens* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiraea cantoniensis* Lour. var. *cantoniensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiraea japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiraea nipponica* Maxim. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atuna indica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atuna travancorica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysobalanus icaco* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saxifraga stolonifera* Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vahlia dichotoma* (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vahlia digyna* (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parnassia mysorensis* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parnassia wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Deutzia scabra* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrangea macrophylla* (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Philadelphus coronarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Escallonia montevidensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeonium arboreum* (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crassula multicava* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crassula quadrifida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe bhidei* Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe olivacea* Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe pinnata* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe schweinfurthii* Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe tubiflora* Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rochea coccinea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum mexicanum* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tillaea pentandra* Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drosera burmannii* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drosera peltata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laurembergia coccinea* (Blume) Kan. var. *coccinea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callitriche stagnalis* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bruguiera cylindrica* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bruguiera gymnorrhiza* (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carallia brachiata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassipourea ceylanica* (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerriops decandra* (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerriops tagal* (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kandelia candel* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhizophora x annamalayana* Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhizophora apiculata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhizophora mucronata* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calycopteris floribunda* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum albidum* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum coccineum* (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Combretum nanum* Willd. Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lumnitzera racemosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quisqualis malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia bellirica* (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia chebula* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia cuneata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia elliptica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia gella* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia pallida* Brandis and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia paniculata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia travancorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acca sellowiana* (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agonis flexuosa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angophora costata* (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angophora intermedia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angophora lanceolata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Angophora subvelutina* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Baeckea virgata* (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callistemon brachyandrus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callistemon citrinus* (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callistemon polandii* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callistemon rigidus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callistemon salignus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callistemon viminalis* (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus alpina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus amygdalina* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus blakelyi* Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus bosistoana* F. v. Muell. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus botryoides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus bridgesiana* R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus calophylla* R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus camaldulensis* Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus cephalocarpa* Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus citriodora* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus cladocalyx* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus crebra* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus cypellocarpa* L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus elata* Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus diversicolor* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus eugenoides* Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus ficifolia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus globulus* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus grandis* W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus hemiphloia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus leucadendron* Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus leucoxydon* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus longifolia* Link & Otto and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus macarthurii* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus maculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus megacornuta* C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus microcorys* F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus melliodora* A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus nitida* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus nova-anglica* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus obliqua* L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus ovata* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus paniculata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus pauciflora* Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus pipertia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus polyanthemos* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus ptychocarpa* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus punctata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus radiata* Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus regnans* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus resinifera* Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus robusta* Sm. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus saligna* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus siderophloia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus tereticornis* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus torelliana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus viminalis* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia bracteata* (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia calcadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia continifolia* Jacq. subsp. *codyensis* (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia discifera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia floccosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia indica* (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia mabaeoides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia manickamia* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia rottleriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia singampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia thwaitesii* Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptospermum flavescens* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptospermum scoparium* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptospermum stellatum* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lophostemon confertus* (R.Br.) Peter G.Wilson & J.T.Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melaleuca armillaris* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melaleuca hypericifolia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melaleuca nesophylla* F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melaleuca quinquenervia* S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melaleuca styphelioides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimenta dioica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psidium cattleianum* Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhodomyrtus tomentosa* (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syncarpia glomerulifera* (Sm.) Nied. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syncarpia laurifolia* Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium alternifolium* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium aqueum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium aromaticum* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium beddomei* (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium benthamianum* (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium calophyllifolium* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium caryophyllatum* (L.) Alston and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium chandrasekharanii* Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium courtallense* (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium cumini* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium densiflorum* Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium fergusonii* (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium gambleanum* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium hemisphericum* (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium jambos* (L.) Alston and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium laetum* (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium lanceolatum* (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium malabaricum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium malaccensis* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium megacarpum* (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium mundagam* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium munronii* (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium rama - varmae* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium revolutum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium rubicundum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium scoparium* Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium spathulatum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium sriganesanii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium tamilnadensis* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium venosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Couroupita guianensis* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gustavia superba* Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barringtonia acutangula* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barringtonia asiatica* (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barringtonia racemosa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Careya arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Medinilla beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Medinilla fuchsoides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Medinilla malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon angustifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon bremeri* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon depressum* Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon edule* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon flavescens* Gamble and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon gracile* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon gracillimum* Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon grande* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon heyneanum* Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon leucanthemum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon lushingtonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon molestum* (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon randerianum* S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon rivulare* Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon rostratum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon sisparens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon subcordatum* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon talbotianum* Brandis & Lakshmanan and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon umbellatum* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon variens* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia aspera* (L.) Blume var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia brachystemon* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia buxifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia muralis* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia reticulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia rubicunda* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia parvifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia tirunelvelica* Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia virgata* D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia wynaadensis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia zeylanica* L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila clarkei* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila devicolamensis* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila elegans* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila grandiflora* R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila inaequalis* Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila kanyakumariana* Gopalan & Henry and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila parameswaranii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila rotundifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila sadasivanii* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila speciosa* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila tenera* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila tinneveli* Fischer and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila versicolor* Wight var. *versicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila wallichii* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila zeylanica* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tibouchina urvilleana* (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ammania baccifera* L. subsp. *baccifera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ammania multiflora* Roxb. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ammania octandra* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuphea hyssopifolia* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuphea ignea* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuphea platycentra* Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia microcarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia reginae* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nesaea brevipes* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pemphis acidula* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala fimbriata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala illecebroides* (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala indica* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala macrKalam* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala rosea* (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala verticillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonneratia apetala* Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fuchsia arborescens* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fuchsia boliviana* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fuchsia magellanica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia adscendens* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia hyssopifolia* (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia peruviana* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia prostrata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oenothera glazioviana* Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oenothera nocturna* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oenothera odorata* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oenothera rosea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oenothera stricta* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oenothera tetraptera* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turnera subulata* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenia hondala* (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora alba* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora antioquiensis* Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora edulis* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora holosericea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora laurifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora ligularis* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora mollissima* (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora quadrangularis* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora suberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora subpeltata* Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Benincasa hispida* (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrullus colocynthis* (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coccinia grandis* (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ctenolepis garcinii* (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis melo* L. var. *melo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis melo* L. var. *utilissimus* (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucumis trigonus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucurbita maxima* Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplocyclos palmatus* (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnopetalum wightii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynostemma pentaphyllum* (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kedrostis courtallensis* (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kedrostis foetidissima* (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagenaria siceraria* (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa acutangula* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa cylindrica* (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica charantia* L. var. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica cymbalaria* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica dioica* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica subangulata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mukia leiosperma* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mukia maderaspatana* (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sechium edule* (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solena amplexicaulis* (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solena angulata* (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes anaimalaiensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes lobata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes tricuspidata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zehneria maysorensis* (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zehneria scabra* (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zehneria thwaitesii* (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia albo-coccinea* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia aliciae* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia anamalayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia cordifolia* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia floccifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia integrifolia* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia malabarica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Begonia subpeltata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrameles nudiflora* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cereus pterogonus* Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cylindropuntia ramosissima* (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epiphyllum oxypetalum* (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hylocereus undatus* (Haw.) Britton & Rosc. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nopalea cochenillifera* (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia elatior* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia ficus - indica* (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia vulgaris* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pereskia aculeata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lampranthus spectabilis* (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesuvium portulacastrum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema portulacastrum* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema triquetra* Rottl. var. *triquetra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema salsoloides* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zaleya decandra* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corbichonia decumbens* (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glinus oppositifolius* (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo cerviana* (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo disticha* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo nudicaulis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum distichophyllum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum plantaginifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum wightii* Mukh. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrasekhar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carum nothum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centella asiatica* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Foeniculum vulgare* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum aquilegifolium* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum candolleianum* (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum ceylanicum* Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum courtallense* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum hookerianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum rigens* Wall ex DC. var. *rigens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum sprenkelianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocotyle conferta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocotyle javanica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocotyle sibthorpioides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pastinaca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peucedanum anamallayense* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella candolleana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella heyneana* (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella wallichiana* (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sanicula elata* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachyspermum ammi* (L.) Sprague and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachyspermum roxburghianum* (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vanasushava pedata* (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aralia malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedera australiana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedera helix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyscias acuminata* (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyscias fruticosa* (L.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentapanax leschenaultii* (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera capitata* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera clarkiana* Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera maduraiensis* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera racemosa* (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera rostrata* (Wight) Harms var. *rostrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera roxburghii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera stellata* (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera venulosa* (Wight & Arn.) Harms var. *venulosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera venulosa* (Wight & Arn.) Harms var. *obliquinervia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera wallichiana* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrapanax papyrifer* (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cornus capitata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diervilla florida* Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera caprifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera etrusca* Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera leschenaultii* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera ligustrina* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera periclymenum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum cylindricum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum erubescens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum hebanthum* Wight & Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum punctatum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acranthera anamallica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acranthera grandiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aidia gardneri* (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostemma courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Agrostemma verticillatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Benkara malabarica* (Lam.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium angustifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium ficiforme* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium neilgherrense* Wight var. *neilgherrense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium coromandelicum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canthium travancoricum* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catesbaea spinosa* Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Catunaregam spinosa* (Thunb.) Tirvengadum and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceriscoides turgida* (Roxb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxyloides* (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona calisaya* Wedd. var. *calisaya* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cinchona succirubra* Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coffea canephora* Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coffea travancorensis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dentella repens* (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dentella serpyllifolia* Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fergusonia tetracocca* (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium asperifolium* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia angusta* (L.) Merr. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia gummifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia latifolia* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia resinifera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geophila repens* (L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haldina cordifolia* (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hamelia patens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis affinis* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis albo-nervia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapau* (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis aspera* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis barberi* (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis biflora* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis brachiata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis buxifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis caerulea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis corymbosa* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis devicolamensis* Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis diffusa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis erecta* Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis gamblei* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis gracilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis graminifolia* L.f. var. *graminifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis hirsutissima* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis lessertiana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis nitida* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis ovatifolia* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis pruinosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis pterita* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis puberula* (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis pumila* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam, G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis shettyi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis sisparensis* Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis swertioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis viscida* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrophylax maritima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenodictyon obovatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenodictyon orixense* (Roxb.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora brachiata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora cuneifolia* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora elongata* Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora finlaysonian* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora johnsoni* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora leucantha* Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora malabarica* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora monticola* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora nigricans* R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora notoniana* Wall. ex G. Don. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora pavetta* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knoxia wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus acuminatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus blumeanus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus capitulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus ciliatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus cinereus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus dichotomous* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus jackianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus oblongifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus parvifolius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus rostratus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus strigillosus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus truncatus* Bedd. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus venulosus* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luculia grandifolia* Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luculia gratissima* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luculia pinceana* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mitracarpus villosus* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mitragyna parvifolia* (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mitragyna tubulosa* (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda pubescens* J.E. Smith var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda reticulata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda belilla* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda tomentosa* Wight ex Wall. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mycetia acuminata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis decipiens* (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis hutchinsonii* Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis nummularia* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis richardiana* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis tubulosa* (G.Don) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolamarckia cadamba* (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neonauclaea purpurea* (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Octotropis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza eriantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza hirsutula* Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza incarnata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza pectinata* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza pykarensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza roxburghiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxyceros rugulosus* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta blKalam* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta breviflora* DC. var. *breviflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta breviflora* DC. var. *pubescens* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta brunonis* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta calophylla* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta hispidula* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta hohenackeri* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta indica* L. var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta indica* L. var. *minor* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta laeta* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta oblanceolata* Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta praeterita* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta tomentosa* Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentas lanceolata* (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentas zanzibarica* (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portlandia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudaidia speciosa* (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria beddomei* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria bisulcata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria connata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria flavida* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria fosbergii* Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria globicephala* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria johnsonii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria macrocarpa* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria nigra* (Gaertn.) Alston and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria octosulcata* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria sarmentosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria subintegra* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria truncata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psydrax dicoccos* Gaertn. var. *dicoccos* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psydrax ficiformis* (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psydrax umbellata* (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Richardia brasiliensis* Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saprosma corymbosum* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saprosma foetens* (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saprosma fragrans* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saprosma glomeratum* (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce articularis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce assurgens* Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce latifolia* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce mauritiana* Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce pusilla* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce ramanii* Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce ocymoides* Burm.f. var. *thekkumalensis* (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamilnadia ulginosa* (Retz.) Tirvengadum & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tarenna alpestris* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica forma rigida* (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tarenna canarica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tarenna monosperma* (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tarenna nilagirica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tricalysia apiocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tricalysia sphaerocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urophyllum ceylanicum* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wendlandia angustifolia* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wendlandia thyrsoidea* (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana arnottiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana moonii* Arn.ex Clarke and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipsacus leschenaultii* Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scabiosa atropurpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Achillea millefolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acroclinium roseum* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenoon indicum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenostemma lavenia* (L.) Kuntze var. *madurensse* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ageratina adenophora* (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ageratum houstonianum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Amberboa ramosa* (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis bournei* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis elliptica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis lawii* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis leptophylla* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis marcescens* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis notoniana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis subdecurrens* (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis travancorica* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anaphalis wightiana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arctotis venusta* Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argyranthemum frutescens* Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia nilagirica* (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia pallens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artemisia sieversiana* Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster indamellus* Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster laevis* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster cordifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aster rotundifolius* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bidens biternata* (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bidens pilosa* L. var. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bidens pilosa* L. var. *minor* (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blainvillea acmella* (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharispermum petiolare* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blepharispermum subsessile* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea alata* (D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea aurita* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea barbata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea Nripatingeriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea bifoliata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea clarkei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea fistulosa* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea lacera* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea lanceolaria* (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea malcolmii* (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea membranacea* Wall. ex DC. var. *membranacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea mollis* (D.Don) Merr. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea obliqua* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea virens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Blumea flava* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Callistephus chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carpesium cernuum* L. var. *nilagiricum* Clarke and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centrantherum punctatum* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centipeda minima* (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chromolaena odorata* (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthemum anethifolium* Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus angustifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus conferta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus hortensis* M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus indica* SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus kologa* SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus parvifolia* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus pyriformis* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeagnus umbellata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus floribundus* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus ganitrus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus lanceolatus* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus munronii* (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus oblongus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeodendron glaucum* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeodendron roxburghii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema lineolatum* WT. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema platyphyllum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatostema sessile* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elettaria cardamomum* MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elettaria cardamomum* MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elettaria cardamomum* MATON minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elettaria cardamomum* MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elettaria repens* BAILOL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleusine aegyptiaca* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleusine coracana* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleusine indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elsholtzia bīKalam* (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elsholtzia ciliata* (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elsholtzia densa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elsholtzia pilosa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elsholtzia polystachya* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elsholtzia strobilifera* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elytraria acaulis* (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elytrophorus spicatus* (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia ribes* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia robusta* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia subcoriacea* (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embelia tsjeriam-cottam* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embllica officinalis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Embryopteris glutinifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Engelhardia polystachya* RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Engelhardtia roxburghiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Engelhardtia spicata* LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eniada scandens* AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enicostemma axillare* (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enicostemma hyssopifolium* (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enicostemma littorale* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enicostemma verticillatum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Entada phaseoloides* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Entada pursaetha* DC. *pursaetha* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Entada rheedii* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Entada scandens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Enteropogon dolichostachyus* (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epilobium divaricatum* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephedra equisetina* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephedra gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephedra intermedia* SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephedra major* HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephedra nevadensis* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephedra peduncularis* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephedra saxatilis* STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephedra sinica* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephedra vulgaris* HOOK.F. NON A.RICH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epidendrum retusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epidendrum tenuifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epilobium angustifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epilobium hirsutum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epilobium roseum* SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epilobium royleanum* HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epimedium elatum* MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Epipactis latifolia* ALL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Equisetum arvense* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Equisetum debile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Equisetum diffusum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Equisetum ramosissimum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis amabilis* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis ciliata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis cynosuroides* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis gangetica* (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis tremula* HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eragrostis viscosa* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eranthemum bicolor* SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eranthemum purpurascens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eranthemum roseum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erechtites valerianaefolia* (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eremostachys acanthocalyx* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eremostachys loasifolia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eremostachys superba* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eremostachys vicaryi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eremurus himalaicus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria calamifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eria pannea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erianthus munja* JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron alpinus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron asteroides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron bellidioides* (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron canadensis* TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron multiradiatus* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriglossum rubiginosum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriobotrya japonica* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriobotrya latifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon setaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon sexangulare* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriocaulon sieboldianum* S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriodendron anfractuosum* BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erioglossum rubiginosum* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriolaena hookeriana* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriolaena quinquelocularis* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriosema chinense* VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriosema himalaicum* OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eritrichium canum* (BTH.) KITAMURA and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erodium moschatum* L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eruca sativa* GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eruca vesicaria* (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ervatamia coronaria* (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ervatamia dichotoma* (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ervatamia heyneana* T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ervatamia orientalis* (R.BR.) TURR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ervatmia divaricata* (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erycibe paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erygium caeruleum* BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erygium coeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eryngium billardieri* DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eryngium caeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eryngium foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erysimum altaicum* C.A. MEY. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erysimum repandum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erysimum sisymbrioides* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythraea roxburghii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina corallodendron* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina fusca* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina resupinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina suberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythrina variegata* L. *orientalis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythronium indicum* ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythralium scandens* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum coca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum areolatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum lucidum* MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum monogyneum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxyllum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxyllum moonii* HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxyllum retusum* BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxyllum retusum* BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ethulia conyzoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus camaldulensis* DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus citriodora* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus globulus* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euchretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eucomis undulata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia aromatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia bracteata* (WILD.) ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia caryophyllaea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia hemispherica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia jambolana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia jambos* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia malaccensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia munroii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia occidentalis* BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia operculata* SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia spicata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia Kalammanensis* REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia campestris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia cullenii* (WIGHT) BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia dabia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia epidendrea* (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia explanata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia herbacea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia nuda* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia pratensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia ramentacea* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eulophia spectabilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus atropurpureus* JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus crenulatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus hamiltonianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus indicus* HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus javanicus* BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus pendulus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus serratifolius* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus theophrasti* WALL. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus tingens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium adenophorum* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium ayapana* VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium birmanicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium cannabinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium glandulosum* SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium odoratum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eupatorium triplinerve* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia atoto* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia bombaiensis* SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia caducifolia* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia cognata* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia dracunculoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia granulata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia hispida* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia hypericifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia inaequilatera* SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia laeta* HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia lathyris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia ligularia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia longan* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia longifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia microphylla* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia milii* DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia nivulia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia onicophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia orbiculata* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia pilosa* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia prostrata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia pulcherrima* WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia resinifera* BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia rosea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia rothiana* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia royleana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia sanguinea* HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia splendens* BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia stracheyi* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia thomsoniana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia tibetica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia tortilis* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia trigona* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia turcomanica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia uniflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphorbia wallichii* HOOK.F. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphoria longana* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphrasia himalaica* WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphrasia odontites* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphrasia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euphrasia platyphylla* PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eurya acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eurya japonica* AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eurya nitida* KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euryale ferox* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euryangium sumbul* KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eurycoma longifolia* JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evodia fraxinifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evodia lunu-ankenda* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evodia meliaefolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evodia roxburghiana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evodia rutaecarpa* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evodia trichotoma* (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evolvulus alsinoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evolvulus emarginatus* BURM.F. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Evolvulus nummularius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum bicolor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum lawii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exacum tetragonum* ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Excoecaria acerifolia* F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Excoecaria crenulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Exogonium purga* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fabiana imbricata* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagonia arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagonia bruguieri* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagonia indica* L. *schweinfurthii* HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagopyrum cymosum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagopyrum dibotrys* (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagopyrum esculentum* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagopyrum tataricum* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagraea ceilanica* THUNB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagraea imperialis* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagraea obovata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagraea racemosa* JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Farsetia aegyptiaca* TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Farsetia hamiltonii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Feronia elephantum* CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Feronia limonia* (L.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula alliacea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula assa-foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula foetida* REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula galbaniflua* BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula jaeschkeana* VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula narthex* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula persica* WILLD. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula suaveolens* AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula sumbul* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ferula thomsoni* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Festuca indica* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fibraurea chloroleuca* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fibraurea tinctoria* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus altissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus amplissima* SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus arnottiana* (MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus asperrima* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus auriculata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus bengalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus benamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus callosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus cunia* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus dalhousiae* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus drupacea* THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus elastica* ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus exasperata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus fistulosa* REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus fulva* REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus gibbosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus glabella* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus glomerata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus heterophylla* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus hirta* VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus hispida* L.F. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus infectoria* SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus lacor* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus lacor* BUCH.- HAM. *infectoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus lacor* BUCH.- HAM. *lambertiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus lacor* BUCH.- HAM. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus lucescens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus microcarpa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus mollis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus oppositifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus palmata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus retusa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus ribes* REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus rumphii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus scandens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus talboti* G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus tinctoria* FORST. F. *parasitica parasitica* (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus tinctoria* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus tomentosa* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus tsiela* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus tsjakela* BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus virens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ficus wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Filicium decipiens* (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis argentea* (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis diphylla* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis falcata* (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis junciformis* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis miliacea* L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis ovata* (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis polytrichoides* (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fimbristylis sietiniana* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fioria vitifolia* (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Firmiana colorata* (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fissendocarpa linifolia* (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fissistigma polyanthum* MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flacourtia cataphracta* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flacourtia indica* (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flacourtia jangomas* (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flacourtia ramontchi* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flacourtia sapida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flacourtia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flaveria australasica* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia bracteata* (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia chappar* BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia congesta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia grahamiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia procumbens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia semialata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia strobilifera* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia tuberosa* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fleurya interrupta* (L.) GAUD. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flickingeria fugax* (RCHB.F.) SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flickingeria macraei* (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flickingeria nodosa* (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Floscopa scandens* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fluegea leucopyrus* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flueggea leucopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flueggea microcarpa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flueggea virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Foeniculum capillaceum* GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Foeniculum vulgare* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Foeniculum vulgare* GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fomes officinalis* (VILL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fortunella japonica* (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fragaria indica* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fragaria nilgherrensis* SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Francoeria crispa* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Frankenia pulverulenta* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fraxinus excelsior* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fraxinus floribunda* WALL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fraxinus hookeri* WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fraxinus ornus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fritillaria cirrhosa* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fritillaria imperialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fritillaria roylei* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fucus distichus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fucus nodosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fucus vesiculosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fumaria indica* PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fumaria parviflora* AUCT. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fumaria vaillantii* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Furcraea foetida* (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fynura bicolour* (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gaillonia aucheri* JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galega purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galega spinosa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galeopsis tetrahit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galidium cartilagineum* (L.) GAILL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galinsoga parviflora* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium acutum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium aparine* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium asperifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium elegans* BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium mullugo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium triflorum* MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galium verum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ganophyllum falcatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia cambogia* GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia cornea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia cowa* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia dulcis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia echinocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia gummi-gutta* (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia hanburyi* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia heterandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia indica* (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia kydia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia morella* (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia pedunculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia pictoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia purpurea* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia rubro-echinata* KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia talbotii* RAZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia travancorica* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia wightii* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia xanthochymus* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia augusta* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia campanulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia dumetorum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia floribunda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia florida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia gummifera* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia incida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia jasminoides* ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia latifolia* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia lucida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia nummularioides* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia resinifera* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gardenia turgida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garuga pinnata* ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gastrochilus longiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gastrochilus pandurata* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gaultheria fragrantissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gaultheria nummularioides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gaultheria procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gaultheria trichiphylla* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gelidium cartilagineum* GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gelonium bifarium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gelsemium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gelsemium sempervirens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gemphostemma ovatum* WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gendarussa vulgaris* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geniosporum gracile* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geniosporum prostratum* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geniosporum tenuiflorum* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana algida* PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana argentea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana borealis* GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana carinata* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana chirayta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana decumbens* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana desonasa* (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana kurroo* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana lutea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana olivieri* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana quadrifaria* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana renella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana stipitata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana tenella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentiana thianschanica* RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentianella pedunculata* (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentianella tenella* (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gentianopsis detonsa* (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geodorum densiflorum* (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geodorum dilatatum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geophila herbacea* KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geophila reniformis* D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geophila repens* (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium himalayense* KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium lucidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium mascatense* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium nepalense* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium ocellatum* CAMB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium pusillum* BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium rivulare* VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium robertianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium sibiricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium wallichianum* DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gerbera gossypina* (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gerbera lanuginosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gerbera piloselloides* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geum alatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geum elatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geum roylei* WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geum urbanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Giesekia pharnacoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ginkgo biloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Girardinia diversifolia* (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Girardinia heterophylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Girardinia leschenaultiana* DECNE. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Girardinia zeylanica* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Girardinia cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Girardinia reticulata* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Givotia rottleriformis* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gleditsia sinensis* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gleditsia triacanthos* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gleichenia longissima* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glinus dictamnoides* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glinus oppositifolius* (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Globba clarkeii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Globba multiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Globba orixensis* ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Globba pauciflora* KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion calocarpem* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion calocarpum* KURZ and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion ellipticum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion heyneanum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion hohenackeri* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion lanceolarium* VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion multiloculare* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion oblatum* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion sumatrana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion tomentosum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glochidion zeylanicum* A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glossocardia bosvallea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glossocardia linearifolia* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glossogyne bidens* (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glossogyne pinnatifida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glossonema varians* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gluta travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycine labialis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycine max* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycine pentaphylla* DLAZ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycine soja* SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis arborea* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis cochinchinensis* PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis macrocarpa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis mauritiana* (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis mauritiana* (LAMK.) TANAKA Kalammanensis (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis pentaphylla* (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycyrrhiza glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycyrrhiza glabra* L. violace and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycyrrhiza radix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycyrrhiza uralensis* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gmelina arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gmelina elliptica* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gmelina parviflora* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gmelina philippensis* CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnaphalium indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnaphalium luteo-album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnaphalium polycaulon* PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnetum edule* (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnetum gnemon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnetum montanum* MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnetum scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnetum ula* BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gnidia glauca* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goldfussia thomsonii* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphia angustifolia* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphia serrata* (GAERTN.) KANIS and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphostemma crinitum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphostemma parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphostemma wallichii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphrena celosioides* MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gonatanthus pumilus* (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniothalamus sequipedalis* HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniothalamus waynaadensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniothalamus wightii* HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gonostegia hirta* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goodyera repens* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goodyera schlectKalamliana* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goodyera secundiflora* (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gordonia obtusa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium acuminatum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium herbaceum* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium indicum* TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium obtusifolium* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium purpurascens* POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium religiosum* WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium stocksii* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gouania tiliaefolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Govania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gracilaria lichenoides* GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grangea maderaspatana* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Graptophyllum hortense* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Graptophyllum pictum* (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gratiola monnieri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grevillea robusta* A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia abutilifolia* VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia asiatica* L. vestita MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia asiatica* MAST. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia carpinifolia* JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia elastica* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia helicterifolia* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia heterotricha* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia hirsuta* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia microcos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia obtusa* WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia oppositifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia optiva* DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia orbiculata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia polygama* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia populifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia rhamnifolia* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia salvifolia* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia sapida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia scabrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia sclerophylla* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia subinaequalis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia tenax* (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia tiliaefolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia umbellata* AUCT.NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia villosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guazuma tomentosa* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guazuma ulmifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guilandina bonducella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guizotia abyssinica* CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnadenia himalayica* SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnadenia orchidis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema aurantiaca* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema balsamicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema hirsutum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema khKalamlense* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema lactiferum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema latifolium* WALL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema montanum* (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema spartium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnema sylvestre* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnocladus assamicus* Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnopetalum wightii* WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnosporia montana* (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnosporia royleana* M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnosporia spinosa* MERILL & ROLFE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gymnostachyum febrifugum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynandropsis gynandra* BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynandropsis pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynocardia odorata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynostemma pentaphyllum* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura angulosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura cusimbua* (D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura hispida* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynura pseudo-china* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gyrocarpus americanus* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria commelinifolia* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria crinifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria diphylla* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria edgeworthii* HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria intermedia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria longicorniculata* GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria orchidis* (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria ovalifolia* WT. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria plantaginea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria rariflora* A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria rotundifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Habenaria roxburghii* (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hackelochloa granularis* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haemanthus multiflorus* MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haematoxylon campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hagenia abyssynica* GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haldina cordifolia* (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Halophila ovalis* (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haloxylon recurvum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haloxylon salicornicum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hamamelis virginiana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hamelia patens* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hamiltonia suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haplanthus tentaculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Haplanthus verticillata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hardwickia binata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hardwickia pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Harpagophytum procumbens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Harpullia arborea* (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hebanthe paniculata* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedeoma pulegioides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedera helix* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedera nepalensis* C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedgsonia macrocarpa* (BI.) COGN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium acuminatum* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium coccineum* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium coronarium* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium ellipticum* HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium gardnerianum* SHEPPARD EX KER- GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium glaucum* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium gracile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium marginatum* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium spicatum* BUCH.-HAM. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedychium wardii* C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis auriculata* (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis biflora* (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis capitellata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis corymbosa* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis costata* (ROXB.) KURZ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis diffusa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis glabra* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis hispida* (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis lineata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis pinifolia* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis pruinosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis puberula* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis tenelliflora* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis umbellata* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis uncinella* HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis verticillata* (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedyotis vestita* R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedysarum alhagi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedysarum gangeticum* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedysarum purpureum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedysarum sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedysarum triflorum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hedysarum tuberosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicanthes elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicia excelsa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicia robusta* (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicteres isora* L. *glabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicteres isora* L. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliophyllum indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium bacciferum* FORSK. *tuberosum* (BOISS.) KAZMI *bacciferum* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium brevifolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium curassavicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium eichwaldi* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium ellipticum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium keralense* SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium ophioglossum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium ovalifolium* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium peruvianum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium rariflorum* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium strigosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium subulatum* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium supinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium tuberosum* BOISS. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium undulatum* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helixanthera wallichiana* (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helleborus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helleborus viridis* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helminthostachys zeylanicus* (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heltropium ophioglossum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemarthria compressa* (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemerocallis fulva* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemidesmus indicus* (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemidictyum ceterach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemigraphis latebrosa* NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hemionitis arifolia* (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum cachemiricum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum candicans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum canescens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum lanatum* MICHX. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum nepalense* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum pinda* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum pinnatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum rigens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heracleum wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heritiera littoralis* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heritiera minor* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heritiera papilio* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hermodactylus tuberosus* (L.)MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hernandia ovigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hernandia peltata* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Herniaria glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Herniaria hirsuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Herpestis monniera* (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hesperethusa alata* (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hesperethusa crenulata* (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hetaeria obliqua* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heterophragma quadriloculare* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heterophragma roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heterostemma piperifolium* KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heterostemma tanjorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hewittia malabarica* (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heylandia latebrosa* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heynea sumatrana* MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heynea trijuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus abelmoschus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus aculeatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus cancellatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus ficulneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus furcatus* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus hispidissimus* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus lampas* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus lunariifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus manihot* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus micranthus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus obtusifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus ovalifolius* (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus platanifolius* (WILLD.) SWEET and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus populneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus vitifolias* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hieracium umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hieracium virosum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hieracium vulgatum* (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hippocratea indica* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hippophae rhamnoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hippophae salicifolia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hippophae tibetana* SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hiptage benghalensis* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hiptage madablota* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hitchenia caulina* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hodgsonia macrocarpa* (BI.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holarrhena antidysenterica* (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holarrhena mitis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holboellia latifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna arnottiana* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna ferruginea* MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna grahamii* (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna nigra* BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holmskioldia sanguinea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holoptelea integrifolia* (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holostemma ada-kodien* SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holostemma annulare* (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holostemma rheedianum* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holostemma rheedii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holosteum umbellatum* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Homalomena aromatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Homalomena rubescens* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Homonoia retusa* (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Homonoia riparia* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea glabra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea odorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea ponga* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoppea dichotoma* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hornstedtia costata* (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Horsfieldia glabra* (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Horsfieldia irya* (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Horsfieldia kingii* (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Houttuynia cordata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hovenia acerba* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya carnosia* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya globulosa* HK.F. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya multiflora* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya ovalifolia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya pendula* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya viridiflora* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hoya wightii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Humboldtia unijuga* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Humboldtia vahliana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Humulus lupulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hunteria corymbosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hunteria legocii* SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Huperzia phlegmaria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hybanthus enneaspermus* (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyderangea macrophylla* (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus alpina* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus anthelminthica* PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus inebrians* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus kurzii* (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus laurifolia* (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus macrocarpa* (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus octandra* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus venenata* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus wightiana* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnophytum Kalammanense* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnophytum formicarium* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrangea arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrastis canadensis* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrilla verticillata* (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocharis dubia* (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocotyle asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocotyle javanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocotyle javanica* THUNB. *PODUNTHA MOLKENBOER* EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocotyle rotundifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocotyle sibthorpiodes* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrolea zeylanica* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila auriculata* (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila erecta* (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila heinei* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila phlomoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila polysperma* (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila salicifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygrophila spinosa* T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hygroryza aristata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenaea courbaril* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenaea hornemannianum* (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenocrater sessilifolius* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenodictyon excelsum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenodictyon obovatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenodictyon orixense* (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyoscyamus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyoscyamus muticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyoscyamus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyoscyamus pusillus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyoscyamus reticulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyoscyamus squarrosus* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypocym leptocarpum* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypocym pendulum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypocym procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyperanthera moringa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum cernuum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum elodeoides* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum humifusum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum japonicum* THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum laxum* (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum monanthemum* HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum monogynum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum oblongifolium* CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum patulum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum perforatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum sampsoni* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum uralum* BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypobathrum microcarpum* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypochaeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypodematum crenatum* (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypolepis punctata* (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypolytrum nemorum* (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypoxis aurea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypoxis orchoides* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyptis brevipes* POIT. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyptis capitata* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyptis pectinata* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyptis suaveolens* POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyssopus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hyssopus parviflora* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ichnocarpus frutescens* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex denticulata* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex godajam* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex paraguariensis* A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex wightiana* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Illecebrum lanatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Illicium anisatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Illicium griffithii* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Illicium religiosum* S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Illicium verum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Illigera appendiculata* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Illigera villosa* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilysanthes oppositifolia* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilysanthes reptans* (ROXB.) URB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens brachycentra* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens gigantea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens glandulifera* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens minor* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens roylei* WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens scabrida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens tilo* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens tripetala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Imperata arundinacea* CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Imperata cylindrica* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Incarvillea emodi* (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera anil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera argentea* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera articulata* GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera aspalathoides* VAHL. EX DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera caerulea* ROXB. *caerulea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera cassioides* ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera ennaephylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera galeoides* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera gerardiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera glandulosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera hebeptala* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera heterantha* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera linifolia* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera linnaei* ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera oblongifolia* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera paucifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera pulchella* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera suffruticosa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera sumatrana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera trita* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indigofera uniflora* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indoneesiella echicides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indoneesiella echioides* (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Indoneesiella intermedia* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Intsia bijuga* (Colebr.) O. Kuntze and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Inula cappa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Inula cuspidata* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Inula grandiflora* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Inula grantioides* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Inula graveolens* DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Inula helenium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Inula obtusifolia* KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Inula racemosa* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Inula royleana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ionidium enneaspermum* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ionidium suffruticosum* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iphigenia indica* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea aquatica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea batatas* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea biloba* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea bona-nox* HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea burmanni* CHOISY NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea cairica* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea candicans* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea carnea* (MART. EX CHOISY) AUSTIN. *fistulosa* (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea carnea* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea coccinea* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea coptica* (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea cymosa* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea dasysperma* JACQ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea dissecta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea eriocarpa* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea fastigiata* (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea fistulosa* MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea glaberrima* BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea hederacea* AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea hederifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea hispida* ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea illustris* (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea involucrata* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea marginata* (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea maxima* G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea muricata* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea nil* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea obscura* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea paniculata* (L.) R.BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea pes-caprae* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea purga* (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea purpurea* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea reniformis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea reptans* (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea sindica* STAPP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea staphylina* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea tridentata* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea turbinata* LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea turpethum* (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea uniflora* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ipomoea vitifolia* SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris decora* WALL. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris ensata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris florentina* KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris foetidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris kashmiriana* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris kemaonesis* D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris nepalensis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris songarica* SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iris versicolor* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isachne globosa* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum muticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum pilosum* HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ischaemum rugosum* SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isopyrum acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isopyrum anemonoides* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Isopyrum thalictroides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Itea chinensis* HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora alba* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora arborea* ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora brunnescens* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora cuneifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora grandiflora* Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora nigricans* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora parviflora* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora pavetta* ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora polyantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora sub-sessilis* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ixora undulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *JacarKalam acutifolia* HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jacobinia tinctoria* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jaeschkea gentianoides* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Janakia arayalpathra* JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum anastomozans* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum angustifolium* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum auriculatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum azoricum* L. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum bignoniaceum* WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum calophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum chrysanthemum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum cuspidatum* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum diversifolium* KOBUSKI and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum flexile* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum humile* SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum malabaricum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum multiflorum* (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum nervosum* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum pubescens* (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum ritchiei* CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum rottlerianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum sambac* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum sambac* AIT. heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum scandens* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum subhumila* W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum trichotomum* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jasminum undulatum* KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jateorhiza palmata* (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha glandulifera* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha glandulosa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha glauca* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha nana* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jatropha panduraefolia* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Joannesia princeps* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juglans regia* L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juncellus inundatus* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juncus inflexus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juncus lampocarpus* EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juncus prismatocarpus* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juniperus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juniperus excelsa* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juniperus indica* BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juniperus macropoda* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juniperus polycarpus* C. KOCH. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juniperus recurva* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jurinea dolomiaea* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jurinea himalaica* STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jurinea macrocephala* (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jurinea macrophylla* BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jussiaea repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jussiaea suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Jussiaea tenella* BURM. F. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia acaulis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia beddomei* (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia bicalyculata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia bilvalvis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia ecboium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia gendarussa* BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia madurensis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia nasuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia paniculata* (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia picta* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia prostrata* (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia repens* DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia simplex* DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia tranquebariensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Justicia vasculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kaempferia angustifolia* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kaempferia rotunda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe integra* (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe laciniata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe pinnata* (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe rosea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalanchoe spathulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kallstroemia pubescens* (DON) DANDY and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kandelia candel* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kandelia rheedei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kandelia rheedii* W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kedrostis foetidissima* (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kedrostis rostrata* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kickxia ramosissima* (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kigelia africana* (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kigelia pinnata* (JACQ.) DC. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kirganelia reticulata* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kleinia grandiflora* (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knema angustifolia* (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knema attenuata* (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knema linifolia* (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knoxia brachycarpa* R.BR. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knoxia corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knoxia roxburghii* (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Knoxia sumatrensis* (RETZ.) DC. *hookeriana* BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kochia indica* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kochia scoparia* (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kochia sedoides* SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Koelpinia linearis* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kokoona zeylanica* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kopsia flavida* BLUME. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kopsia fruticosa* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kurrimia bipartita* M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kydia calycina* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kyllinga brevifolia* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kyllinga monocephala* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kyllinga nemoralis* HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kyllinga squamulata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kyllinga triceps* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lablab purpureus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca dissecta* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca gracilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca heyneana* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca orientalis* (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca remotiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca runcinata* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca scariola* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca serriola* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca tatarica* C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lactuca virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagascea mollis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagascea spinosissima* COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagenandra ovata* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagenandra toxicaria* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagenaria leucantha* RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagenaria siceraria* (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagenaria vulgaris* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia flos-reginae* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia hirsuta* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia microcarpa* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia parir-flosh* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia reginae* PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagerstroemia speciosa* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laggera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laggera aurita* (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laggera crispata* (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laggera flava* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laggera pterodonta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lagotis glauca* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lallemantia royleana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lamarkia aurea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laminaria saccharina* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lamium album* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lamium amplexicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lamprachaenium microcephalum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lancea tibetica* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., Safed Musli farming for Diabetic neuropathy formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lannea grandis* (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lansium domesticum* JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lantana aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lantana camara* L. *aculeata* (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lantana camara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lantana indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laportea crenulata* GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laportea interrupta* (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Larrea tridentata* (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasia aculeata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasia heterophylla* SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasia spinosa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasianthus Kalammanicus* HK.F. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasiosiphon eriocephalus* (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lasiurus hirsutus* (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lastrea filix-mas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathraea squamaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus altaicus* LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus luteus* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus odoratus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus pratensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lathyrus sphaericus* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea aspleniifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea capitata* (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea chondrilloides* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea glomerata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea nudicaulis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea pinnatifida* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea remotiflora* (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea resedifolia* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launaea sarmentosa* (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launea acaulis* (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launea procumbens* (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Launea sarmentosa* ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens chandrasekharanii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens clavicornu* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens cordata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens crenata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens dasysperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens debilis* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens denisonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens disotis* Hook. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens diversifolia* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens elegans* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens floribunda* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens fruticosa* Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens goughii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens grandis* Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens hensloviana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens herbicola* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens hookeriana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens inconspicua* Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens jerdoniae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens laticornis* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens lawsonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens lenta* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens leptura* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens levingei* Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens ligulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens maculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens minor* (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens modesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens munronii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens neo-barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens nilgirica* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens orchioides* Bedd. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens parasitica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens parvifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens phoenicea* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens rufescens* Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens scabriuscula* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens scapiflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens tangachee* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens tenella* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens tomentosa* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens trichocarpa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens umbellata* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens uncinata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens viridiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens viscida* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens viscosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens wightiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acronychia pedunculata* (L.) Miq. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aegle marmelos* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atalantia monophylla* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atalantia racemosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Atalantia wightii* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Choisya ternata* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus aurantifolia* (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus aurantium* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus limon* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus maxima* (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus nobilis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus reticulata* Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Citrus sinensis* (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena austro - indica* B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena dentata* (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena indica* (Dalz.) Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clausena lansium* (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euodia fraxinifolia* (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fortunalla japonica* (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis angustifolia* Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis macrocarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis mauritiana* (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis pentaphylla* (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glycosmis tirunelveli*ensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melicope indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murraya koenigii* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murraya paniculata* (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Naringi crenulata* (Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pamburus missionis* (Wight) Swingle and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paramigyna beddomei* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paramignya monophylla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toddalia asiatica* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triphasia trifolia* (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vepris bilocularis* (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum ovalifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum rhetsa* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum limonellia* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ailanthus excelsa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ailanthus triphysa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quassia amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Suriana maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphia serrata* (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna integerrima* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna lanceolata* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna obtusata* DC. var. *obtusata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna gamblei* King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Boswellia serrata* Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canarium strictum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canarium vulgare* Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora berryi* (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garuga pinnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia apiocarpa* (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia domestica* (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia elaeagnoidea* (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia edulis* (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia lawii* (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia tomentosa* Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia odorata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aglaia simplicifolia* (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aphanamixis polystachya* (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Azadirachta indica* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chukrasia tabularis* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cipadessa baccifera* (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysoxylum ficiforme* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dysoxylum malabaricum* Bedd. ex Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Naregamia alata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reinwardtiodendron anamallayanum* (Bedd.) Saldahnha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sandoricum koetjape* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Soymida febrifuga* (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swietenia macrophylla* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swietenia mahagoni* (L.) Jacq. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toona ciliata* M. Roem. var. *ciliata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichilia connaroides* (Wight & Arn.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turraea villosa* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Walsura trifolia* (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylocarpus granatum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dichapetalum gelonioides* (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anacolosa densiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis scandens* Roxb. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olax imbricata* Roxb. var. *imbricata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olax imbricata* Roxb. var. *nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strombosia ceylanica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cansjera rheedii* Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opilia amentacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Apodytes dimidiata* E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphandra coriacea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miquelia dentata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothapodytes nimmoniana* (Graham) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrenacantha volubilis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostigma kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythralum populifolium* (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex aquifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex denticulata* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex opaca* Ait. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex walkeri* Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ilex wightiana* Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bhesa indica* (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassine glauca* (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cassine paniculata* (Wight & Arn.) Lobl.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celastrus paniculatus* Willd. var. *paniculatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Celastrus paniculatus* Willd. subsp. *aggregatus* K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus angulatus* Wight and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus barberi* C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus crenulatus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus dichotomous* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus indicus* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus japonicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus kanyakumariensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus paniculatus* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Euonymus serratifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glyptopetalum grandiflorum* Bedd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glyptopetalum lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Glyptopetalum zeylanicum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Loeseneriella bourdillonii* (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lophopetalum wightianum* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maytenus emarginata* (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maytenus heyneana* (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maytenus rufa* (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microtropis microcarpa* Wight var. *microcarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microtropis latifolia* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microtropis ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microtropis ramiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microtropis stocksii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microtropis wallichiana* Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleurostyliea opposita* (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reissantia grahamii* (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reissantia indica* (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia fruticosa* Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia macrosperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia oblonga* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alphitonia excelsa* Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colletia cruciata* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colletia ferox* Gill. & Hook. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Colubrina asiatica* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hovenia acerba* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maesopsis eminii* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pomaderris apetala* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pomaderris lanigera* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus dahuricus* Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus virgatus* Roxb. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus wightii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sageretia hamosa* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sageretia parviflora* (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutia myrtina* (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ventilago denticulata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ventilago gamblei* Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ventilago goughii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ventilago madraspatana* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus glabrata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus horrida* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus incurva* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus mauritiana* Lam. var. *mauritiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus oenoplia* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus rugosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus xylopyrus* (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus indica* (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus latifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ampelocissus wightiana* Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia auriculata* (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia japonica* (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia mollissima* (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cayratia trifolia* (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus arnottiana* B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus adnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus discolor* Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus latifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus glyptocarpa* (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus heyneana* (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus repKalam* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus repens* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyphostemma setosum* (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parthenocissus neilgherriensis* (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrastigma gamblei* Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrastigma leucostaphylum* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrastigma nilagiricum* (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrastigma sulcatum* (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea asiatica* (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea guineensis* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea indica* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea macrophylla* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Allophylus cobbe* (L.) Raeusch. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardiospermum canescens* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dimocarpus longan* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dodonaea viscosa* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Filicium decipiens* (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Harpullia arborea* (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepisanthes erecta* (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepisanthes tetraphylla* (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litchi chinensis* Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Otonephelium stipulaceum* (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapindus emarginatus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapindus trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schleicheria oleosa* (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aesculus indica* (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer caesium* Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer oblongum* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acer pseudo-platanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melianthus major* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turpinia malabarica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turpinia cochinchinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buchanania axillaris* (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Buchanania lanzan* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gluta travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna arnottiana* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna beddomei* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna ferruginea* Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna grahamii* (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Holigarna nigra* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., Safed Musli farming for Diabetic neuropathy formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopegia aureo-fulva* Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopegia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopegia colebrookeana* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopegia heyneana* (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopegia travancorica* Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopegia vajravelui* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus mysorensis* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus paniculata* Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schinus molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schinus terebinthifolius* Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Semecarpus anacardium* L. var. *anacardium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Semecarpus anacardium* L. var. *cuneifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Semecarpus auriculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Semecarpus travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spondias pinnata* (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corynocarpus laevigata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moringa concanensis* Nimmo ex Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moringa pterygosperma* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Connarus wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ellipanthus tomentosus* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rourea minor* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abrus fruticulosus* Wall. ex Wight & Arn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abrus pulchellus* Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeschynomene americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus beddomei* Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus longifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus monilifer* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus ovalifolius* (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus racemosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus roxburghianus* Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus glumaceus* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butea acuminata* (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butea monosperma* (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butea parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Butea purpurea* (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus albicans* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus goensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus lineata* (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus cajan* (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus rugosus* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus scarabaeoides* (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cajanus trinervius* (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calopogonium mucunoides* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calpurnia aurea* (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia cathartica* Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia gladiata* (Jacq.) DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia maritima* (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia mollis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Canavalia virosus* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Centrosema pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chorizema ilicifolium* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christia obcordata* (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Christia vespertilionis* (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clanthus puniceus* Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laurentia longiflora* (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laurus cassia* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laurus cinnamomum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Laurus nobilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lavandula bipinnata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lavandula burmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lavandula carnososa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lavandula stoechas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lavandula vera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lavatera kashmiriana* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lawsonia alba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lawsonia spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lechea verticillata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea aequata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea alata* EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea arguata* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea asiatica* (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea aspera* EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea bracteata* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea compactiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea crispa* V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea guineensis* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea hirta* ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea indica* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea macrophylla* ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea robusta* ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leea sambucina* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lemanea australis* ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lemmaphyllum carnosum* (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lemna globosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lemna obcordata* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lemna perpusilla* TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lens culinaris* MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lens esculenta* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonotis nepetaefolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leontopodium jacotianum* BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonurus cardiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonurus hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonurus incurva* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonurus japonicus* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonurus sibiricus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leonurus stelligera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepeocercis serrata* TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepianthes umbellata* (L.) RAF. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis cristata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis incurva* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis pungens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis scariosa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis trinervia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidagathis trinervis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium capitatum* HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium draba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium iberis* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium iberis* POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium perfoliatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium virginicum* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepionorus sylvestris* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepionurus sylvestris* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepisanthes Kalammanica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptadenia pyrotechnica* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptadenia spartium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptochilus decurrens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptochloa malabarica* (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptodermis lanceolatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptonychia heteroclita* (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lespedeza sericea* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lettsomia aggregata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lettsomia atropurpurea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lettsomia elliptica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lettsomia mysorensis* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lettsomia nervosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lettsomia setosa* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucaena glauca* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas aspera* (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas capitata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas cephalotes* (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas ciliata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas flaccida* R.BR. *scaberula* (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas indica* (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas lanata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas lavandulifolia* J.E. SM. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas linifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas martinicensis* (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas mollissima* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas plukenetii* (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas stelligera* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas stricta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas urticaefolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas zeylanica* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leuconotis eugenifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucosceptrum canum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucostegia immersa* (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucostegia nodosa* BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leucas rosmarnifolia* CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Levisticum officinale* W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Licuala spinosa* WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligularia amplexicaule* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligularia jacquemontiana* (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligusticum elatum* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum indicum* (LOUR.) MERRILL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum lucidum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum nium* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ligustrum robustum* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lilium candidum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lilium giganteum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lilium martagon* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lilium neilgherrense* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lilium polyphyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lilium wallichianum* SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnanthemum cristatum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnanthemum indicum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnanthemum nymphaeoides* LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila aromatica* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila gratioloides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila gratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila polystachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila racemosa* BENTH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila rugosa* (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophila sessiliflora* (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnophyton obtusifolium* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limodrum spatulatum* WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limonia alata* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limonia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linaria cirrhosa* H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linaria minor* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linaria ramosissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindelia longiflora* (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindenbergia indica* (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindenbergia urticaefolia* LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindera caudata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindera neesiana* BENTH. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindera pulcherrima* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia anagallis* (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia antipoda* (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia caespitosa* (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia ciliata* (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia cordifolia* (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia crustacea* (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia hyssopioides* (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia oppositifolia* (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia procumbens* (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia pyxidaria* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia rotundifolia* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindernia ruellioides* (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lindsaea cultrata* (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linociera malabarica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linociera ramiflora* (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linum perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linum strictum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis nervosa* (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liparis parviflora* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lippia geminata* H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lippia javanica* (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lippia nodiflora* MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liquidambar orientalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liqustrum indicum* (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Liriodendron tulipifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litchi chinensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lithocarpus pachyphyllus* (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lithospermum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lithospermum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea citrata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea cubeba* (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea glutimosa* (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea glutinosa* (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea lancifolia* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea monopetala* (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea polyantha* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea quinqueflora* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea sebifera* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea stocksii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea umbrosa* NEES NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Litsea zeylanica* C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia alsinoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia cordigera* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia excelsa* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia inflata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobelia pyramidalis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobularia maritima* DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lochnera pusilla* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lochnera rosea* REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lodoicea maldivica* (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lodoicea seychellarum* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lomatogonium carinthiacum* (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera glauca* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera japonica* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera leschenaultii* WALL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera macrantha* (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera semenovii* REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lonicera webbiana* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lophopetalum wallichii* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Loranthus coriaceus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Loranthus elasticus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Loranthus falcatus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Loranthus longiflorus* DESR. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lotus corniculatus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Loxococcus rupicola* WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia adscendens* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia hyssopifolia* (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia octovalvis* (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia parviflora* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia peruviana* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ludwigia prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa acutangula* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa acutangula* ROXB. amara (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa aegyptiaca* MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa cylindrica* (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa echinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa graveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa graveolens* ROXB. *longystyla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa pentandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luffa umbellata* (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luisia tenuifolia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lumnitzera racemosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lupinus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lupinus angustifolius* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lupinus digitatus* FORSK. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lupinus luteus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luvunga scandens* (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Luzula campestris* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lychnis apetala* L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lychnis coronaria* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycianthes laevis* (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycium barbarum* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycium europaeum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycium ruthenicum* MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycoperdon gemmatum* BATSCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycoperdon pusillum* PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycopersicon esculentum* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycopersicon lycopersicum* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycopersicum esculentum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycopodium cernuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycopodium clavatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycopodium phlegmaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycopus europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lycoris radiata* (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lygodium circinatum* (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lygodium flexuosum* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lygodium japonicum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lygodium microphyllum* (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lygodium pinnatifidum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lygodium scandens* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lyonia ovalifolia* (WALL.) DRUDE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maba bauxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maba buxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macadamia ternifolia* F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga indica* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga nicobarica* BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga peltata* (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga roxburghii* WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga tanarius* (L.) M. & A. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macaranga tetracoccus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Machilus bombycina* KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Machilus macrantha* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Machilus villosa* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macropanax dispermus* (BI.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrosolen parasiticus* (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrotomia benthamii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrotomia perennis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrotomia speciosa* AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Macrotyloma uniflorum* (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca butyracea* (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca diplostemon* (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca indica* GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca insignis* (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca longifolia* (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca malabarica* (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Madhuca neriifolia* (MOON) LAM and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maerua apetala* (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maerua arenaria* HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maerua oblongifolia* (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maesa chisia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maesa indica* (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maesa montana* DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maesa ramentacea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maharanga emodi* (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mahonia acanthifolia* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mahonia borealis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mahonia manipurensis* TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mahonia nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mahonia pycnophylla* (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mahonia sikkimensis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mahonia simonsii* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Majorana hortensis* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malachra capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malaxis acuminata* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malaxis biloba* (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malaxis mackinnonii* (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malaxis muscifera* (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malaxis rheedei* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus ferrugineus* (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus philippensis* (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus repandus* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malpighia glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malpighia punicifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malus pumila* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malus sylvestris* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malva neglecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malva rotundifolia* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malvastrum americanum* (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malvastrum coromandelianum* GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mammea americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mammea longifolia* PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mandragora autumnalis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mandragora officinalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mangifera caesia* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mangifera domestica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mangifera sylvatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manihot esculenta* CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manihot utilissima* POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manilkara hexandra* (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manilkara kauki* (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manilkara zapota* (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Manisuris granularis* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maoutia puya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mappia foetida* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marchantia palmata* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marchantia polymorpha* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mariscus concinnus* SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marlea tomentosa* ENDL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marrubium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia brunoniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia hamiltonii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia lucida* EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia roylei* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia tenacissima* (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia tinctoria* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsdenia volubilis* (L.F). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsilea dentata* KUNTZE. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsilea grandifolia* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsilea minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Marsilea quadrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Martnia diandra* GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Martynia diandra* GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mastersia assamica* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mastixia arborea* CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mathiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Matricaria aurea* (Loefl.) Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Matricaria chamomilla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Matricaria lasiocarpa* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Matricaria recutita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Matthiola flavida* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Matthiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Matthiola tristis* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mattiastrium thomsonii* (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maytenus emarginata* (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maytenus senegalensis* (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mazus japonicus* (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mazus pumilus* (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meconopsis aculeata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meconopsis paniculata* (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meconopsis robusta* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meconopsis simplicifolia* (G.DON) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meconopsis wallichii* HOOK. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mecoropsis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Medicago lupulina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Medicago minima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Medicago polymorpha* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Megacarpaea polyandra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melaleuca cajaputi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melaleuca leucadendron* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melanorrhoea curtisii* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melanorrhoea usitata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melanorrhoea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melanthesa rhamnoides* (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melanthesa turbinata* (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melanthium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melasma thompsonii* (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melastoma affine* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melastoma asperum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melastoma decemfidum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melia azadirachta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melia composita* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melia dubia* HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melanthus major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melica ciliata* DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melica jacquemontii* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melilotus indica* (L.) ALL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melilotus officinalis* (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melilotus parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meliosma arnottiana* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meliosma simplicifolia* (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melissa axillaris* (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melissa officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melissa parviflora* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melocanna bambusoides* TRIN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melocanna bambusoides* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melodinus monogynus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melothria heterophylla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melothria indica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melothria maderaspatana* (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melothria perpusilla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon angustifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon edule* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon gracile* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon heyneanum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon malabaricum* (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon sessile* BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon talbotianum* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Memecylon umbellatum* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Menanthes sumatrana* (MIQ.) BREMEK and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Menispermum cocculus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Menispermum columba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Menispermum cordifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Menispermum glabrum* BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha cordifolia* OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha crispa* GARSAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha dumetorium* SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha longifolia* (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha mulleriana* SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha niliaca* JACQ. *alopecuroides* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha piperita* STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha pulegium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha rotundifolia* (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha verticillata* D.DON NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mentha viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meriandra benghalensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meriandra strobilifera* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia dissecta* (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia emarginata* (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia gangetica* (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia hastata* (DESR.) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia hederacea* (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia mammosa* (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia peltata* (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia tridentata* (L.) HAILLIER *tridentata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia tridentata* (L.) HALL. *F. hastata* (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia tridentata* (L.) H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia tuberosa* (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia turpethum* RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia umbellata* (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Merremia vitifolia* (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mesembryanthemum crystallinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mesua ferrea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mesua nagassarium* (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Metathelypteris gracilescens* (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meyna laxiflora* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meyna spinosa* ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mezoneuron sumatranum* W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Michelia doltsopa* BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Michelia montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Michelia nilagirica* ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micranthus oppositifolius* WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microcos paniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microglossa pyrifolia* (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microglossa volubilis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microlepidia puberula* VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microlepidia speluncae* (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micromelum hirsutum* OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micromelum integerrimum* (Buch-Ham) Roem. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micromelum minutum* (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micromelum pubescens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micromeria biflora* (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micromeria capitellata* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micrometum integerrimum* (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Micropus xanthopus* (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microrhynchus nudicaulis* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microsorium alternifolium* COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microsorium punctatum* (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microstegium ciliatum* A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microstylis muscifera* RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microstylis saprophyta* KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microstylis versicolor* (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microstylis wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Microula tibetica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mikania micrantha* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Milium ramosum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miliusa roxburghiana* (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miliusa tomentosa* (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miliusa velutina* HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millettia auriculata* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millettia caudata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millettia extensa* (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millettia pachycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millettia piscidia* WIGHT NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millettia racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Millingtonia hortensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa abstersgens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa cineraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa ferruginea* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa flexuosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa hamata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa intsia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa invisa* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa lucida* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa paniculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa pudica* L. hispida BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa pudica* L. tetrandra (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa pudica* L. unijuga (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa rubicaulis* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa rubicaulis* LAMK. *himalayana* (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa spinisilqua* KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimosa suma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimulus moschatus* DOUGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimulus strictus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimusops hexandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimusops indica* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mimusops kauki* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mischocarpus sundaicus* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mitracarpus villosus* (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mitragyna rotundifolia* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mnesithea laevis* (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Modecca palmata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Modecca trilobata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Modecca wightiana* WALL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moghania bracteata* HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moghania chappar* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moghania macrophylla* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moghania nana* MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moghania phursia* O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moghania semialata* (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moghania stricta* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moghania strobilifera* J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moghania tuberosa* KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Molineria crassifolia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Molinia coerulea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo cerviana* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo hirta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo lotoides* (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo nedicaulis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo nudicaulis* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo spargula* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica balsamina* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica charantia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica charantia* L. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica charantia* L. *muricata* (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica cochinchinensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica cymbalaria* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica dioica* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica exserta* and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica muricata* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica tuberosa* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Momordica umbellata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Monetia barlerioides* L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moniera cuneate* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moniera cuneifolia* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Monochoria hastata* PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Monochoria hastata* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Monotropa uniflora* L. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morchella esculenta* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morina coulteriana* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morina longifolia* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morina persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda angustifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda coreia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda pubescens* J.E.SMITH IN REES *pubescens* VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda pubescens* SM. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda tinctoria* ROXB. tomentosa (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda tomentosa* HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moringa concanensis* NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moringa conconensis* NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moringa oleifera* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moringa pterygosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morus acedosa* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morus alba* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morus australis* POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morus laevigata* WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moschosma polystachyum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Moullava spicata* (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna bracteata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna capitata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna cochinchinensis* Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna gigantea* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna hirsuta* WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna monosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna nigricans* (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna pruriens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna prurita* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mucuna utilis* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mukia maderaspatana* (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mukia scabrella* (L..F.) ARN. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mundulea suberosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Munronia pinnata* (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia edulis* (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia elata* (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia japonica* (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia scapiflora* (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia semiteres* (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murdannia vaginata* (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Muricia cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murraya exotica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murraya koenigii* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Murraya paniculata* (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa balbisiana* COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa chinensis* SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa ornata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa paradisiaca* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa rosacea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa sapientum* O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa sapientum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa textilis* NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa troglodytarum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Musa velutina* WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda belilla* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda erythrophylla* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda glabra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda glabrata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda macrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mussaenda roxburghii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mutilla occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mylitta lapidescens* HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myosoton aquaticum* (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrica cerifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrica esculenta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrica integrifolia* ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrica nagi* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrica pensylvanica* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrica sapida* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myricaria bracteata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myricaria coulteriana* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myricaria elegans* ROYLE. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myricaria germanica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myriogyne minuta* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrioneuron nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myriophyllum spicatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica argentea* WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica dactyloides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica fragrans* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica laurifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica moschata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myristica officinalis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myropyrum similacifolium* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrsine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrsine capitellata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrsine semiserrata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrsine serrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrtus caryophyllata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myxopyrum serratum* A.W. HILL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Myxopyrum smilacifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nannorrhops ritchieana* H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Naravelia zeylanica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nardostachys grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nardostachys jatamansi* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Naregamia alata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Naringi crenulata* (ROXB.) NICOLSON and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nasturtium fontanum* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nasturtium indicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nasturtium officinale* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nasturtium palustre* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nasturtium herpeticum* BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nauclea aculeata* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nauclea cadamba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nauclea missionis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nauclea orientalis* (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nauclea ovalifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nauclea sessilifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis hirsuta* (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neillia thyrsiflora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nelsonia canescens* (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nelumbium speciosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nelumbo nucifera* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neodissochaeta celebica* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolamarckia cadamba* (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolitsea cassia* (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolitsea chinensis* (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolitsea umbrosa* (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neolitsea zeylancia* (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepenthes distillatoria* AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepenthes khasiana* KH.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta cataria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta ciliaris* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta coerulascens* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta connata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta discolor* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta elliptica* ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta eriostachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta glomerulosa* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta glutinosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta hindostana* (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta leucophylla* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta longibracteata* (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta malabarica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta podostachys* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta royleana* STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta ruderalis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nepeta spicata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nephelium lappaceum* LINN. MANT. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nephelium litchi* (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nephelium longana* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nephelium stipulaceum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nephrolepis biserrata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nephrolepis cordifolia* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neptunia natans* (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neptunia oleracea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neptunia prostrata* (LAM.) BAILL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neptunia triquetra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nerium antidysentericum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nerium coronarium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nerium indicum* MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nerium odorum* SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nerium tomentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nervilia aragoana* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nervilia plicata* SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nesaea lanceolata* (WT. &ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nesaea prostrata* (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neuracanthus sphaerostachyus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Neuracanthus trinervis* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicandra physalodes* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana macrophylla* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana plumbaginifolia* VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana rustica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Niebuhria linearis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nigella damascena* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nigella sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nilgiranthus ciliatus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nilgiranthus heyneanus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nipa fruticans* WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nomocharis nana* (KLOTZ.) WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nopalea cochenillifera* (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothapodytes nimmoniana* (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Notholaena eckloniana* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopanax fruticosum* MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopodia castaneifolia* (Roth) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothopodia colebrookiana* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nothosaerva brachiata* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Notonia grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea caerulea* SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea cyanea* ROXB. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea edulis* D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea lotus* HOOK. F.(NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea nouchali* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea odorata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea pubescens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea rubra* ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea stellata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea tetragona* GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphoides cristata* (ROXB.) O. KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphoides hydrophylla* (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphoides indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphoides indicum* (L.) O. KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphoides macrospermum* VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphoides peltata* (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nypa fruticans* Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochlandra brandisii* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochlandra travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna gamblei* KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna lanceolata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna obtusata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna pumila* HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochna squarrosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochradeus baccatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochradeus baccatus* DEL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochreinauclea missionis* (WALL. EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochrocarpus longifolius* (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ochthochloa coracana* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum adscendens* WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum basilicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum basilicum* L. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum basilicum* L. *majus* and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum basilicum* L. pilosum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum basilicum* L. minimum DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum canum* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum kilimandscharicum* GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum pilosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum polystachyon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum prostratum* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum sanctum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Odina pinnata* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Odina woderi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oenanthe javanica* (BI.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olex acuminata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olex imbricata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olex nana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olax scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia auricularia* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia biflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia corymbosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia dichotoma* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia diffusa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia fruticosa* (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia glandulifera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia herbacea* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia heynii* BR. EX. G. DON and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oldenlandia umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olea cuspidata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olea dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olea europea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olea ferruginea* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olea glandulifera* WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Olea polygama* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oleandra neriiformis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oleandra pistillaris* (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oleandra wallichii* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oligochaeta ramosa* (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oligomeris linifolia* (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Onosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Onosma echioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Onosma hispidum* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Onosma hookeri* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Onychium contiguum* (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Onychium japonicum* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Onychium siliculosum* (DESV.) C. CHR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Operculina petaloidea* (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Operculina turpethum* (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophelia angustifolia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophelia chiraita* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophelia densifolia* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophelia elegans* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophelia multiflora* DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiocephalus striatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophioglossum costatum* R.BR. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophioglossum fibrosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophioglossum nudicaule* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophioglossum pendulum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophioglossum thermale* KUMAROV NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophioglossum vulgaatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophioglossum vulgatum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiopogon intermedius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiopogon japonicum* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiopogon wallichianus* HOOK.F. *PAUCIFLORA* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza nicobarica* BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza nutans* C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza ochroleuca* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza pauciflora* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiorrhiza rugosa* WALL. *ARGUTEA* DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiocylon serpentinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophiuros exaltatus* KUNTZE and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ophrestia pentaphylla* (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opilia amentacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oplismenus burmannii* (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opopanax chironium* KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia cochinellifera* MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia dillenii* (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia elatior* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia ferox* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia ficus-indica* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia monacantha* HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia nigricans* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia stricta* (HAW.) HAW. *dillenii* (KER.GAWL)BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Opuntia vulgaris* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orchis chusua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orchis habenarioides* K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orchis latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orchis laxiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orchis mascula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orchis spathulata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oreocnide frutescens* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oreocnide integrifolia* (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Origanum majorana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Origanum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ormocarpum cochinchinense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ormocarpum sennoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ormosia travancoria* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orobanche aegyptiaca* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orobanche solmsii* CLARKE EX. HOOK.F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orophea katschallica* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oroxylum indicum* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon aristatus* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon diffusus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon glabratus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon grandiflorus* BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon incurvus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon pallidus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon rubicundus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon spiralis* (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon stamineus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orygia decumbens* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza granulata* Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza mutica* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza rufipogon* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia aspera* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia capitata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia crinita* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia cupularis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia nepalensis* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia sexatilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia sikkimensis* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia stellata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osbeckia zeylanica* L.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osmanthus fragrans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osmunda claytoniana* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osmunda regalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osyris arborea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osyris quadripartita* SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Osyris wightiana* WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Othonnopsis intermedia* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Otostegia aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Otostegia limbata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ottelia alismoides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ougeinia dalbergioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ougeinia oojeinensis* (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ouratea angustifolia* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis corymbosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis latifolia* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis martiana* ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis pubescens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxyria digyna* (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxyspora paniculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxystelma esculentum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxystelma secamone* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxytenanthera nigrociliata* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxytenanthera thwaitesii* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxytropis mollis* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxytropis tatarica* BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pachyrrhizus angulatus* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pachyrrhizus erosus* (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pachystoma senile* (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paederia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paederia scandens* (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paederia tomentosa* BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paeonia emodi* WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pajanelia longifolia* (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Palaquium ellipticum* (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Palhinhaea cernua* (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pamburus missionis* (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panax ginseng* MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panax pseudoginseng* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panax quinquefolius* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panax wangianus* Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pantratum triflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pantratum zeylanicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus foetidus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus furcatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus kaida* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus odoratissimus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus tectorius* AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus thwaitesii* MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *PKalamnus unipapillatus* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum antidotale* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum argyptiacum* HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum brizoides* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum crus-corvi* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum flavo-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum floro-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum frumentaceum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum incomtum* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum isachne* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum italicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum macimum* FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum maximum* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum milliare* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum psilopodium* TRIN. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum psilopodium* TRIN. *psilopodium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum sarmentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum stagninum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver argemone* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver dubium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver hybridum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver nudicaule* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paphiopedilum druryi* (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pholidota protracta* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paracalyx scariosa* (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parameria barbata* (BL.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parameria polyneura* HOOK.R. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paramignya angulata* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paramignya longispina* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paramignya monophylla* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pardanthus chinensis* KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paris polyphylla* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parkia biglandulosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parkia javanica* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parkia roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parkia timoriana* (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parkinsonia aculeata* L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parmelia cirrhata* FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parmelia kamstchadalis* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parmelia nilgherrensis* NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parmelia perforata* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parmelia perlata* (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parmignya monophylla* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parnassia laxmannii* PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parnassia nubicola* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parnassia palustris* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parnassia pusilla* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parochetus communis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parsonsia alboflavescens* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parsonsia helicandra* HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parsonsia laevigata* (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parsonsia spiralis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pasania truncata* (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum conjugatum* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paspalum scrobiculatum* L. *commersonii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora assamica* CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora edulis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora incarnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora perpera* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Passiflora quadrangularis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Paullinia cupana* H.B. & K. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pausinystalia yohimba* PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta crassicaulis* BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta indica* L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavetta tomentosa* ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavonia odorata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavonia procumbens* SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavonia propinqua* GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavonia repKalam* (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavonia zeylanica* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Payena lucida* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pecteilis susannae* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis bicornuta* CLOTZ. EX. GARCCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis cheilanthifolia* SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis comosa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH) PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis pectinata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis pycnantha* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis pyramidata* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedicularis siphonantha* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pedilanthus tithymaloides* (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peganum harmala* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pegia nitida* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pegolettia senegalensis* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pegonatherum crinitum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium graveolens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium roseum* R. BR. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peliosanthes bakeri* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peliosanthes teta* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pellaea colomelanos* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pellaea hastata* (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peltigera canina* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peltophorum dasyrhachis* (MIQ.)KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peltophorum pterocarpum* (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pemphis acidula* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum alopecuroides* (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum americanum* (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum compressum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum flaccidum* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum glaucum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum spicatum* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pennisetum typhoideum* (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentanema indicum* (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentaneura khasiana* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentaptera tomentosa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentatropis capensis* (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentatropis cynanchoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentatropis spiralis* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia pellucida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia reflexa* (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peranama cyatheoides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pergularia aktensa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pergularia daemia* (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pergularia extensa* N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pergularia tomentosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pericampylus glaucus* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pericampylus incanus* MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Perilepta auriculata* (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Perilla frutescens* (L.) BRITT. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Periploca aphylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Periploca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Periploca sylvestris* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristrophe bicalyculata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristrophe bivalvis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristrophe paniculata* (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peristylus stocksii* (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Perotis indica* (L.) KUNTZE and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Perovskia abrotanoides* KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Perovskia atriplicifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persea fructifera* KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persea gamblei* (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Persea macrantha* (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Petrea volubilis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Petroselinum crispum* NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peucedanum aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peucedanum dhana* BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peucedanum grande* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peucedanum graveolens* BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Peucedanum nagpurens* (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaius grandifolius* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaius tancarvilleae* (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaius wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phalaenopsis amabilis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phalaris arundinacea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phalaris canariensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phallus rubicundus* (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pharbitis nil* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pharnaceum cerviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pharnaceum mollugo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus aconitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus adenanthus* G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus aureus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus dalzellii* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus mungo* (L) MANT. *radiatus* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus mungo* (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus pauciflorus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus roxburghii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus semierectus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus sublobatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus trilobus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phaulopsis imbricata* (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlegmariurus phlegmaria* (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlogacanthus curviflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlogacanthus guttatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlogacanthus jenkinsii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlogacanthus pubinervis* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlogacanthus thrysiflorus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlogacanthus thrysiflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlogacanthus thyrsoformis* (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phlomis bracteosa* ROYLE and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoebe lanceolata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoebe wightii* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix asperulatus* HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix dactylifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix farinifera* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix humilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix loureirii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix paludosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix pusilla* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoenix sylvestris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pholidota chinensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pholidota imbricata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pholidota protracta* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Photinia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Photinia serrulata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phragmites communis* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phragmites karka* TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phragmites maxima* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phragmites roxburghii* (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phrymium dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyla nodiflora* (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllagathis rotundifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus acidus* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus airy-shawii* BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus amarus* SCHUM. & THENN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus clarkei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus debilis* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus distichus* (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus fraternus* WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus gomphocarpus* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus indofischeri* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus missionis* HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus mukherjeeanus* MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus multiflorus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus niruri* SENSU HOOK.F.Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus polyphyllus* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus reticulatus* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus rhamnoides* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus rheedii* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus simplex* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllanthus virgatus* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllocephalum indicum* (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllochlamys taxoides* KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phymatodes scolopendria* (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis alkekengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis alkekengi* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis divaricata* D.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis flexuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis minima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physochlaina praealta* (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Physostigma venenosum* BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phytolacca acinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phytolacca americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picrasma guassoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picea abies* (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picrasma javanica* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picrasma nepalensis* BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picrasma quassioides* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picrorhiza kurroa* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picrorhiza scrophulariiflora* PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Picrorrhiza kurroa* BENTH. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pieris ovalifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pilea microphylla* (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pilea umbrosa* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piliostigma malabaricum* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pilocarpus jaborandi* HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimenta acris* KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimenta racemosa* J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella anisum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella bracteata* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella diversifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella heyneana* (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella involucrata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella saxifraga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella stocksii* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pimpinella tirupatiensis* BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinanga dicksonii* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinanga manii* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus dammara* LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus deodara* ROXB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus excelsa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus griffithii* M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus insularis* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus kesiya* GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus longifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus maritima* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus merkussi* JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus picea* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus roxburghii* SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus sylvestris* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus wallichiana* JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pinus webbiana* WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper argyrophyllum* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper attenuatum* BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper aurantiacum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper auranticum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper baccatum* CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper bachystachyum* WALL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper bantamense* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper barberi* GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper betleoides* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper boehmeriaefolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper caninum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper chaba* HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper clusii* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper crassipes* KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper cubeba* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper dichotomum* HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper diffusum* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper gamblei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper griffithii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper guineense* SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper lanceolatum* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper mullesua* D.DON and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper pedicellatum* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper pedicellose* WALL. EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper peepuloides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper retrofractum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper ribesoides* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper sarmentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper sylvaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper thomsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper thomsonii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper trichostachyon* (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper trioicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Piper wallichii* (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pipturus velutinus* WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisonia alba* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisonia grandis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisonia mitis* L. NULL and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisonia morindifolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisonia umbellata* (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistacia chinensis* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistacia integerrima* STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistacia khinjuk* STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistacia lentiscus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistacia terebinthus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistacia vera* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pistia stratiotes* LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecellobium angulatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecellobium bigeminum* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecellobium clypearia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecellobium dulce* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecellobium fasciculatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecellobium globosum* KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecellobium lobatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecolobium dulce* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecolobium subcoriaceum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pithecolobium umbellatum* (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum nepaulense* (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum nilghirens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pityrogramma calomelanos* (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Planchonella obovata* (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago amplexicaulis* CAV. *bauphula* (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago arenaria* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago brachyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago ciliata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago depressa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago erosa* WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago himalaica* PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago ispaghula* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago lagocephala* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago media* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago psyllium* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago pumila* WILLD. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago stocksii* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plantago tibetica* HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Platanthera susannae* (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Platanus orientalis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Platostoma africanum* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Platostoma africanus* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Platostoma flaccidum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plecosperrum spinosum* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus ambonicus* (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus barbatus* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus coetsa* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus fruticosus* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus incanus* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus mollis* (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus nilgherricus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus rugosus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus striatus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus ternifolius* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Electronia didyma* KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Electronia parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleione maculata* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleopeltis lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleopeltis nuda* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plesmonium margaretiferum* (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleurospermum angelicoides* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleurospermum candollei* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pleurostyliia opposita* (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pluchea lanceolata* OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pluchea pinnatifida* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pluchea tomentosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pluechea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumbago auriculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumbago capensis* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumbago rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumeria acuminata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumeria acutifolia* POIR. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumeria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poa cynosuroides* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poa malabarica* KLEIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Podocarpus latifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Podocarpus neriifolius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Podophyllum emodi* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Podophyllum hexandrum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Podophyllum peltatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poeciloneuron indicum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poeciloneuron pauciflorum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogonatherum crinitum* (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogonia plicata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon auricularis* (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon benghalensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon cablin* (BLANCO) BENTH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon elsholtzioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon heyneanus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon paniculatus* (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon parviflorus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon patchouli* PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon plectranthoides* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon purpurascens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon vestitus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pogostemon villosus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poikilospermum suaveolens* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poinciana elata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poinciana gilbesii* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poinciana pulcherrima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polanisia felina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polanisia icosandra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polemonium caeruleum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia cerasoides* (ROXB.) BEDD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia longifolia* BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia simiarum* BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia suberosa* (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyanthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polycarpaea corymbosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala abyssinica* (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala arillata* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala arvensis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala crotarioides* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala elongata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala erioptera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala glomerata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala irregularis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala leptalea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala longifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala persicariaefolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala senega* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala telephioides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala vulgaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygallata arillata* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonatum cirrhifolium* ROYLE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonatum multiflorum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonatum verticillatum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum affine* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum alatum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum alpinum* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum amphibium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum amplexicaule* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum auriculatum* MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum aviculare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum bistorta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum capitatum* BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum convolvulus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum cymosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum flaccidum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum glabrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum hydropiper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum lapathifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum macrophyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum minus* HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum molle* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum multiflorum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum nepalense* MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum paronychioides* MEYER EX HOHEN NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum persicaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum plebeium* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum polystachyum* WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum posumbi* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum pulchrum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum recumbens* ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum roettleri* ROTH. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum rumicifolium* ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum serrulatum* LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum sphaerostachyum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.) STEWARD *stagninum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum stewartianum* DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum strigosum* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum tenellum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum tomentosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum tortuosum* D.DON and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum vacciniifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygonum viviparum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polypodium irioides* LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polypodium quercifolium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polypodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyporus anthelminticus* BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyporus officinalis* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyscias fruticosa* (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polysolenia wallichii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polystichum aculeatum* (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polystichum biaristatum* (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polystichum squarrosus* (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polytoca barbata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polytrichum juniperinum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pometia pinnata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ponerorchis chusua* (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pongamia glabra* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pongamia pinnata* (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pontederia vaginalis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Populus alba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Populus caspica* BORNM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Populus ciliata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Populus euphratica* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Populus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Porana paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Porphyra umbilicalis* (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Porphyra vulgaris* LINN. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca grandiflora* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca meridiana* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca pilosa* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca sativa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla anserina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla arbuscula* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla argyrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla atosanguinea* LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla bifurca* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla fragarioides* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla fruticosa* L. *rigida* (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla fulgens* WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla gerardiana* LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla kleiniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla lineata* TREVIR EX REICH. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla moonaiana* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calophyllum polyanthum* Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia cowa* Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia gummi-gutta* (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia morella* (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia papilla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia rubro-echinata* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia spicata* (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia talbotii* Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia wightii* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Garcinia xanthochymus* Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum androsaemum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum humifusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum japonicum* Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum mysurense* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum patulum* Thunb ex Murray and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum uralum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hypericum wightianum* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mesua ferrea* L. subsp. *ferrea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poeciloneuron indicum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Poeciloneuron pauciflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Camellia japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Camellia sinensis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eurya nitida* Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gordonia obtusa* Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schima wallichii* (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ternstroemia japonica* (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saurauia fasciculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saurauia napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dipterocarpus indicus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea erosa* (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea glabra* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea parviflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea ponga* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hopea utilis* (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Shorea roxburghii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ancistrocladus heyneanus* Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus angulosus* Wall ex Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus esculentus* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus ficulneus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus manihot* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss. Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon crispum* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon hirtum* (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon indicum* (L.) Sweet subsp. *indicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon neilgherrense* Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon pannosum* (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon persicum* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon ramosum* (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon striatum* Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Abutilon theophrastii* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Decaschistia crotonifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Decaschistia rufa* Craib and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus canescens* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus furcatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus lobatus* (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus lunariifolius* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus micranthus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus panduriformis* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus platanifolius* (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus radiatus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus schizopetalus* (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kydia calycina* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malachra capitata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malvastrum coromandelianum* (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malvaviscus arboreus* Cav. var. *arboreus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Modiola caroliniana* (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavonia odorata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pavonia zeylanica* (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Plagianthus pulchellus* A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida acuta* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida cordata* (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida mysorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida rhombifolia* L. var. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida schimperiana* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thespesia populnea* (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urena lobata* L. subsp. *lobata* and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bombax ellipticum* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bombax insigne* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ceiba pentandra* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chorisia speciosa* St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cullenia exarillata* Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Durio zibethinus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Byttneria herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cola acuminata* (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dombeya acutangula* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dombeya burgessiae* Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dombeya mastersii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dombeya mollis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dombeya platanifolia* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dombeya spectabilis* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dombeya wallichii* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriolaena hookeriana* Wight & Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriolaena lushingtonii* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eriolaena stocksii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Firmiana colorata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guazuma ulmifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Heritiera papilio* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Leptonychia moacurroides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melhania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melhania cannabina* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melhania hamiltoniana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melhania incana* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melochia nodiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Melochia pyramidata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum acerifolium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum canescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum diversifolium* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum obtusifolium* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum reticulatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterygota alata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia guttata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia urens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia villosa* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Theobroma cacao* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berrya cordifolia* (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berrya javanica* (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus fascicularis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus tridens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corchorus urticifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia abutilifolia* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia abutilifolia* Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia bracteata* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia damine* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia flavescens* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia gamblei* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia heterotricha* Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia hirsuta* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia lanceaefolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia nervosa* (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia oppositifolia* Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia orbiculata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia orientalis* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia pKalamica* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia rhamnifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia serrulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia tenax* (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia tiliifolia* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia umbellifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Grewia villosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta pentandra* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta pilosa* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta rhomboidea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta rotundifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus amoenus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus blascoi* Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus lanceifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus munronii* (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus recurvatus* Corner and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus rugosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus glandulosus* Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus tuberculatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elaeocarpus venustus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linum mysurense* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reinwardtia indica* Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum coca* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum lanceolatum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum monogynum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum moonii* Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erythroxylum obtusifolium* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aspidopterys canarensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aspidopterys indica* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Galphimia gracilis* Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hiptage benghalensis* (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hiptage obtusifolia* DC. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hiptage parvifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malpighia coccigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malpighia glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malpighia heteranthia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Malpighia punicifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tristellateia australasiae* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Balanites aegyptiaca* (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tribulus lanuginosis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tribulus subramanii* P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Erodium moschatum* (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Geranium nepalense* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium capitatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium cucullatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium x domesticum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium graveolens* L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium grossularioides* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium x hortorum* L.H.Bailey and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium inquinans* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pelargonium peltatum* Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tropaeolum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tropaeolum pentaphyllum* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Limnanthes douglasii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum longibracteatum* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum nudum* (Arn.) Wight and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum polyphyllum* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum proliferum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum reinwardtii* (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis cernua* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis corymbosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis deppei* Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis latifolia* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis pubescens* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oxalis variabilis* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydrocera triflora* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens acaulis* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Impatiens campanulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla nepalensis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla reptans* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla salesoviana* STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla sericea* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla sibbaldi* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla sundaica* (BL.) KUNTZE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Potentilla supina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pothomorphe subpeltata* (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pothos cathcarti* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pothos kunstleri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pothos officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia bennettiana* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia frondosa* (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia hirta* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia indica* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia quinquenervis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia sanguinea* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia viminea* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pouzolzia zeylanica* (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prangos pabularia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pratia begonifolia* (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pratia nummularia* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna barbata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna coriacea* CL. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna corymbosa* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna divaricata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna flavesens* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna integrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna macrophylla* WALL. EX SCHAUER and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna mucronata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna obtusifolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna parasitica* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna thyrsoidea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Premna villosa* CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Primula denticulata* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Primula macrophylla* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Primula reticulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prinsepia utilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prismatomeris tetrandra* K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Priva cordifolia* (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Priva leptostachya* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prosopis chilensis* (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prosopis cineraria* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prosopis juliflora* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prosopis spicigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Protium kataf* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Protium pubescens* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Protium serratum* (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus amygdalus* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus carmesiana* HARA and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus cerasoides* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus cerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus ceylanica* (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus communis* FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus communis* HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus cornuta* (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus dulcis* (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus insititia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus mahaleb* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus malus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus persica* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus salicina* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus triflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Prunus undulata* HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Przewalskia tangutica* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psalliotia campestris* L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psammogeton binternatum* EDGEW. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psammogeton canescens* (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudarthria viscida* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudodissochaeta assamica* (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pseuduvaria prainii* (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psidium cattleianum* SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psidium guajava* L. *pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psidium pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psidium pyriferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psidium quajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psilotrichum trichotomum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psilotum nudum* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psophocarpus tetragonolobus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psoralea plicata* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psoralea tetragonoloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria calocarpa* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria curviflora* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria dalzielii* J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria glandulosa* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria ipecacuanha* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria montana* BL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria sarmentosa* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychotria viridiflora* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Psychogeton andryaloides* (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteridium aquilinum* (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteris aquilina* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteris biaurita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteris cretica* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteris ensiformis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteris longipes* DON F. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteris multifida* POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteris vitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteris wallichiana* AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pternandra coerulescens* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterocarpus dalbergioides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterocarpus indicus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterocarpus marsupium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterocarpus santalinus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterocymbium javanicum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pteropyrum olivierii* JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum acerifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum canescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum diversifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum suberifolium* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pterygota alata* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ptesmonium margaritifera* (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ptychopetalum olacoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ptychopetalum uncinatum* ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ptychotis ajowan* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pueraria hirsuta* (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pueraria lobata* (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pueraria phaseoloides* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pulicaria crispa* SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pulicaria dysenterica* (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pulicaria glaucescens* JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Puneeria coagulans* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pupalia lappacea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pupalia orbiculata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Putranjiva roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Putranjiva zeylanica* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnocycla aucheriana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnocycla glauca* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pycnospora lutescens* (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pygeum gardneri* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pygeum wightianum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pygmaeopremna herbacea* (ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pygmaeopremna pyrifolia* - *culta* NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrethrum indicum* DC. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrethrum umbeliferum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrola rotundifolia* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrrosia adnascens* (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrrosia heterophylla* (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrrosia lanceolata* (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrrosia mannii* (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrrosia penangiana* (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrus aucuparia* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrus chinensis* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrus cydonia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrus lindleyi* REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrus malus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrus pashia* BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pyrus tomentosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quamoclit coccinea* MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quamoclit phoenicea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quamoclit pinnata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quamoclit vulgaris* CHOISY and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quassia indica* (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus acutissima* CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus floribunda* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus ilex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus incana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus infectoria* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus lamellosa* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus leucotrichophora* A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus pachyphylla* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus robur* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quercus truncata* KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Radermachera xylocarpa* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia cochinchinensis* (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia densiflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia dumetorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia fasciculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia longiflora* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia longispina* DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia malabaricum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia rugulosa* (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia spinosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia tetrasperma* BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia tomentosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Randia uliginosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus aquatilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus cantoniensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus falcatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus hirtellus* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus hyperboreus* ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus laetus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus lingua* L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus pensylvanicus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus sceleratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus tricuspid* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Raphanus caudatus* ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia canescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia micrantha* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia reflexa* T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ravenala madagascarensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reaumuria hypericoides* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reinwardtia indica* DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reinwardtia trigyna* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reissantia arborea* (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reissantia grahamii* (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reissantia indica* (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Remirea maritima* AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Remusatia vivipara* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reseda odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhabdia lycioides* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus dahuricus* PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus nepalensis* WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus prostrata* JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus purpurea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus purshiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus triquetra* (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus virgatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhamnus wightii* WIGHT & ARN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhaphidophora decursiva* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhaphidophora laciniata* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhaphidophora pertusa* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhazya stricta* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum acuminatum* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum australe* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum emodi* WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum moorcroftianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum nobile* HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum officinale* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum palmatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum undulatum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rheum webbianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhinacanthus calcaratus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhinacanthus communis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhinacanthus nasuta* (L.) KURZ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchoglossum obliquum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhizophora apiculata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhizophora mangle* Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhizophora mucronata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhodamnia trinervia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhodiola imbricata* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron anthopogon* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron arboreum* SM. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron barbatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron campanulatum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron chrysanthum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron cinnabarinum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron decipiens* LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron falconeri* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron javanicum* BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron lepidotum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron setosum* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhododendron thomsonii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhodomyrtus parviflora* ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhodomyrtus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhodomyrtus tomentosa* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus chinensis* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus coriaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus hookeri* SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus insignis* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus javanica* L. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus punjabensis* J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus succedanea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhus wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchospermum verticillatum* REIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rhynchospermum verticillatum* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ribes alpestre* WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ribes emodense* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ribes grossularia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ribes himalense* ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ribes nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ribes orientale* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ribes rubrum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Richardia scabra* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Riedlea corchorifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rikliella squarrosa* (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rivea hypocrateriformis* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rivea ornata* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Roccella montagnei* BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rorippa islandica* (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rorippa dubia* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rorippa indica* (L.) HIERN and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rorippa indieca* HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rorippa islandica* (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rorippa montana* SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa banksiae* AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa brunonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa chinensis* JACQ. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa eglanteria* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa foetida* HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa macrophylla* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa moschata* HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa multiflora* THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa rubra* BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa sericea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosa webbiana* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Roscoea alpina* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Roscoea procera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Roscoea purpurea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rostellularia procumbens* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rosularia rosulata* (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala baccifera* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala densiflora* (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala indica* (WILLD.) KOEHNE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotala rotundifolia* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rothia indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rotula aquatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rourea mimosoides* PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rourea minor* (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rourea santaloides* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Roylea cinerea* (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Roylea elegans* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubia munjistia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubia sikkimensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubia tinctorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus biflorus* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus contennifer* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus ellipticus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus fruticosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus lasiocarpus* SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus lucens* FOCKE. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus moluccanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus niveus* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus paniculata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus rugosus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus saxatilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus strigosus* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rubus ulmifolius* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rudolphia frondosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruellia patula* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruellia prostrata* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruellia secundra* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruellia strepens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruellia suffruticosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex dentatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex hastatus* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex hymenosepalus* TORR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex maritimus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex nepalensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex orientalis* BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex paulsenianus* RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex scutatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rumphia amboinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia parviflora* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia pectinata* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rungia repens* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Russelia equisetiformis* SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruta angustifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruta graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ruta tuberculata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rytelia granularis* (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sabia lanceolata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sabia robusta* and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharomyces cerevisiae* MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum arundinaceum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum bengalense* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum ciliare* ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum fuscum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum munja* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum robustum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum sara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum sinense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sacciolepis indica* CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sacciolepis interrupta* (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccolabium guttatum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccolabium papillosum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saccolabium praemorsum* HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sageraea dalzelli* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sageraea laurifolia* (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sagina saginoides* (L.) KARST. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sagittaria sagittifolia* L. *sagittifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saguerus rumphii* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia fruticosa* HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia grandiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia macrophylla* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia macrosperma* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia oblonga* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salacia reticulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salicornia brachiata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salicornia indica* DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix acmophylla* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix acutifolia* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix caprea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix daphnoides* VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix elegans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix pychnostachya* ANDERSS. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salix tetrasperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salmalia malabarica* SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salomonina cantoniensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salsola baryosma* (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salsola foetida* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salsola kali* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvadora indica* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvadora oleoides* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvadora wightiana* PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia bengalensis* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia cabulica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia coccinea* BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia glutinosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia haematodes* W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia hians* ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia lanata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia macrosiphon* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia moorcroftiana* WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia mukerjeea* BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia plebeia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia pumila* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia sclarea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvia spinosa* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Salvinia cucullata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalamdera indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalamdera lucida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Kalamnea Kalamn* (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sambucus ebulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sambucus hookeri* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sambucus javanica* REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sambucus wightiana* WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sandoricum indicum* CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sandoricum koetjape* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sanguinaria canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sanicula europaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria cylindrica* BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria ebracteata* (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria hyacinthoides* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria lanuginosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria roxburghiana* SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria trifasciata* HORT. EX PRAIN and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sansevieria zeylanica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Santaloides minus* SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Santalum flonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Santolina chamaecyparissus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapindus emarginatus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapindus laurifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapindus mukorossi* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapindus trifoliatius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapium indicum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapium insigne* TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sapium sebiferum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saponaria vaccaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saraca asoca* (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saraca indica* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcandra glabra* (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcocephalus cordatus* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcocephalus missionis* HAVILAND REV. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcobolus globosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma acidium* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma acidum* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma brevistigma* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma brunonianum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma intermedium* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma secamone* (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostemma stocksii* HK. F and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sarcostigma kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sassafras albidum* (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sassafras officinale* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Satureja hortensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Satureja montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Satyrium nepalense* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saurauia armata* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saurauia macrotricha* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saurauia napaulensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saurauia nepalensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saurauia robusta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saurauia roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sauromatum guttatum* (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sauromatum pedatum* (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sauromatum venosum* (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sauropus androgynus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sauropus quadrangularis* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea affinis* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea albescens* (DC.) SCH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea auriculata* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea bracteata* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea candicans* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea ceratocarpa* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea costus* (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea gossypiphora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea gracilis* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea heteromalla* (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea hypoleuca* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea lappa* C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea obvallata* (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea sacra* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea schultzei* H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saussurea taraxacifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saxifraga diversifolia* WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saxifraga imbricata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saxifraga ligulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scabiosa speciosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scaevola frutescens* KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scaevola koenigii* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scaevola sericea* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scaevola taccada* (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scaphium affine* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scaphium wallichii* SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scapiflora* species (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera elliptica* (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera hypoleuca* (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera shypoleucoids* HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera stellata* (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera venulosa* (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schefflera venulosum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schima wallichii* (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schinus molle* HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schisandra chinensis* (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schisandra neglecta* SM. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schizachyrium exile* STAPP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schizaea dichotoma* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schizandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schizophyllum commune* FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schleichera oleosa* (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schleichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schlerichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schrebera swietenoides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schultzia benthami* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schumannianthus virgatus* (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schweinfurthia papilionacea* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Schweinfurthia sphaerocarpa* A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scilla coromandeliana* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scilla hohenackeri* FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scilla hyacinthina* (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scilla indica* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scindapsus officinalis* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus barbatus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus corymbosus* HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus grossus* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus kysoor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus lacustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scirpus tuberosus* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria hebecarpa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria levis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria lithosperma* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria pergracilis* (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria poaeformis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleria terrestris* (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sclerocarya birrea* HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scolopia aculeata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scolopia crenata* CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scopolia lurida* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scopolia stramonifolia* (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scorzonera virgata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scrophularia koelzii* PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scrophularia variegata* M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scurrula philippensis* (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria angulosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria assamica* MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria discolor* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria galericulata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria glandulosa* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria heydei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutellaria indica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutia indica* BRONG.. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scutia myrtina* (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scyphiphora hydrophyllacea* GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sebastiania chamaelea* MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Secamone emetica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sechium edule* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Securinega leucopyrus* (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Securinega suffruticosa* (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Securinega virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum asiaticum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum crassipes* WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum ewersii* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum multicaule* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum quadrifidum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum tibeticum* HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum tillacoides* DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum trifidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sedum wallichianum* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella bryopteris* (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella chrysocaulos* (HOOK. & GREV.)SPRING.F. NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella ciliaris* (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella involvens* SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella krausiana* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella monosperma* SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella plumosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella rupestris* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selaginella willdenowii* (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selinum candollei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selinum filicifolium* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selinum striatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selinum tenuifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Selinum vaginatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Semecarpus anacardium* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Semecarpus heterophylla* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Semecarpus kurzii* ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Semecarpus travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sempervium sedoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senebiera didyma* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio aureus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio bhutanicus* BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio cappa* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio graciliflorus* . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio hohenackeri* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio jacquemontianus* BENTH and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio kraschennikovii* SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio laetus* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio nudicaulis* HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio quinquelobus* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio scandens* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio tenuifolius* BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senecio vulgaris* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Senna prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Serenoa repens* (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesamum laciniatum* KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesamum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesamum prostratum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania aegyptiaca* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania cannabina* RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania grandiflora* (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania paludosa* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania sesban* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania sesban* (L.) MERR. *bicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania sesban* (L.) MERR. *picta* (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania sesban* (L.) MERR. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania sesban* (L.) MERR. *sesban sesban* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesbania speciosa* TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Seseli diffusum* (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Seseli indicum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Seseli sibiricum* BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sesuvium portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria glauca* BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria italica* (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria planifolia* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria plicata* (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria verticillata* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Setaria viridis* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Shorea robusta* GAERTN. F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Shorea roxburghii* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Shorea tumbaggaia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida acuta* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida carpinifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida cordata* (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida humilis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida lanceolata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida orientalis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida rhombifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida rhombifolia* L. *retusa* (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida rhombifolia* L. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida rhomboidea* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sida veronicaefolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sideroxylon spinosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sideroxylon tomentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Siegesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Siegesbeckia orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silene apetala* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silene inflata* SM. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silene laxantha* MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silene moorcroftiana* WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silene vulgaris* (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silybum marianum* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sinapis alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sinapis chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sinapis juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sinapis ramosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sison ammi* HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sisymbrium altissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sisymbrium irio* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sisymbrium loeselii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sisymbrium orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sisymbrium sophia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sium latijugam* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Skimmia arborescens* T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Skimmia laureola* (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax china* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax glaucophylla* KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax lanceifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax macrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax ocreata* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax ovalifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax parvifolia* WALL. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax perfoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax prolifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax pseudo-china* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax wightii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia conferta* J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia geminiflora* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Smithia sensitiva* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum aculeatissimum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum albicaule* KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum americanum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum anguivi* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum aviculare* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum capsicoides* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum ciliatum* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum denticulatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum dulcamara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum erianthum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum ferox* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum giganteum* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum gracilipes* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum hirsutum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum incanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum insanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum jacquini* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum khasianum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum kurzii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum laciniatum* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum lasiocarpum* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum lycopersicum* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum mauritianum* SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum melongena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum melongena* L. incanum KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum myriacanthum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum pseudocapsicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum pubescens* HEYNE. EX WALP. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum sarmentosum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum seforthianum* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum sisymbriifolium* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum spirale* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum surattense* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum torvum* SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum verbascifolium* AUCT NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum viarum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum villosum* SCHUR. *puniceum* (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum violaceum* ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solanum xanthocarpum* SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solena amplexicaulis* (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Solena heterophylla* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus arvensis* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus asper* (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus brachytus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus maritimus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonchus wightianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila maculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila rheedei* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonerila tenera* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonneratia acida* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonneratia apetala* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonneratia caseolaris* (L.) ENGL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sonneratia griffithii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sophora glauca* LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sophora griffithii* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sophora mollis* (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sophora tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sophora wightii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sopubia delphinifolia* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorbaria tomentosa* (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorbus aucuparia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorbus tianshanica* RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum bicolor* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum halepense* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum saccharatum* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sorghum vulgare* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Soymida febrifuga* (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sparganium stoloniferum* BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spathodea campanulata* P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spathoglottis plicata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spatholobus parviflorus* (ROXB.) KTZE. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spatholobus roxburghii* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spergula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce articularis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spermadictyon suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaeranthus amaranthoides* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaeranthus hirtus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaeranthus microcephalus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaeranthus senegalensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphenoclea zeylanica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphenodesme pentandra* JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphenomeris chinensis* (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphenomeris chusana* COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sphyrnthera lutescens* (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spilanthus acmella* MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spilanthus calva* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spilanthus oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spilanthus paniculata* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spinifex littoreus* (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiraea aruncus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiraea bella* SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiraea canescens* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spiraea lindleyana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spondias acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spondias mangifera* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spondias mombin* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spondias pinnata* (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachyphrynium spicatum* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachys floccosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachys officinalis* (L.) TREV. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachys palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachys parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachys sylvatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachys tuberosa* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachytarpheta indica* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachytarpheta jamaicensis* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachytarpheta mutabilis* (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Statice aegyptica* DELILE NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stauranthera grandifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stauranthera umbrosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stellaria alsine* GRIMM. *undulata* (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stellaria aquatica* SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stellaria media* WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stellera chamaejasme* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stemodia viscosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stemona tuberosa* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenochlaena palustris* (N.BURM.) BEDD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenolobium stans* SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenoloma chinensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania glabra* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania glandulifera* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania hernandifolia* (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania japonica* (THUNB.) MIERS. discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania japonica* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania japonica* (THUNB.) MIERS. *japonica* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania rotunda* LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania wightii* (A.) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephegyne parvifolia* KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia alata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia guttata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia rubiginosa* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia scaphigera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia urens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sterculia villosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stereospermum chelonoides* (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stereospermum colais* (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stereospermum neuranthrum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stereospermum personatum* (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stereospermum suaveolens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stereospermum tetragonum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stereospermum xylocarpum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Steudnera virosa* (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stichoneuron caudatum* RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stictocardia campanulata* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stipa capensis* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stipa capillata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stipa sibirica* (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stipa tortilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stranvaesia glaucescens* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Streblus asper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Striga asiatica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Striga gesnerioides* (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Striga lutea* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Striga orobanchoides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes acrocephalus* T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes auriculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes callosus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes ciliatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes consanguineus* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes dalhousianus* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes flaccidifolius* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes heyneanus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes kunthiana* T.ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes lupulinus* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes nobilis* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes wallichii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strobilanthes wightianus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stroemia tetrandra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strophanthus dichotomus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strophanthus wallichii* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strophanthus wightianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos aenea* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos axillaris* COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos cinnamomifolia* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos colubrina* AUCTION. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos gaultheriana* PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos ignatia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos ignatii* BERG. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos maingayi* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos minor* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos nux-bl*Kalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos rheedei* CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Strychnos wallichiana* STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stylocoryne lucens* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stylophorum lactucoides* (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stylosanthes fruticosa* (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Styrax benzoin* DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Styrax hookeri* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Styrax officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Styrax serrulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Styrax tonkinensis* CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Suaeda fruticosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Suaeda monoica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Suregada multiflora* (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia affinis* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia alata* ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia angustifolia* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia ciliata* (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia cordata* CI. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia decussata* NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia densiflora* (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia densifolia* (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia lawii* BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia minor* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia perennis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia petiolata* DON. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia pulchella* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia purpurascens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swertia thomsonii* CI. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swietenia febrifuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swietenia macrophylla* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Swietenia mahagoni* (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symphorema involucratum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symphorema polyandrum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos caudata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos chinensis* (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos cochinchinensis* S.MOORE *laurina laurina* (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos cochinchinensis* S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos crataegoides* BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos monantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos paniculata* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos spicata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos sumuntia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Symplocos theaefolia* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Synadenium grantii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Synantherias sylvatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Synapis dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Synedrella nodiflora* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syringa emodi* WALL. EX ROYLE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syringa persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium alternifolium* (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium aromaticum* (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium caryophyllaeum* AUCT.NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium caryophyllatum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium cerasoideum* (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium cumini* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium hemisphericum* (WIGHT) ALSTON and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium heyneanum* WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium jambolana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium jambolanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium jambos* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium neyneanum* (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium operculatum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium travancoricum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Syzygium zeylanicum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana alternifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana coronaria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana crispa* ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana sphaerocarpa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tabernaemontana wallichiana* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tacca aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tacca integrifolia* KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tacca leontopetaloides* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tacca pinnatifida* J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tagetes minuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarindus indica* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix aphylla* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix ariculata* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix dioica* ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix ericoides* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix gallica* AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix troupii* HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum dolichophyllum* KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum fruticosum* LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum gracile* HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum longifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum parthenium* (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum tenuifolium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum tibeticum* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum tomentosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tanacetum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taraktogenos kurzii* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taraxacum officinale* WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taraxacum officinale* WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tarenna asiatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taverniera cuneifolia* (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taverniera nummularia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxillus umbellifer* (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxus baccata* L. *wallichiana* Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Taxus wallichiana* ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tecoma capensis* LINDL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tecoma grandiflora* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tecoma radicans* JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tecoma stans* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tecoma undulata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tecomella undulata* (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tectaria coadunata* (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tectaria macrodonta* (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tectona grandis* L.F. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Telosma minor* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Telosma pallida* (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia hamiltonii* J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia petrosa* BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia procumbens* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia purpurea* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia purpurea* PERS. pumila and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia senticosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia spinosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia tinctoria* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia uniflora* PERS. petrosa (BLATT. & HALLB.) GILLET & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia uniflora* PERS. petrosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tephrosia villosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teramnus labialis* (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teramnus mollis* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia alata* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia bellerica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia bellerica* ROXB. *laurinoides* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia bellirica* (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia bialata* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia chebula* RETZ. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia chebula* RETZ. & WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia citrina* FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia crenulata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia manii* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia oSkini* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia pallida* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia paniculata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia pyrifolia* KURZ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia reticulata* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Terminalia travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ternstroemia japonica* AUCT.NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetracera akara* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetracera laevis* AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetracera scandens* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrameles nudiflora* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetranthera roxburghii* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrastigma lanceolarium* (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetrastigma serrulata* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teucrium chamaedrys* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teucrium polium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teucrium scordium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Teucrium stocksianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum alpinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum cultratum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum dalzellii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum javanicum* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum minus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum pauciflorum* ROYLE. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum pedunculatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum reniforme* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thamnia vermicularis* (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thea assamica* J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thecagonium biflorum* (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thelypteris gracilescens* (BL.) CHING. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Themeda arguens* (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Themeda arundinacea* (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Themeda gigantea* HACK. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Themeda triandra* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Theobroma cacao* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Theriophonum infaustum* N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Theriophonum minutum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thespesia populnea* (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thevetia neriifolia* JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thevetia peruviana* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thlaspi kotschyannum* BOISS. & *HOHEN BROIGAR* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thlaspi tetragona* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thomsonia nepalensis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thonningia axillaris* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thottea siliquosa* (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thuja orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia alata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia fragrans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia hawtayneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thunbergia laurifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thymus linearis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thymus serpyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thysanolaena acarifera* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thysanolaena agrostis* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thysanolaena maxima* (ROXB.) KUNTZE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thysanolaena procera* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tiaridium indicum* LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tiliacora acuminata* MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tiliacora racemosa* COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tinospora crispa* (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tinospora sinensis* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tithonia diversifolia* (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tithonia tagetiflora* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toddalia aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toddalia asiatica* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toddalia bilocularis* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tonningia axillaris* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia bicolor* DALZ. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia parviflora* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia polygonoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia thouarsii* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Torenia vagans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tournefortia candollii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tournefortia montana* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tovara virginiana* (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Toxocarpus villosus* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachelospermum fragrans* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachelospermum lucidum* (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachycarpus martianus* H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachydium lehmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachyspermum ammi* (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachyspermum khasianum* (CL.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trachyspermum roxburghianum* (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tradescantia axillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia bicolor* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia cannabina* L.F. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia cordata* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia cordifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia involucrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragia plukenetii* A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragopogon gracilis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragopogon porrifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tragopogon pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trapa bicornis* L. F. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trapa bispinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trapa natans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trapa natans* L. *bispinosa* (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trema cannabina* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trema orientalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trevesia palmata* (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trewia polycarpa* BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema decandra* L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema govindia* BUCH-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema monogyna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema pentandra* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trianthema triquetra* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tribulus alatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tribulus terrestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tricalysia singularis* (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichilia spinosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichodesma africanum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichodesma indicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichodesma zeylanicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tricholepis angustifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tricholepis glaberrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tricholepis montana* DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tricholepis procumbens* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichomanes javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichopus zeylanicus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes anaimalaiensis* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes anguina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes bracteata* (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes cordata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes incisa* ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes laciniosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes lobata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes palmata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes tricuspidata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trichosanthes wallichiana* (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tridax procumbens* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium fragiferum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium indicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium officinalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triglochin maritima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triglochin palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonella corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonella emodi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonella hamosa* (L.) WILLD. *uncata* (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonella incisa* BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonella occulta* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonella polycerata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonella uncata* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trigonostemon longifolius* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trillium govanianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trimufetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triticum amyleum* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triticum durum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triticum pilosum* (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triticum sativum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triticum spelta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triticum vulgare* WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta bartramia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta rotundifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta semitriloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Triumfetta tomentosa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tropaeolum minus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Trophis aspera* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tropidia curculigoides* LINDL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tuber cibarium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tulipa stellata* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turbina corymbosa* (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turnera angustifolia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turnera diffusa* WILLD. *APHRODISIACA* (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turpinia nepalensis* WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turpinia pomifera* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Turraea villosa* BENN. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tussilago farfara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora asthmatica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora dalzellii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora hirsuta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora indica* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora tenuis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tylophora tetrapetala* (DENNST.) SURESH and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typha angustata* BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typha australis* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typha elephantina* GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typha laxmannii* LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typhonium divaricatum* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typhonium flagelliforme* (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typhonium roxburghii* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Typhonium trilobatum* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ulmus campestris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ulmus wallichiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uncaria cordata* (LOUR.) MERR. *ferruginea* (BL.) RIDSD. FORMA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uncaria gambier* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uncaria sessilifructus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Unona narum* DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uraria alopecuroides* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uraria crinita* DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uraria hamosa* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uraria lagopodioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uraria picta* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uraria prunellaefolia* GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uraria rufescens* (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urena lobata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urena repKalam* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urena simiata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urena sinuata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urginea coromandeliana* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urginea indica* (ROXB) KUNTH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urginea maritima* (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urginea nagarjunae* Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urtica ardens* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urtica dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urtica hyperborea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urtica parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Urtica pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Usnea sikkimensis* BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Usnea flexilis* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Usnea florida* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Usnea hirta* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Usnea longissima* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Usnea rubicunda* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Usnea sikkimensis* BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Usnea venosa* MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uteleria salicifolia* BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uteleria salicifolia* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia bifida* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia gibbosa* L. NULL and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia reticulata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Utricularia stellaris* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uvaria dulcis* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uvaria ebracteolata* PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uvaria hookeri* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uvaria micrantha* (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uvaria narum* (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vaccaria pyramidata* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vaccinium leschenaultii* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vaccinium macrocarpon* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana brunoniana* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana dubia* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana hardwickii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana jatamansi* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana pyrolaefolia* DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Valeriana wallichii* DC. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vallaris heynei* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vallaris pergulanus* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vallaris solanacea* (ROTH.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam coerulea* GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam parviflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam roxburghii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam spathulata* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam teres* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam tessellata* (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *VKalam testacea* (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vandellia erecta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vandellia pedunculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vandellia pyxidaria* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vangueria pubescens* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vangueria spinosa* SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vanilla planifolia* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vanilla wightiana* LINDL.EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vateria indica* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vateria macrocarpa* B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vateria malabarica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vatica lancaefolia* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ventilago calycina* TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ventilago calyculata* TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ventilago denticulata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ventilago madraspatana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veratrum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veratrum viride* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbascum chinense* (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbascum coromandelianum* (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbascum thapsus* PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbena nodiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verbesina calendulacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Verchellia farnesiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia albicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia anthelmintica* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia arborea* HOOK.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia aspera* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia cinerea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia patula* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia pyramidale* (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia revoluta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia roxburghii* LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia squarrosa* (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vernonia teres* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica agrestis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica anagallis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica beccabunga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica biloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica hederaefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Veronica serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vetiveria zizanioides* (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum acuminatum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum colebrookianum* WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum coriaceum* BL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum corylifolium* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum cotinifolium* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum cylindricum* BUCH.-HAM.EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum foetidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum hebanthum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum nervosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum obovatum* WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viburnum punctatum* BUCH.-HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicia faba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicia hirsuta* KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicia sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicia auriculata* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vicia indica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna aconitifolia* (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna adenantha* (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna angularis* (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna catjang* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna cylindrica* SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna dalzelliana* (O.KTZE) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna grahmiana* (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna mungo* (L.) HEPPEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna pilosa* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna radiata* (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna radiata* (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna trilobata* (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna unguiculeta* (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vigna vexillata* (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vinca major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vinca minor* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vinca parviflora* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vinca pusilla* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vinca rosea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vincetoxicum album* (MILL.) ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola biflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola caespitosa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola cinerea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola diffusa* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola patrinii* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola pilosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola serpens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola sylvestris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum articulatum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum monoicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum nepalense* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viscum orientale* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex agnus-castus* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex altissima* L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex glabrata* F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex leucoxydon* SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex negundo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex negundo* L. *incisa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex negundo* L. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex paniculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex peduncularis* WALL . and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex pubescens* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitex trifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis adnata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis carnosus* (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis hastata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis heyneana* ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis indica* W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis lanata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis objecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis pallida* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis parvifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis pedata* VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis planicaulis* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis polystachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis quadrangularis* WALT EX WIGHT & ARN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis repens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis setosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis tomentosa* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vitis vitifolia* HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vittaria elongata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vittaria zosterifolia* WILLD. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viverra zibetha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Volkameria inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Volutarella divaricata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wagatea spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wahlenbergia marginata* (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Waldheimia glabra* (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Waldheimia stoliczki* (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Waldheimia tomentosa* (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wallichia disticha* T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Walsura piscidia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Walsura trifoliata* (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wattakaka volubilis* (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Webera corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Webera tetrandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wedelia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wedelia calendulacea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wedelia chinensis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wedelia wallichii* LESS. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wendlandia exerta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wendlandia heynei* (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wendlandia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wendlandia pendula* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wendlandia tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wikstroemia canescens* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wikstroemia ridleyi* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wikstroemia viridiflora* MEISSN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Willughbeia edulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Withania coagulans* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Withania somnifera* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wolffia globosa* (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wollastonia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Woodfordia floribunda* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Woodfordia fruticosa* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia antidysenterica* GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia arborea* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia coccinea* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia tinctoria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia tomentosa* R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Wrightia zeylanica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xanthium indicum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xanthium strumarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xanthophyllum arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xanthophyllum flavescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xanthoxylum fraxineum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xantolis tomentosa* (ROXB.) RAF. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xeromphis spinosa* (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xeromphis uliginosa* (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ximenia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylaria polymorpha* PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylia dolabriformis* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylia xylocarpa* (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylocarpus granatum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylopia parvifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylosma longifolium* CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xyris anceps* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xyris auceps* AUCTION. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xyris complanata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xyris indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xyris pauciflora* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Yucca aloifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Yucca filamentosa* WOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zaleya decandra* (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zaleya govindia* (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zaleya pentandra* (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zalia decandra* (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zannichellia indica* ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zantedeschia aethiopica* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum acanthopodium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum alatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum budrunga* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum hamiltonianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum hostile* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum limonella* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum nitidum* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum ovalifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum oxphyllum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum rhetsa* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum tetraspermum* WT. & ARN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zanthoxylum triphyllum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zataria multiflora* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zehneria hookeriana* ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zehneria indica* (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zehneria maysorensis* (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zehneria scabra* (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zehneria umbellata* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zephyranthes ajax* SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zephyranthes grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zephyranthes rosea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zeuxine strateumatica* (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zeuxine sulcata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber capitatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber cassumunar* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber cernuum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber chrysanthum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber mioga* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber officinale* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber purpureum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber roseum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber rubens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber squarrosus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zingiber zerumbet* ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zinnia elegans* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zizania caduciflora* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zizania latifolia* TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphora clinopodioides* M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphora tenuior* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus glaberrata* HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus glabrata* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus jujuba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus mauritiana* LAM. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus napeca* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus nummularia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus oenoplia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus oxyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus sativa* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus sororia* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus trinervia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus trinervius* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anemone rivularis* Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis gouriana* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis munroiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis smilacifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis theobromina* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Clematis wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Consolida ambigua* (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Naravelia zeylanica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus reniformis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ranunculus wallichianus* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum javanicum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thalictrum saniculaeforme* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Chimonanthus praecox*(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Acrotrema arnottianum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dillenia bracteata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dillenia pentagyna* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dillenia retusa* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dillenia suffruticosa* (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tetracera akara* (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Magnolia campbellii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Magnolia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Magnolia liliflora* Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Magnolia x alba* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Michelia nilagirica* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alphonsea sclerocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Alphonsea zeylanica* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Annona cherimola* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Annona muricata* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artabotrys hexapetalus* (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Artabotrys zeylanicus* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cananga odorata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmos lawii* (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Desmos viridiflorus* (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniothalamus rhynchantherus* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniothalamus salicina* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniothalamus thwaitesii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniothalamus wightii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Goniothalamus wynadensis* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meiogyne pannosa* (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Meiogyne ramarowii* (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miliusa eriocarpa* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miliusa montana* Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miliusa nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miliusa tomentosa* (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Miliusa wightiana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orophea erythrocarpa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orophea thomsonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Orophea uniflora* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia cerasoides* (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia fragrans* (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia korintii* (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia longifolia* (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia rufescens* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia suberosa* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polyalthia tirunelveli*ensis M. B. Viswan. & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Popowia beddomeana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sageraea dalzellii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uvaria macropoda* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylopiia parvifolia* (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Anamirta cocculus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus hirsutus* (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cocculus pendulus* (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coscinium fenestratum* (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclea arnottii* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Diplocisia glaucescens* (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania japonica* (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stephania wightii* (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tinospora sinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis lycium* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis nilghiriensis* Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis tinctoria* Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Berberis wightiana* Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nelumbo nucifera* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea nouchali* Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Nymphaea rubra* Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Eschscholzia californica* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Mecanopsis wallichii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver caucasicum* Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver fugax* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Romneya coulteri* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Corydalis lutea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dicentra scandens* (D. Don.) Walp. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fumaria indica* (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barbarea intermedia* Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barbarea verna* (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Barbarea vulgaris* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica juncea* (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica nigra* (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica oleracea* L. var. *botrytis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica oleracea* L. var. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica oleracea* L. var. *gemmifera* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica oleracea* L. var. *gongylodes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Brassica rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capsella bursa-pastoris* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardamine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardamine hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cardamine trichocarpa* Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Coronopus didymus* (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iberis amara* L. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Iberis umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lepidium virginicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lobularia maritima* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Matthiola incana* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rorippa indica* (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Rorippa nasturtium - aquaticum* (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sisymbrium volgense* Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cadaba fruticosa* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cadaba trifoliata* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis brevispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis decidua* (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis divaricata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis diversifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis fusifera* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis moonii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis rotundifolia* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis shevaroyensis* Sundararaghavan and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome angustifolia* Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome aspera* Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome burmannii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome chelidonii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome felina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome hassleriana* Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome rutidosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome speciosa* Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Crateva magna* (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gynandropsis gynandra* (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maerua apetala* (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Maerua oblongifolia* (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Steriphoma clemoides* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reseda alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Reseda luteola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hybanthus enneaspermus* (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hybanthus travancoricus* (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola arcuata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola canescens* Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola hamiltoniana* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Viola pilosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cochlospermum religiosum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Aphloia theiformis* (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia championii* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia graveolens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia ovata* (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia rubescens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia thwaitesii* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Casearia wynadensis* Bedd. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flacourtia indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flacourtia jangomas* (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Flacourtia montana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Homalium jainii* A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Homalium travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Homalium ceylanicum* (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus alpina* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus macrocarpa* (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Oncoba spinosa* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylosma latifolium* Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xylosma longifolia* Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Hymenosporum flavum* (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum anamallayense* Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum bicolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum ceylanicum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum crassifolium* Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum dasycaulon* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum eugenioides* A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum napaulense* (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum neelgherrense* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum tetraspermum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum tobira* (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum umbellatum* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum undulatum* Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sollya heterophylla* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Muraltia juniperifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala arillata* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala arvensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala bolbothrix* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala elongata* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala erioptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala jacobii* Chandrabose and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala javana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala longifolia* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala myrtifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala persicariifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala rosmarinifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala telephioides* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala virgata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polygala wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Securidaca bracteata* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xanthophyllum flavescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Xanthophyllum manickamii* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Arenaria neelgerrensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerastium glomeratum* Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Cerastium indicum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Dianthus caryophyllus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Drymaria villosa* Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Gypsophila elegans* M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Lychnis coronaria* (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polycarpaea aurea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polycarpaea corymbosa* (L.) Lam. var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polycarpaea diffusa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polycarpaea spicata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Polycarpon tetraphyllum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Sagina saginoides* (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Saponaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Scleranthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silene armeria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silene coeli - rosa* (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Silene gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Spergula arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stellaria media* (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Stellaria vestita* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Vaccaria pyramidata* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca oleracea* L. var. *oleracea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca pilosa* L. subsp. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulaca wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Portulacaria afra* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Talinum triangulare* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix aphylla* (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix ericoides* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Tamarix indica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergia ammannioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatine ambigua* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Elatine triandra* Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calophyllum apetalum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Calophyllum austroindicum* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus vulgaris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Ziziphus xylopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zornia diphylla* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zornia gibbosa* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zosima absinthifolia* (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Pholidota protracta* Hook. f., *Zosima orientalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com